



Repatriation Schedule of Pharmaceutical Benefits

December 1987



Veterans' Affairs



Commonwealth Department of
Veterans' Affairs

Repatriation Schedule of Pharmaceutical Benefits

DECEMBER 1987

This schedule should be read in conjunction with the current SCHEDULE OF PHARMACEUTICAL BENEFITS issued under the National Health Act.

Australian Government Publishing Service
Canberra 1987

© Commonwealth of Australia 1987
ISSN 0811-7705

Typeset and printed in Australia by
Better Printing Service Pty Ltd

BENEFICIARIES ENTITLEMENT CARDS AND ELIGIBILITY

The diagram below outlines beneficiaries drug
REPATRIATION PHARMACEUTICAL BENEFITS

| | | |
|--|---|------|
|  Personal Treatment Entitlement Card X 123456 1 John X. Smith | Patients issued with YELLOW cards may receive Pharmaceutical Treatment at the expense of the Department of Veterans' Affairs. | WITH |
| (Repatriation Pharmaceuticals) | | |
|  Specific Treatment Entitlement Card X 123456 1 John X. SMITH | Patients issued with WHITE cards may receive Pharmaceutical Treatment at the expense of the Department of Veterans' Affairs | WITH |
| (Repatriation Pharmaceuticals) | | |

PMS/NHS PHARMACEUTICAL BENEFITS

(Patients ineligible to receive Repatriation Pharmaceuticals)

| | |
|---|--|
|  Dependant Treatment Entitlement Card X 123456 1 Valda J. BREWER |  Service Pensioner Benefits Card X 123456 1 John X. Smith |
| (NHS/PMS Pharmaceuticals) | (NHS/PMS Pharmaceuticals) |

Explanatory Circular regarding the December 1987 Edition of the Repatriation Schedule of Pharmaceutical Benefits.

This reprint of the Schedule will take effect on **1 December 1987** and all previous editions of the Schedule are cancelled.

RPBS Prescribing of Benzodiazepines

At its last meeting the Repatriation Pharmaceutical Reference Committee again reviewed the prescribing of **Benzodiazepines** under the Repatriation Pharmaceutical Benefits Scheme (RPBS). Because of the continuing medical evidence reported in the literature on problems of dependence and abuse associated with the long term use of these substances, the Committee recommended that the listing of **Benzodiazepines** under the RPBS be aligned with the policy of the Pharmaceutical Benefits Scheme (PBS) aimed at limiting treatment to short term usage. Accordingly, in this Edition of the Schedule the listings for **Benzodiazepines** which provide for the prescribing of a larger quantity, have been removed.

Restricted Prescribing of Incontinence Aids

Incontinence aids should not be prescribed for patients in nursing homes. The approved patient fee paid to nursing homes includes a component for the supply of incontinence aids by the nursing home. For prescriber information a restriction note for absorbent napkins and absorbent napkins pants has been added to the Schedule.

**SUMMARY OF CHANGES
ADDITIONS**

Addition of New Items

Section 1

Beclomethasone Dipropionate, Aqueous suspension in metered dose atomising pump, 50 micrograms per dose, (200 dose), (Beconase AQ)

Section 3

Dressing Adhesive Membrane, 25cm x 10cm (Bioclusive Transparent Dressing 12477)

New Forms, Brands, Strengths or Pack Sizes of Existing Sizes

Section 1

Inhalation Device (Volumatic 10359)

DELETIONS

Deletion of Full Items

Section 1

Aloxipritin, Tablet 600 mg (Palaprin Forte)

Aspirin, Tablet 325 mg (buffered) (Bufferin)

Aspirin, Tablet 500 mg (buffered) (Bufferin Extra Strength (ESB))

Azatadine Maleate, Tablet 1 mg (Zadine)

Bovine Plasma Derivative, Dry Powder vial 5000 N.I.H. thrombin units with 5 mL vial of diluent (Thrombostat)

Bovine Plasma Derivative, Dry Powder vial 10 000 N.I.H. thrombin units with 10 mL vial of diluent (Thrombostat)

Codeine Phosphate, Linctus 0.5%, 100 mL (Actacode, Codelix, Codlin, MG, PR, QE(NQ))

Dexchlorpheniramine, Tablet 2 mg (Polaramine)

Diazepam, Tablet 2 mg (Antenex 2, Ducene, Pro-Pam, Valium)

Diazepam, Tablet 5 mg (Antenex 5, Ducene, Pro-Pam, Valium)

Diclofenac Sodium, Tablet 25 mg (Voltaren)

Dihydrocodeine Tartrate, Linctus 19 mg per 10 mL, 100 mL (Paracodin, Rikodeine)

Docusate Sodium with Danthron, Tablet 50 mg-50 mg (Coloxyl with Danthron)

Glyceryl Trinitrate, Ointment 3%, capsule packed (Nitrolate)

Heparinoid, Cream 0.3%, 14g (Hirudoid)

Heparinoid, Cream 0.3%, 40g (Hirudoid)

Heparinoid and Hyaluronidase, Ointment 5,000 H.D.B.U.-15 000 units per 100 g, 14 g (Lasonil)

Heparinoid and Hyaluronidase, Ointment 5,000 H.D.B.U.-15 000 units per 100 g, 40 g (Lasonil)

Nitrazepam, Tablet 5 mg (Alodorm, Dormicum, Mogadon)

Oxazepam, Tablet 15 mg (Aleepam 15, Benzotran, Murelax, Serepax)
Oxazepam, Tablet 30 mg (Aleepam 30, Benzotran, Murelax, Serepax)
Pancreatin Enzyme, Powder-Pancreatin BP (not less than 1400 BP units free
Protease, 25 000 BP units Lipase and 30 000 BP units Amylase per g)
250 g, (Pancrex V)
Pancreatin Enzyme, Tablet-Pancreatin BP (not less than 110 BP units free
Protease, 1900 BP units Lipase and 1700 BP units Amylase per tablet)
(Pancrex V)
Pancreatin Enzyme, Tablet-Pancreatin BP (not less than 330 BP units free
Protease, 5600 BP units Lipase and 5000 BP units Amylase per tablet)
(Pancrex V Forte)
Pancreatin Enzyme, Granules 500 g (Pancrex)
Pancrelipase, Cellulase and Ox Bile Extract, Tablet 170 mg-10 mg-65 mg
(Cotazym-B)
Pentaerythritol Tetranitrate, Tablet 20 mg (Peritrate)
Pentaerythritol Tetranitrate, Tablet 80 mg (sustained release) (Peritrate-S.A.)
Pentazocine Hydrochloride, Tablet 25 mg (Fortral)
Pentazocine Hydrochloride, Tablet 50 mg (Fortral)
Rauwolfia Serpentina, Tablet 50 mg (Raudixin)
Reserpine, Tablet 250 micrograms (Serpasil)
Resorcinol and Sulphur, Ointment 2%-8%, 25 g (Eskamel)
Sodium Apolate and Benzyl Nicotinate, Ointment 1%-0.125%, 20 g
(Pergalen)
Sodium Apolate and Benzyl Nicotinate, Ointment 1%-0.125%, 50 g
(Pergalen)
Temazepam, Capsule 10 mg (Euhypnos, Normison, Temaze 10)
Trimeprazine, Tablet 10 mg (Vallergan)
Vitamin B Group Complex with Ascorbic Acid, Injection 2 mL
(Intravite B Group)
Vitamin E, Capsule 250 mg (Vita-Valu)

(Deletions Continued) p4

Forms, Brands, Strengths or Pack Sizes of Existing Items

Section 1

Calcium Carbonate with Glycine, Tablet 1250 mg-536 mg (Cal-Sup)

Choline Salicylate, Cetalkonium Chloride, Menthol, Glycerol and Ethanol,
Jelly 8.7%-0.01%-0.057%-4.6%-38.6%, 10 g (Bonjela)

Codeine Phosphate with Paracetamol, Tablet 8 mg-500 mg (Panamax Co.)

Pholcodine, Linctus 0.1%, 100 mL (Adaphol, Pectolin, Sedlingtus, Tussinol, RT)

Promethazine, Tablet 25 mg (Phenergan)

Senega and Ammonia, Mixture 200 mL (QE(NQ), SL(NQVW), TO)

Sunscreens, Cream 50 g (Hamilton Sunscreen Broad Spectrum Cream)

Tolnaftate, Cream 1%, 20 g (Tinacidin, Tinaderm)

Tolnaftate, Powder 1%, 20 g (Tinaderm)

Tolnaftate, Solution 1%, 10 mL (Tinacidin, Tinaderm)

Triamcinolone Acetonide, Cream 0.05%, 30 g (Aristocort 0.05%)

Triamcinolone Acetonide, Ointment 0.05%, 30 g (Aristocort 0.05%)

Vitamin B Group Complex Strong with Ascorbic Acid, Injection I.M.-pair of
5 mL and 2 mL ampoules, 3 (Parentrovite)

Section 3

Dressing Adhesive Membrane, 28 cm x 15 cm, sterile single sachet
(Op-Site 4986)

ALTERATIONS

Item Description

Section 1

| From | To |
|---|---|
| Allantoin and Coal Tar Extract | Coal Tar Extract |
| Shampoo 0.2%-5%, 50 g | Shampoo 50 mg per g (5%), 50 g |
| Cetylalcohol, Birch Tar, Sulphur and Salicylic Acid | Sulphur, Salicylic Acid and Birch Tar Oil |
| Cream 6%-9%-10%-2%, 25 g | Cream 100 mg-20 mg-90 mg per g, (10%-2%-9%), 25 g |
| Fluocortolone Pivalate, Fluocortolone Hexanoate, Clemizole Undecylenate, Hexachlorophane and Cinchocaine Hydrochloride | Flucortolone Pivalate, Fluocortolone Hexanoate, Clemizole Undecylenate and Cinchocaine Hydrochloride |
| Ointment 0.092%-0.095%-1%-0.5%- 0.5%, 10 g | Ointment 920 micrograms- 950 micrograms-10 mg- 5 mg per g, (0.092%- 0.095%-1%-0.5%), 10 g |
| 0.092%-0.095%-1%-0.5%- 0.5%, 30 g | 920 micrograms- 950 micrograms-10 mg- 5 mg per g, (0.092%- 0.095%-1%-0.5%), 30 g |
| Suppositories — each contains 0.61 mg- 0.63 mg-5 mg-2.5 mg- 1 mg, 12 | Suppositores — each contains 610 micrograms- 630 micrograms-5 mg- 1 mg, 12 |

| | |
|--|---|
| Hydrocortisone, Lignocaine Hydrochloride, Aluminium Subacetate and Zinc Oxide | Hydrocortisone, Lignocaine Base Aluminium Subacetate and Zinc Oxide |
| Ointment 0.25%-5%-3.5%-18%, 15 g | Ointment 2.5 mg-50 mg-35 mg- 180 mg per g (0.25%-5%- 3.5%-18%), 15 g |
| 0.25%-5%-3.5%-18%, 35 g | 2.5 mg-50 mg-35 mg- 180 mg per g (0.25%-5%- 3.5%-18%), 35 g |
| Suppositories — each contains 5 mg-50 mg- 50 mg-400 mg, 10 | Suppositories — each contains 5 mg-60 mg- 50 mg-400 mg, 10 |
| Prednisolone Hexanoate, Cinchocaine Hydrochloride, Hexachlorophane and Clemizole Undecylenate | Prednisolone Hexanoate, Cinchocaine Hydrochloride and Clemizole Undecylenate |
| Ointment 0.19%-0.5%-0.5%-1%, 10 g | Ointment 1.9 mg-5 mg-10 mg per g (0.19%-0.5%-1%), 10 g |
| 0.19%-0.5%-0.5%-1%, 30 g | 1.9 mg-5 mg-10 mg per g (0.19%-0.5%-1%), 30 g |
| Suppositories — each contains 1.3 mg-1 mg- 2.5 mg-5 mg, 12 | Suppositories — each contains 1.3 mg-1 mg- 5 mg, 12 |
| Ricinoleic Acid, Boric Acid, Acetic Acid and Oxyquinoline Sulphate | Ricinoleic Acid, Acetic Acid and Hydroxyquinoline Sulphate |
| Vaginal Jelly 0.75%-3% 0.92%-0.025%, 95 g | Vaginal Jelly 7.0 mg- 9.4 mg-250 micrograms per g (0.7%-0.94%-0.025%), 100 g |

Section 2

Nebuhaler Device

Inhalation Device

Maximum Quantity and/or Repeats

Section 1

| From | | To | |
|----------------------------|-------|----------------------------|------|
| Bromazepam | | Bromazepam | |
| Tablet 3 mg | 100 2 | Tablet 3 mg | 50 — |
| 6 mg | 100 2 | 6 mg | 50 — |
| 12 mg | 100 2 | 12 mg | 50 — |
| Chlordiazepoxide | | Chlordiazepoxide | |
| Tablet 5 mg | 100 2 | Tablet 5 mg | 50 — |
| Capsule 10 mg | 100 2 | Capsule 10 mg | 50 — |
| Clorazepate | | Clorazepate | |
| Dipotassium | | Dipotassium | |
| Capsule 5 mg | 100 2 | Capsule 5 mg | 50 — |
| 15 mg | 60 2 | 15 mg | 30 — |
| Flunitrazepam | | Flunitrazepam | |
| Tablet 2 mg | 50 1 | Tablet 2 mg | 25 — |
| Flurazepam | | Flurazepam | |
| Dihydrochloride | | Dihydrochloride | |
| Capsule 15 mg | 50 1 | Capsule 15 mg | 30 — |
| 30 mg | 50 1 | 30 mg | 30 — |
| Lorazepam | | Lorazepam | |
| Tablet 1 mg | 100 2 | Tablet 1 mg | 50 — |
| 2.5 mg | 100 2 | 2.5 mg | 50 — |
| Pseudoephedrine | | Pseudoephedrine | |
| Hydrochloride | | Hydrochloride | |
| Tablet 60 mg | 24 2 | Tablet 60 mg | 30 — |
| Pseudoephedrine | | Pseudoephedrine | |
| Sulphate | | Sulphate | |
| Tablet 60 mg | 30 2 | Tablet 60 mg | 30 — |
| Salicylic Acid, and | | Salicylic Acid, and | |
| Podophyllin Resin | | Podophyllin Resin | |
| Ointment | | Ointment | |
| 25%-20%, 15 g | | 250 mg-200 mg per g | |
| | | (25%-20%), 10 g | |

FORWARD ADVICE

DELETIONS

The brands listed below will be deleted from the Repatriation Schedule of Pharmaceutical Benefits as from 1 March 1988.

Betamethasone Valerate, Cream 0.1%, 15 g (Betnovate)

Fluocinolone Acetonide, Cream 0.01%, 30 g (Synalar 01)

The item listed below will be deleted from the Repatriation Schedule of Pharmaceutical Benefits as from 1 March 1988.

Sulphur, Salicyclic Acid and Birch Tar Oil, Cream 100 mg-20 mg-90 mg per g
(10%-2%-9%), 25g (Egosulphyl)

Section 1

**REPATRIATION SCHEDULE OF
BENEFITS
Drugs, Medicines and Diagnostic
Reagents**

| <i>Code</i> | <i>Name, manner of administration and form</i> | | <i>No. Max. qty</i> | <i>of rpts</i> | <i>Proprietary name and manufacturer</i> | |
|---|--|-----|---------------------|---|--|----------------|
| ALGINIC ACID COMPOUND | | | | | | |
| 4108F | Granules 4 g Sachets (pack of 24) | | 5 | 5 | Gavigrans | RC |
| ALLANTOIN and COAL TAR EXTRACT | | | | | | |
| 4111J | Lotion 20 mg-50 mg per mL (2%-5%), 250 mL | | ‡1 | 2 | Alphosyl | SV |
| 4112K | Cream 17 mg-50 mg per g (1.7%-5%), 50 g | | ‡1 | 2 | Alphosyl | SV |
| ALLANTOIN, SULPHUR, PHENOL, COAL TAR SOLUTION and MENTHOL | | | | | | |
| 4506E | Gel 25 mg-5 mg-5 mg- 0.05 mL-7.5 mg per g (2.5%- 0.5%-0.5%-5%-0.75%), 75 g | | ‡1 | 2 | Egopsoryl-TA | EO |
| ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE and SIMETHICONE | | | | | | |
| 4117Q | Tablet 400 mg-400 mg-30 mg | 100 | 5 | Mylanta 11 | | PD |
| 4118R | Suspension 400 mg-400 mg- 30 mg per 5 mL, 375 mL | ‡1 | 5 | Mylanta 11 | | PD |
| ASCORBIC ACID | | | | | | |
| 4120W | Tablet 50 mg | 100 | 2 | Ascorb "50" DH, FM | | PT |
| BATH EMOLLIENT | | | | | | |
| 4122Y | Bath Oil, 500 mL | ‡1 | 2 | Hamilton Bath Oil QV Bath Oil Rikoderm | | HA EO RK |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>Max. qty</i> | <i>No. rpts</i> | <i>Proprietary name and manufacturer</i> |
|-------------|---|-----------------|-----------------|--|
| | BECLOMETHASONE DIPROPIONATE | | | |
| 4127F | Aqueous suspension in metered dose atomising pump, 50 micrograms per dose, (200 dose) | ‡1 | 2 | Beconase AQ GL |
| 4126E | Inhalation, metered aerosol nasal spray, 50 micrograms per dose, (200 dose) | ‡1 | 2 | Aldecin Beconase SH GL |
| | BENZALKONIUM CHLORIDE, CETRIMIDE and LANOLIN | | | |
| 4128G | Cream 100 micrograms- 1.8 mg-18 mg per g (0.01%-0.18%-1.8%), 50g | ‡1 | 2 | Drapolex BW |
| | BENZTROPINE | | | |
| 4129H | Tablet 0.5 mg | 100 | 2 | Cogentin MK |
| | BENZYDAMINE HYDROCHLORIDE | | | |
| 4130J | Solution 1.5 mg per mL (0.15%), 200 mL | ‡1 | — | Difflam RK |
| | BETAMETHASONE DIPROPIONATE | | | |
| 4507F | Cream 500 micrograms per g (0.05%), 50 g | ‡1 | 2 | Diprosone SH |
| 4508G | Ointment 500 micrograms per g (0.05%), 50 g | ‡1 | 2 | Diprosone SH |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>Max. qty</i> | <i>No. rpts</i> | <i>Proprietary name and manufacturer</i> |
|---|--|-----------------|-----------------|---|
| BETAMETHASONE VALERATE | | | | |
| 4511K | Cream 500 micrograms per g (0.05%), 30 g | ‡1 | 2 | Betnovate ½ Celestone V Half Strength GL SH |
| 4515P | 1 mg per g (0.1%), 15 g | ‡1 | 2 | Betnovate Celestone V GL SH |
| 4131K | 1 mg per g (0.1%), 30 g | ‡1 | 2 | Betnovate Celestone V GL SH |
| 4517R | Gel 500 micrograms per g (0.05%), 30 g | ‡1 | 2 | Betnovate ½ GL |
| 4513M | Ointment 500 micrograms per g (0.05%), 30 g | ‡1 | 2 | Betnovate ½ Celestone V Half Strength GL SH |
| 4516Q | 1 mg per g (0.1%), 15 g | ‡1 | 2 | Celestone V SH |
| 4132L | 1 mg per g (0.1%), 30 g | ‡1 | 2 | Betnovate Celestone V GL SH |
| 4133M | Scalp Application 1 mg per g (0.1%), 30 g | ‡1 | 2 | Betnovate GL |
| BETAMETHASONE VALERATE and GENTAMICIN SULPHATE | | | | |
| CAUTION: For the short term treatment of localised infective eczema only | | | | |
| 4139W | Cream 1 mg-1 mg per g (0.1%-0.1%), 15 g | ‡1 | — | Celestone-VG SH |
| 4140X | Ointment 1 mg-1 mg per g (0.1%-0.1%), 15 g | ‡1 | — | Celestone-VG SH |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>No. Max. qty</i> | <i>of Proprietary name rpts and manufacturer</i> |
|-------------|---|-------------------------|--|
| 4143C | BISMUTH FORMIC IODIDE Powder 10 g | ‡1 | — B.F.I. MK |
| | BROMAZEPAM CAUTION: Continuous long term use may lead to dependency. No authorities will be granted for increased maximum quantities and/or repeats of Bromazepam. | | |
| 4150K | Tablet 3 mg | 50 | — Lexotan RO |
| 4151L | 6 mg | 50 | — Lexotan RO |
| 4152M | 12 mg | 50 | — Lexotan RO |
| | BROMHEXINE HYDROCHLORIDE NOTE: For use of patients established on this therapy prior to 1 March 1983 | | |
| 4148H | Tablet 8 mg | 100 | 2 Bisolvon BY |
| | BROMPHENIRAMINE | | |
| 4054J | Tablet 4 mg | 50 | 2 Dimetane RS |
| | CALCIUM CARBONATE with GLYCINE | | |
| 4055K | Tablet 420 mg-180 mg | 100 | 5 Titralac RK |
| | CALCIUM GLUCONATE | | |
| 4154P | Tablet 600 mg | 100 | 2 SI |

| Code | Name, manner of administration and form | Max. qty | No. rpts | Proprietary name and manufacturer | |
|-------|---|----------|----------|---|-------|
| | CAMPHOR, MENTHOL, EUCALYPTUS OIL, ISOBORNYL ACETATE and METHYL SALICYLATE | | | | |
| 4155Q | Cream 10 mg-7.5 mg-5 mg-5 mg-200 mg per g (1%-0.75%-0.5%-0.5%-20%), 100 g | ‡1 | 1 | Dencorub | CW |
| | CARBENOXOLONE SODIUM | | | | |
| 4156R | Gel 20 mg per g (2%), 5 g | ‡1 | 1 | Bioral | SN |
| | CARMELLOSE SODIUM with PECTIN and GELATIN | | | | |
| 4518T | Paste 167 mg-167 mg-167 mg per g (16.7%-16.7%-16.7%), 5 g | ‡1 | — | Orabase | SQ |
| 4520X | 167 mg-167 mg-167 mg per g (16.7%-16.7%-16.7%), 80 g | ‡1 | 2 | Orabase | SQ |
| | CHLORDIAZEPOXIDE CAUTION: Continuous long term use may lead to dependency. No authorities will be granted for increased maximum quantities and/or repeats of Chlordiazepoxide | | | | |
| 4157T | Tablet 5 mg | 50 | — | Librium | RO |
| 4158W | Capsule 10 mg | 50 | — | Librium | RO |
| | CHLORHEXIDINE GLUCONATE | | | | |
| 4160Y | Mouth Wash 2 mg per mL (0.2%), 200 mL | ‡1 | — | Chlorohex | OM |
| 4161B | 2 mg per mL (0.2%), 250 mL | ‡1 | — | Plaquadine Savacol Mouth & Throat Rinse | OB IC |

| Code | Name, manner of administration and form | Max. qty | No. rpts | Proprietary name and manufacturer | |
|---|--|----------|----------|-----------------------------------|----------|
| 4058N | CHLORPHENIRAMINE Tablet 4 mg | 50 | 2 | Allergex Piriton | PT GL |
| 4162C | CHOLINE SALICYLATE, CETALKONIUM CHLORIDE, MENTHOL, GLYCEROL and ETHANOL Jelly 87 mg-100 micrograms- 570 micrograms-46 mg- 386 mg per g (8.7%-0.01%- 0.057%-4.6%-38.6%), 15g | #1 | — | Seda-Gel | NN |
| 4165F | CIMETIDINE Tablet 200 mg | 120 | 5 | Duractin Tagamet | CS SK |
| 4164E | 400 mg | 60 | 5 | Duractin Tagamet | CS SK |
| 4168J | 800 mg | 30 | 5 | Duractin Tagamet | CS SK |
| CLORAZEPATE DIPOTASSIUM CAUTION: Continuous long term use may lead to dependency. No authorities will be granted for increased maximum quantities and/or repeats of Clorazepate Dipotassium | | | | | |
| 4166G | Capsule 5 mg | 50 | — | Tranxene | GL |
| 4167H | 15 mg | 30 | — | Tranxene | GL |
| COAL TAR EXTRACT 4113L Shampoo 50 mg per g (5%), 50 g | | | | | |
| | | #1 | 2 | Alphosyl | SV |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>No. Max. qty</i> | <i>No. of rpts</i> | <i>Proprietary name and manufacturer</i> | |
|---|--|---------------------|--------------------|--|----------|
| CODEINE PHOSPHATE with ASPIRIN | | | | | |
| 4061R | Tablet Soluble 8 mg-300 mg | 50 | 2 | Aspalgan | FM |
| 4062T | 8 mg-500 mg | 50 | 2 | Solcode | RC |
| CODEINE PHOSPHATE with PARACETAMOL | | | | | |
| 4171M | Tablet 8 mg-500 mg | 50 | 1 | Codalgin Dymadon Co. | FM BW |
| CODEINE PHOSPHATE, PARACETAMOL and DOXYLAMINE SUCCINATE | | | | | |
| 4173P | Capsule 8 mg-500 mg-5 mg | 24 | — | Panalgesic | WL |
| CROTAMITON | | | | | |
| 4177W | Cream 100 mg per g (10%), 20 g | ‡1 | 1 | Eurax | CG |
| 4178X | Lotion 100 mg per mL (10%), 50 mL | ‡1 | 1 | Eurax | CG |
| DEXTROPROPOXYPHENE HYDROCHLORIDE with PARACETAMOL | | | | | |
| CAUTION: Chronic use of this preparation is likely to cause drug dependence. | | | | | |
| 4181C | Tablet 32.5 mg-325 mg | 25 | — | Paradex | PT |
| DEXTROPROPOXYPHENE NAPSYLATE | | | | | |
| CAUTION: Chronic use of this preparation is likely to cause drug dependence. | | | | | |
| 4081T | Capsule 100 mg | 50 | — | Doloxene | LY |

| Code | Name, manner of administration and form | Max. qty | No. rpts | Proprietary name and manufacturer | |
|-------|--|----------|----------|-----------------------------------|----|
| | DICHLOROBENZENE, CHLORBUTOL and TURPENTINE OIL | | | | |
| 4180B | Ear drops 20 mg-50 mg-0.1 mL per mL (2%-5%-10%), 11 mL | | ‡1 | — Cerumol | AC |
| | DICYCLOMINE HYDROCHLORIDE | | | | |
| 4185G | Tablet 10 mg | 100 | — | Merbentyl | ML |
| | DIETHYLAmine SALICYLATE, MENTHOL and CAMPHOR | | | | |
| 4189L | Cream 100 mg-7.5 mg-5 mg per g (10%-0.75%-0.5%), 50g | | ‡1 | 1 Rubesal | HA |
| | DIMETHISOQUIN HYDROCHLORIDE | | | | |
| 4188K | Ointment 5 mg per g (0.5%), 25 g | | ‡1 | 1 Quotane | SK |
| | DIPHEMANIL METHYLSULPHATE | | | | |
| 4191N | Dusting Powder 20 mg per g (2%), 50 g | | ‡1 | 1 Prantal | SH |
| | DIPHENHYDRAMINE HYDROCHLORIDE | | | | |
| | CAUTION: Use of diphenhydramine hydrochloride preparations in the presence of asthma or chronic obstructive airways disease is not recommended. | | | | |
| 4195T | Capsule 50 mg | 50 | 2 | Benadryl | PD |
| 4194R | Expectorant 12.5 mg per 5 mL, 200 mL | | ‡1 | 1 Benadryl Expectorant | PD |

| Code | Name, manner of administration and form | No. | | | Proprietary name and manufacturer |
|-------|--|----------|---------|---------------------|-----------------------------------|
| | | Max. qty | of rpts | | |
| 4065Y | DIPHENYL PYRALINE Tablet 2.5 mg | 50 | 2 | Histaalert | RK |
| 4197X | DISULFIRAM CAUTION: Only for use in the treatment of chronic alcoholism. Associated ingestion of alcohol may be life-threatening. Tablet 250 mg | 30 | 1 | Antabuse | CL |
| 4200C | DOCUSATE SODIUM Tablet 50 mg | 100 | 2 | Coloxyl 50 | FM |
| 4201D | 120 mg | 100 | 2 | Coloxyl 120 | FM |
| 4199B | Ear Drops 50 mg per mL (5%), 10 mL | ‡1 | — | Waxsol | NE |
| 4205H | ETHAMBUTOL HYDROCHLORIDE Tablet 100 mg | 100 | 2 | Myambutol | LE |
| 4206J | 400 mg | 100 | 2 | Myambutol | LE |
| 4210N | FIBROUS EXTRACTS of GRAIN and CITRUS Tablet 375 mg-94 mg | 100 | 2 | Fibyrax | SY |
| 4523C | FLUCLOROLONE ACETONIDE Cream 250 micrograms per g (0.025%), 30 g | ‡1 | 2 | Topilar | SD |
| 4212Q | FLUNISOLIDE Nasal Spray 250 micrograms per mL (0.025%), 20 mL | ‡1 | 2 | Rhinalar Nasal Mist | SD |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>Max. qty</i> | <i>No. rpts</i> | <i>Proprietary name and manufacturer</i> | |
|--|--|-----------------|-----------------|--|----------|
| FLUNITRAZEPAM | | | | | |
| CAUTION: Continuous long term use may lead to dependency. No authorities will be granted for increased maximum quantities and/or repeats of Flunitrazepam | | | | | |
| 4213R | Tablet 2 mg | 25 | — | Hypnodorm Rohypnol | AF RO |
| FLUOCINOLONE ACETONIDE | | | | | |
| 4291W | Cream 100 micrograms per g (0.01%), 30 g | ‡1 | 2 | Synalar 01 | IC |
| 4292X | 250 micrograms per g (0.025%), 30 g | ‡1 | 2 | Synalar | IC |
| 4295C | Ointment 100 micrograms per g (0.01%), 30 g | ‡1 | 2 | Synalar 01 | IC |
| 4296D | 250 micrograms per g (0.025%), 30 g | ‡1 | 2 | Synalar | IC |
| FLUOCORTOLONE PIVALATE and FLUOCORTOLONE HEXANOATE | | | | | |
| 4215W | Cream 2.5 mg-2.5 mg per g (0.25%-0.25%), 30 g | ‡1 | 2 | Ultran | SC |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>No. Max. qty rpts</i> | <i>Proprietary name and manufacturer</i> |
|-------------|--|--------------------------|--|
| | FLUOCORTOLONE PIVALATE, FLUOCORTOLONE HEXANOATE, CLEMIZOLE UNDECYLENATE, and CINCHOCAINE HYDROCHLORIDE | | |
| 4217Y | Ointment 920 micrograms- 950 micrograms-10 mg-5 mg per g (0.092%-0.095%-1% 0.5%), 10 g | ‡1 | 2 Ultraproct SC |
| 4218B | 920 micrograms- 950 micrograms-10 mg-5 mg per g (0.092%-0.095%-1% 0.5%), 30 g | ‡1 | 2 Ultraproct SC |
| 4219C | Suppositories-each contains 610 micrograms- 630 micrograms-5 mg-1 mg, 12 | ‡1 | 2 Ultraproct SC |
| | FLUOROURACIL | | |
| 4222F | Cream 50 mg per g (5%), 20 g | ‡1 | — Efudix RO |
| 4223G | Solution 10 mg per mL (1%), 30 mL | ‡1 | — Fluoroplex AG |
| | FLURAZEPAM DIHYDROCHLORIDE CAUTION: Continuous long term use may lead to dependency. No authorities will be granted for increased maximum quantities and/or repeats of Flurazepam Dihydrochloride | | |
| 4226K | Capsule 15 mg | 30 | — Dalmane RO |
| 4227L | 30 mg | 30 | — Dalmane RO |

| Code | Name, manner of administration and form | No. Max. qty | of Proprietary name | rpts and manufacturer |
|-------|---|--------------|---------------------|-----------------------|
| | GLUCOSE INDICATOR— BLOOD | | | |
| 4247M | Reagent Strips 25 | ‡1 | 2 | Dextrostix AM |
| | GLYCEROL | | | |
| 4249P | Suppositories adult size 2.7 g, 12 | ‡1 | 1 | PD |
| | HALOPERIDOL | | | |
| 4251R | Tablet 500 micrograms | 100 | 1 | Serenace SR |
| | HYDROCORTISONE, | | | |
| | CINCHOCAINE | | | |
| | HYDROCHLORIDE and | | | |
| | AESCULIN | | | |
| 4260F | Ointment 5 mg-5 mg-10 mg per g (0.5%-0.5%-1%), 15 g | ‡1 | 2 | Proctosedyl RL |
| 4261G | 5 mg-5 mg-10 mg per g (0.5%-0.5%-1%), 30 g | ‡1 | 2 | Proctosedyl RL |
| 4262H | Suppositories—each contains 5 mg-5 mg-10 mg, 12 | ‡1 | 2 | Proctosedyl RL |
| | HYDROCORTISONE and | | | |
| | CLIOQUINOL | | | |
| | CAUTION: For the short term treatment of localised infective eczema only | | | |
| 4264K | Cream 10 mg-10 mg per g (1%-1%), 30 g | ‡1 | — | Hydroform DM |

| <i>Name, manner of administration and form</i> | | <i>No. Max. qty rpts</i> | <i>Proprietary name and manufacturer</i> |
|--|---|--------------------------|--|
| | HYDROCORTISONE, LIGNOCAINE BASE, ALUMINIUM SUBACETATE and ZINC OXIDE | | |
| 4267N | Ointment 2.5 mg-50 mg- 35 mg-180 mg per g (0.25%- 5%-3.5%-18%), 15 g 2.5 mg-50 mg- | ‡1 | 2 Xyloproct AP |
| 4268P | 35 mg-180 mg per g (0.25%- 5%-3.5%-18%), 35 g | ‡1 | 2 Xyloproct AP |
| 4269Q | Suppositories—each contains 5 mg-60 mg-50 mg- 400 mg, 10 | ‡1 | 2 Xyloproct AP |
| | HYDROLYZED COLLAGEN PROTEINS | | |
| 4271T | Hair Conditioner 250 mL | ‡1 | 2 Ionil Rinse AQ |
| | HYDROXYETHYLRTUTOSIDES | | |
| 4272W | Capsule 250 mg | 50 | — Paroven ZY |
| | HYDROXYZINE PAMOATE | | |
| 4273X | Capsule 25 mg | 50 | 2 Atarax PF |
| 4274Y | 50 mg | 50 | 2 Atarax PF |
| | HYOSCINE METHOBROMIDE | | |
| 4276C | Tablet 2.5 mg | 100 | — Pamine UP |
| | HYOSCINE-N-BUTYLBROMIDE | | |
| 4278E | Tablet 10 mg | 100 | — Buscopan BY |
| | ISPAGHULA HUSK | | |
| 4285M | Sachets 3.5 g, 30 | ‡1 | 1 Fybogel RC |
| | LIGNOCAINE, BENZALKONIUM CHLORIDE, VITAMIN A and ALLANTOIN | | |
| 4301J | Cream 35 g | ‡1 | 1 Paxyl FA |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>No. Max. qty rpts</i> | <i>Proprietary name and manufacturer</i> | |
|-------------|---|----------------------------------|--|----|
| | LIGNOCAINE HYDROCHLORIDE, CALAMINE and CAMPHOR | | | |
| 4304M | Cream 17.5 mg-81 mg-1 mg per g (1.75%-8.1%-0.1%), 50 g | ‡1 | 1 Caladryl | PD |
| 4305N | Lotion 17.5 mg-81 mg-1 mg per mL (1.75%-8.1%-0.1%), 100 mL | ‡1 | 1 Caladryl | PD |
| | LIGNOCAINE HYDROCHLORIDE and CARBOXYMETHYLCELLULOSE | | | |
| 4308R | Mucilage 20 mg-25 mg per mL (2%-2.5%), 200 mL | ‡1 | — Xylocaine Viscous | AP |
| | LORAZEPAM CAUTION: Continuous long term use may lead to dependency. No authorities will be granted for increased maximum quantities and/or repeats of Lorazepam | | | |
| 4314C | Tablet 1 mg | 50 | — Ativan | WY |
| 4315D | 2.5 mg | 50 | — Ativan | WY |
| | LUBRICATING AGENT | | | |
| 4318G | Jelly 60 g | ‡1 | — Lubafax | BW |
| | MAGNESIUM ASPARTATE | | | |
| 4321K | Tablet 500 mg | 50 | — Magmin | VS |
| | MEBENDAZOLE | | | |
| 4325P | Tablet 100 mg | 6 | — Vermox | JP |
| | MEBEVERINE HYDROCHLORIDE | | | |
| 4328T | Tablet 135 mg | 90 | — Colofac | CL |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>No. Max. qty</i> | <i>No. of rpts</i> | <i>Proprietary name and manufacturer</i> | |
|-------------|--|---------------------|--------------------|--|----------------|
| 4066B | MECLOZINE Tablet 25 mg | 50 | 2 | Ancolan | GL |
| 4335E | MENTHOL, EUCALYPTUS OIL and METHYL SALICYLATE Cream 38.4 mg-87.7 mg-283.4 mg per g (4%-10%-25%), 50 g | ‡1 | 1 | Metsal | RK |
| 4344P | MULTIVITAMIN Tablet | 100 | 2 | Vitaminorum | SI |
| 4346R | MULTIVITAMIN with MINERALS Capsule | 100 | — | Accomin Myadec Pluravit SI | LE PD NY |
| 4347T | Tablet | 30 | 2 | Unicap-T | UP |
| 4353D | NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE CAUTION: For the short term treatment of localised infective eczema only Ointment 10 mg-5 mg-10 mg per g (1%-0.5%-1%), 15 g | ‡1 | — | Pimafucort | GB |
| 4362N | NORMETHADONE HYDROCHLORIDE and HYDROXYEPHEDRINE Tablet 7.5 mg-10 mg | 20 | — | Ticarda | HP |
| 4363P | Drops 10 mg-20 mg per mL, 10 mL | ‡1 | — | Ticarda | HP |

| <i>Name, manner of administration and form</i> | <i>No. rpts</i> | <i>Max. qty</i> | <i>Proprietary name and manufacturer</i> |
|--|-----------------|-----------------|---|
| OXYMETAZOLINE HYDROCHLORIDE | | | |
| 4377J Nasal Drops 500 micrograms per mL (0.05%), 15 mL | ‡1 | — | Drixine SH |
| 4378K Nasal Spray 500 micrograms per mL (0.05%), 15 mL | ‡1 | — | Drixine SH |
| PHENAZOPYRIDINE HYDROCHLORIDE | | | |
| 4401P Tablet 100 mg | 50 | 1 | Pyridium WW |
| PHENIRAMINE | | | |
| 4068D Tablet 10 mg | 50 | 2 | Fenamine-M FM |
| 4069E 50 mg | 50 | 2 | Avil HP Fenamine FM |
| PHENYLEPHRINE HYDROCHLORIDE | | | |
| 4404T Nasal Drops 2.5 mg per mL (0.25%), 25 mL | ‡1 | — | Neo-Synephrine WL |
| PHOLCODINE | | | |
| 4071G Linctus 1 mg per mL (0.1%), 100 mL | ‡1 | 2 | Actuss SI Duro-Tuss RK Pholcolin DH Pholcolin Red DH Pholtrate MG PR |
| PINE TAR, COAL TAR SOLUTION, JUNIPER TAR AND PHENOL | | | |
| 4406X Solution 20 mg-5 mg-1 mg-5 mg per mL (2%-0.5%-0.1%-0.5%), 500 mL | ‡1 | 2 | Pixel CD |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>No. Max. qty</i> | <i>No. of rpts</i> | <i>Proprietary name and manufacturer</i> | |
|-------------|---|---------------------|--------------------|--|----|
| | PINE TAR and TRIETHANOLAMINE LAURYL SULPHATE | | | | |
| 4408B | Solution 23 mg-60 mg per mL (2.3%-6%), 500 mL | ‡1 | 2 | Pinetarsol | EO |
| | PLANTAGO OVATA SEEDS and ISPAGHULA HUSK | | | | |
| 4083X | Granules 65 g-2.2 g per 100 g, 250 g | ‡1 | 1 | Agofibre | KN |
| | PLANTAGO OVATA SEEDS, ISPAGHULA HUSK and SENNA FRUITS | | | | |
| 4084Y | Granules 52 g-2.2 g-12.4 g per 100 g, 250 g | ‡1 | 1 | Agiolax | KN |
| | POLYMYXIN B SULPHATE ZINC BACITRACIN and NEOMYCIN SULPHATE NOTE: For use with indwelling catheters | | | | |
| 4410D | Irrigant consisting of a dry powder vial containing 75 000 units-1000 units-20 000 units and one 10 mL ampoule of normal saline | 5 | — | Polybactrin Soluble G.U. | BW |
| | POVIDONE-IODINE | | | | |
| 4411E | Solution 100 mg per mL (10%), 100 mL | ‡1 | — | Betadine Antiseptic Liquid | FA |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>No. Max. qty</i> | <i>No. of rpts</i> | <i>Proprietary name and manufacturer</i> |
|-------------|--|---------------------|--------------------|--|
| | PREDNISOLONE | | | |
| | HEXANOATE, CINCHOCAINE | | | |
| | HYDROCHLORIDE and | | | |
| | CLEMIZOLE UNDECYLENATE | | | |
| 4412F | Ointment 1.9 mg-5 mg-10 mg per g (0.19%-0.5%-1%), 10 g | ‡1 | 2 | Scheriproct SC |
| 4413G | 1.9 mg-5 mg-10 mg per g (0.19%-0.5%-1%), 30 g | ‡1 | 2 | Scheriproct SC |
| 4414H | Suppositories-each contains 1.3 mg-1 mg-5 mg, 12 | ‡1 | 2 | Scheriproct SC |
| | PROCAINAMIDE | | | |
| | HYDROCHLORIDE | | | |
| 4417L | Tablet 500 mg (controlled release) | 100 | 2 | Procainamide Durules AP |
| | PROMETHAZINE | | | |
| 4072H | Tablet 10 mg | 50 | 2 | Phenergan MB |
| 4073J | 25 mg | 50 | 2 | Meth-Zine PT |
| | PSEUDOEPHENDRINE | | | |
| | HYDROCHLORIDE | | | |
| 4420P | Tablet 60 mg | 30 | — | Sudafed BW |
| | PSEUDOEPHENDRINE | | | |
| | SULPHATE | | | |
| 4418M | Tablet 60 mg | 30 | — | Drixora SH |
| | PSYLLIUM HYDROPHILIC | | | |
| | MUCILLOID | | | |
| 4422R | Powder 375 g | ‡1 | 1 | Metamucil SR |
| | RANITIDINE | | | |
| | HYDROCHLORIDE | | | |
| 4423T | Tablet 150 mg | 60 | 5 | Zantac GL |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>No. Max. qty</i> | <i>No. of rpts</i> | <i>Proprietary name and manufacturer</i> |
|-------------|--|---------------------|--------------------|--|
| 4434J | RICINOLEIC ACID, ACETIC ACID and HYDROXYQUINOLINE SULPHATE Vaginal Jelly 7 mg 9.4 mg-250 micrograms per g (0.7%-0.94%-0.025%), 100 g | ‡1 | — | Aci-Jel CL |
| 4445Y | SALICYLIC ACID, BENZALKONIUM CHLORIDE, ALCOHOL and POLYOXYETHYLENE ETHERS Scalp Cleanser 250 mL | ‡1 | 2 | Ionil AQ |
| 4446B | SALICYLIC ACID, BENZALKONIUM CHLORIDE, ALCOHOL, COAL TAR and POLYOXYETHYLENE ETHERS Scalp Cleanser 125 mL | ‡1 | 2 | Ionil-T AQ |
| 4447C | SALICYLIC ACID, COAL TAR SOLUTION, PINE TAR and UNDECYLENAMIDE Scalp Cleanser 20 mg-10 mg- 10 mg-10 mg per mL (2%-1% 1%-1%), 250 mL | ‡1 | 2 | Sebitar EO |
| 4449E | SALICYLIC ACID and PODOPHYLLIN RESIN Ointment 250 mg-200 mg per g (25%-20%), 10 g | ‡1 | — | Salicylin-P KY |
| 4450F | Paint 100 mg-200 mg per mL (10%-20%), 6 mL | ‡1 | 1 | Posafilin NE |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>Max. qty</i> | <i>No. rpts</i> | <i>Proprietary name and manufacturer</i> | |
|-------------|---|-----------------|-----------------|--|----------------|
| 4452H | SELENIUM SULPHIDE Shampoo 25 mg per mL (2.5%), 125 mL | ‡1 | 1 | Selsun | AB |
| 4074K | SENEGA and AMMONIA Mixture 200 mL | ‡1 | 4 | Senamon MG, PR, RT, SI | DH |
| 4455L | SENNA STANDARDISED Tablet 7.5 mg | 100 | 1 | Senokot | RC |
| 4549K | SKIN CLEANSER Lotion 500 mL | ‡1 | 2 | Hamilton Body Wash Cetaphil Sopol | HA AQ CD |
| 4458P | SODIUM BICARBONATE CAUTION: For use in the treatment of renal disease Capsule 840 mg | 100 | 2 | Sodibic | PT |
| 4460R | SODIUM CHLORIDE Irrigation Solution 9 mg per mL (0.9%), 500 mL | | | | |
| 4461T | 1 L | ‡1 | 2 | TV | |
| | | ‡1 | 2 | TV | |
| 4462W | SODIUM CITRATE and SODIUM LAURYL SULPHOACETATE Enema 90 mg-9 mg in 1 mL, 5 mL, 4 | ‡1 | 1 | Microlax | PS |

| Code | Name, manner of administration and form | Max. qty | No. of rpts | Proprietary name and manufacturer | |
|-------|--|----------|-------------|-----------------------------------|----|
| 4465B | SODIUM CROMOGLYCATE Capsule 10 mg (nasal insufflation) | 100 | 5 | Rynacrom | FC |
| 4467D | Nasal Spray 20 mg per mL (2%), 17.5 mL | ‡1 | 5 | Rynacrom | FC |
| 4469F | SODIUM FLUORIDE Tablet 20 mg | 100 | 1 | Hifluor | PT |
| | SODIUM POLYSTYRENE SULPHONATE CAUTION: For use in the treatment of renal disease | | | | |
| 4470G | Powder 454 g | ‡1 | 2 | Resonium-A | WL |
| 4085B | SOTALOL HYDROCHLORIDE Tablet 160 mg | 100 | 1 | Sotacor | AP |
| 4471H | SPIRONOLACTONE Tablet 100 mg | 100 | — | Aldactone | SR |
| 4472J | STERCULIA with FRANGULA BARK Granules 620 mg-80 mg per g (62%-8%), 200 g | ‡1 | 1 | Normacol | NE |
| 4475M | SULPHATHIAZOLE, SULPHACETAMIDE, SULPHABENZAMIDE and UREA Vaginal Cream 34.2 mg- 28.6 mg-37 mg-6.4 mg per g (3.42%-2.86%-3.7%-0.64%), 85 g | ‡1 | — | Sultrin | CL |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>No. Max. qty</i> | <i>No. of rpts</i> | <i>Proprietary name and manufacturer</i> |
|-------------|---|---------------------|--------------------|--|
| | SULPHUR, SALICYCLIC ACID and BIRCH TAR OIL | | | |
| 4539X | Cream 100 mg-20 mg-90 mg per g (10%-2%-9%), 25 g | ‡1 | 2 | Egosulphyl EO |
| | SUNSCREENS | | | |
| 4544E | Cream 100 g | ‡1 | — | Aquasun Blockout Cream 15 + PY Hamilton Sunscreen Broad Spectrum Cream 15 + HA |
| 4367W | 100 mL | ‡1 | — | UV Ultrablock Broad Spectrum Water Resistant 15 + Cream IC |
| 4476N | Lotion 100 mL | ‡1 | — | Hamilton Broad Spectrum Alcoholic Lotion 15 + HA |
| 4546G | 125 mL | ‡1 | — | Aquasun Blockout Lotion 15 + PY Hamilton Broad Spectrum Milky Lotion 15 + HA |
| 4209M | Solid Stick 5 g | ‡1 | — | Hamilton Broad Spectrum Solastick 15 + HA |
| | TETRA-BROMO-ORTHOCRESOL, UNDECENOIC ACID, ZINC UNDECENOATE and ZINC OXIDE | | | |
| 4477P | Powder 10 mg-10 mg-50 mg-50 mg per g (1%-1%-5%-5%), 50 g | ‡1 | — | Pedoz HA |

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>No.</i> | <i>Max. qty</i> | <i>of rpts</i> | <i>Proprietary name and manufacturer</i> |
|--|--|------------|-----------------|----------------|--|
| THYMOL IODIDE, BISMUTH SUBIODIDE and CHLORBUTOL | | | | | |
| 4530K | Powder 11.5 mg-41.5 mg-52.5 mg per g (1.15%-4.15%-5.25%), 10 g | ‡1 | — | E.D.P. | GL |
| TOLNAFTATE | | | | | |
| 4537T | Cream 10 mg per g (1%), 30 g | ‡1 | — | Pedi-Derm | NN |
| 4479R | Powder 10 mg per g (1%), 20 g | ‡1 | — | Pedi-Derm | NN |
| 4538W | Solution 10 mg per mL (1%), 15 mL | ‡1 | — | Pedi-Derm | NN |
| 4481W | Spray Aerosol 10 mg per g (1%), 150 g | ‡1 | — | Tinaderm | SO |
| TRIAMCINOLONE ACETONIDE | | | | | |
| 4532M | Cream 500 micrograms per g (0.05%), 30 g | ‡1 | 2 | Kenalone | SQ |
| 4533N | Ointment 500 micrograms per g (0.05%), 30 g | ‡1 | 2 | Kenalone | SQ |

| Code | Name, manner of administration and form | No. Max. qty of rpts | Proprietary name and manufacturer | |
|-------|---|----------------------------|-----------------------------------|----------|
| | TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN CAUTION: For the short term treatment of localised infective eczema only | | | |
| 4483Y | Cream 1 mg-2.5 mg (base)- 250 micrograms-100 000 units per g (0.1%-0.25%-0.025%-100 000 units in 1 g), 15 g | ‡1 | — Aristocomb Kenacomb | LE SQ |
| 4482X | Ointment 1 mg-2.5 mg (base)-250 micrograms-100 000 units per g (0.1%-0.25%-0.025%-100 000 units in 1 g), 15 g | ‡1 | — Aristocomb Kenacomb | LE SQ |
| | VITAMIN A | | | |
| 4488F | Ointment 540 micrograms per g, 50 g | ‡1 | 1 Ungvita | NS |
| | VITAMIN A, CALAMINE and SILICONE OIL | | | |
| 4490H | Cream 150 micrograms-100 mg-10 mg per g (500 units per g 10%-1%), 50 g | ‡1 | 1 Ungvita Cream | NS |
| | VITAMIN B GROUP COMPLEX | | | |
| 4493L | Liquid 200 mL | ‡1 | 2 Accomin Adult Tonic | LE |

| <i>Name, manner of administration and form</i> | <i>No.</i> | | | |
|--|--------------------------------------|----------------|--|----------------------------|
| <i>Code</i> | <i>Max. qty</i> | <i>of rpts</i> | <i>Proprietary name and manufacturer</i> | |
| VITAMIN B GROUP COMPLEX STRONG with ASCORBIC ACID | | | | |
| 4495N | Tablet | 90 | 2 | Multi-B Forte GP |
| 4491J | Tablet with Calcium Pantothenate | 100 | 2 | FM |
| ZINC OXIDE, STARCH and CHLORPHENESIN | | | | |
| 4497Q | Dusting Powder, 100 g | ‡1 | 1 | Z.S.C. SI |
| ZINC PYRITHIONE | | | | |
| 4499T | Cream 5 mg per g (0.5%), 75 g | ‡1 | 1 | Dan Gard Hold & Care FA |
| 4498R | Shampoo 10 mg per mL (1%), 200 mL | ‡1 | 1 | Dan Gard FA |

Section 2

**REPATRIATION SCHEDULE OF
BENEFITS
Aids to Treatment**

| Code | Item | Max. qty | of rpts | No. | Proprietary name and manufacturer | | | | | |
|---|---------------------------------------|----------|---------|---|-----------------------------------|----|--|--|--|--|
| | | | | | | | | | | |
| ABSORBENT NAPKINS | | | | | | | | | | |
| PANTS | | | | | | | | | | |
| NOTE: May not be prescribed for patients in nursing homes. The approved patient fee paid to the nursing home includes a component for the supply of incontinence aids by the nursing home. | | | | | | | | | | |
| 4603G | pack of 2, small size | 3 | — | Softeze Stretch Pants 082-8101 | | BS | | | | |
| 4604H | pack of 2, medium size | 3 | — | Softeze Stretch Pants 082-8201 | | BS | | | | |
| 4602F | pack of 2, large size | 3 | — | Softeze Stretch Pants 082-8301 | | BS | | | | |
| INJECTION SITE | | | | | | | | | | |
| PREPARATION SWAB | | | | | | | | | | |
| 4616Y | Isopropyl Alcohol 70%, pack of 100 | ‡1 | 1 | Medi Swab 1000H Curity 2323 | | SN | | | | |
| 4631R | MOUTH PIECE FOR METERED AEROSOLS | ‡1 | — | Mouthpiece | | BY | | | | |
| 4635Y | NASAL INSUFFLATOR | ‡1 | — | Rynacrom | | FC | | | | |
| 4634X | INHALATION DEVICE | ‡1 | — | Bricanyl Nebuhaler 2022 Volumatic 10359 | AP | GL | | | | |
| ROTAHALERS | | | | | | | | | | |
| 4637C | Rotahaler | ‡1 | — | Ventolin | | GL | | | | |
| 4638D | Rotahaler | ‡1 | — | Becotide | | GL | | | | |
| 4636B | SPINHALER | ‡1 | — | Intal | | FC | | | | |

NOTE: A number following the proprietary name denotes manufacturer's code.

Section 3

**REPATRIATION SCHEDULE OF
BENEFITS
Dressings**

| Code | Item | No. | | |
|-------------------------------|--|-------------|------------|--------------------------------------|
| | | Max. qty | of rpts | Proprietary name and manufacturer |
| ABSORBENT COTTON GAUZE | | | | |
| 4704N | 90 cm x 1 m, pack | ‡1 | — | Handy 4021 |
| 4705P | 11 cm x 373 cm, roll | ‡1 | — | Kerlix 6715 |
| ABSORBENT COTTON WOOL | | | | |
| 4701K | 100 g roll | ‡1 | 2 | JJ 02013 |
| 4702L | 375 g roll | ‡1 | 2 | JJ 02011 |
| ABSORBENT GAUZE PAD | | | | |
| 4707R | 5 cm x 5 cm, 100 | ‡1 | — | Curity 1613 Handy 5672 |
| 4807B | 5 cm x 5 cm, sterile single pack, 100 | ‡1 | — | Curity 3381 |
| 4710X | 7.5 cm x 7.5 cm, 100 | ‡1 | — | Curity 1648 Handy 5673 |
| 4709W | 7.5 cm x 7.5 cm, sterile single pack, 100 | ‡1 | — | Curity 6132 |
| 4708T | 10 cm x 10 cm, 100 | ‡1 | — | Curity 1825 Handy 5674 |
| 4808C | 10 cm x 10 cm, sterile single pack, 100 | ‡1 | — | Curity 6309 |
| ABSORBENT LINT | | | | |
| 4711Y | 50 g, pack | ‡1 | — | Handy 4032 |

NOTE: A number following the proprietary name denotes manufacturer's code.

| Code | Item | Max. qty | No. of rpts | Proprietary name and manufacturer | | | | |
|---|----------------|-------------|-------------------|---|----|--|--|--|
| | | | | | | | | |
| ABSORBENT NAPKINS | | | | | | | | |
| NOTE: May not be prescribed for patients in nursing homes. | | | | | | | | |
| The approved patient fee paid to the nursing home includes a component for the supply of incontinence aids by the nursing home. | | | | | | | | |
| 4714D | Pack of 20 | ‡1 | 10 | Softeze Absorbent Pad Mini 640-0412 | BS | | | |
| 4715E | Pack of 20 | ‡1 | 10 | Softeze Absorbent Pad Regular 640-0312 | BS | | | |
| 4716F | pack of 8 | ‡1 | 10 | Depend Undergarments 1650 | KC | | | |
| BANDAGE CALICO TRIANGULAR | | | | | | | | |
| 4717G | large size | ‡1 | — | Handy 5605 | BE | | | |
| BANDAGE COTTON CONFORMING | | | | | | | | |
| 4720K | 2.5 cm x 1.5 m | 5 | — | Handy-Band 9483 | BE | | | |
| 4721L | 5 cm x 1.5 m | 5 | — | Handy-Band 9485 | BE | | | |
| 4722M | 7.5 cm x 1.5 m | 5 | — | Handy-Band 9488 | BE | | | |
| 4723N | 10 cm x 1.5 m | 5 | — | Handy-Band 9490 | BE | | | |
| 4724P | 15 cm x 1.5 m | 5 | — | Handy-Band 9495 | BE | | | |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Code</i> | <i>Item</i> | <i>No. Max. of qty rpts</i> | <i>Proprietary name and manufacturer</i> |
|---------------------------------------|----------------|-------------------------------------|--|
| BANDAGE COTTON CREPE HEAVY | | | |
| 4727T | 5 cm x 2.3 m | 2 | — Curaband 8252F Elastocrepe 3205A KE |
| 4728W | 7.5 cm x 2.3 m | 2 | — Curaband 8253F Elastocrepe 3275A SN |
| 4729X | 10 cm x 2.3 m | 2 | — Curaband 8254F Elastocrepe 3210A KE |
| 4730Y | 15 cm x 2.3 m | 2 | — Curaband 8256F Elastocrepe 3215A SN |
| BANDAGE ELASTIC ADHESIVE | | | |
| 4733D | 5 cm x 2.5 m | 1 | — Elastoplast 1002 SN |
| 4734E | 7.5 cm x 2.5 m | 1 | — Elastoplast 1003 SN |
| 4735F | 10 cm x 2.5 m | 1 | — Elastoplast 1004 SN |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Code</i> | <i>Item</i> | <i>No. Max. qty</i> | <i>of rpts</i> | <i>Proprietary name and manufacturer</i> |
|-----------------------------------|-----------------|-------------------------|--------------------|--|
| BANDAGE ELASTIC CONFORMING | | | | |
| 4801Q | 2.5 cm x 1.8 m | 5 | — | Curaband 8181 KE |
| 4802R | 5 cm x 1.8 m | 5 | — | Curaband 8182 KE |
| 4803T | 7.5 cm x 1.8 m | 5 | — | Curaband 8183 KE |
| 4804W | 10 cm x 1.8 m | 5 | — | Curaband 8184 KE |
| 4805X | 15 cm x 1.8 m | 5 | — | Curaband 8186 KE |
| BANDAGE OPEN-WOVE | | | | |
| 4738J | 2.5 cm | 5 | — | Handy 5551 BE |
| 4739K | 5 cm | 5 | — | Handy 5552 BE |
| 4740L | 7.5 cm | 5 | — | Handy 5553 BE |
| 4741M | 10 cm | 5 | — | Handy 5554 BE |
| BANDAGE PLASTER OF PARIS | | | | |
| 4744Q | 5 cm x 2.75 m | 5 | — | Gypsona S5002 SN |
| 4745R | 7.5 cm x 2.75 m | 5 | — | Gypsona S5003 SN |
| 4746T | 10 cm x 2.75 m | 5 | — | Gypsona S5004 SN |
| 4747W | 15 cm x 2.75 m | 5 | — | Gypsona S5006 SN |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Code</i> | <i>Item</i> | <i>Max. qty</i> | <i>No. of rpts</i> | <i>Proprietary name and manufacturer</i> |
|--|-------------|-----------------|--------------------|--|
| BANDAGE SELF ADHESIVE ELASTIC | | | | |
| 4811F 5 cm x 1.3 m | | | | |
| | | 2 | — | Peg 7420 |
| 4812G 7.5 cm x 1.3 m | | | | |
| | | 2 | — | Peg 7422 |
| 4813H 10 cm x 1.3 m | | | | |
| | | 2 | — | Peg 7423 |
| 4814J 15 cm x 1.3 m | | | | |
| | | 2 | — | Peg 7425 |
| BANDAGE STRETCH | | | | |
| 4820Q 2.5 cm | | | | |
| | | 5 | — | Conform 2230 |
| 4821R 5 cm | | | | |
| | | 5 | — | Conform 2231 |
| 4822T 7.5 cm | | | | |
| | | 5 | — | Conform 2232 |
| 4823W 10 cm | | | | |
| | | 5 | — | Conform 2236 |
| 4824X 15 cm | | | | |
| | | 5 | — | Conform 2238 |

NOTE: A number following the proprietary name denotes manufacturer's code.

| Code | Item | No. | | |
|--|--------------------------------------|-------------|------------|--|
| | | Max. qty | of rpts | Proprietary name and manufacturer |
| BANDAGE WRINKLED COTTON CREPE | | | | |
| 4833J | 5 cm x 1.5 m (hospital quality) | 2 | — | Curaband 8232 Handycrepe 8235 |
| 4881X | 5 cm x 1.6 m (medium) | | | KE 8235 BE |
| 4834K | 7.5 cm x 1.5 m (hospital quality) | 2 | — | Curaband 8233 Handycrepe 8238 |
| 4882Y | 7.5 cm x 1.6 m (medium) | | | KE 8238 BE |
| 4835L | 10 cm x 1.5 m (hospital quality) | 2 | — | Curaband 8234 Handycrepe |
| 4883B | 10 cm x 1.6 m (medium) | | | KE 8240 BE |
| 4836M | 15 cm x 1.5 m (hospital quality) | 2 | — | Curaband 8236 Handycrepe |
| 4884C | 15 cm x 1.6 m (medium) | | | KE 8245 BE |
| BANDAGE ZINC PASTE | | | | |
| 4750B | 7.5 cm x 6 m | 2 | — | Viscopaste 4948A |
| BANDAGE ZINC PASTE and ICHTHAMMOL | | | | |
| 4752D | 7.5 cm x 6 m | 2 | — | Ichthopaste 4959 |
| | | | | SN |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Code</i> | <i>Item</i> | <i>Max. qty</i> | <i>No. rpts</i> | <i>Proprietary name and manufacturer</i> | |
|--|---|-----------------|-----------------|--|----------|
| DRESSING ADHESIVE MEMBRANE | | | | | |
| 4839Q | 14 cm x 10 cm, sterile single sachet | 10 | 1 | Op-Site 4963 | SN |
| 4841T | 25 cm x 10 cm, sterile single sachet | 20 | — | Bioclusive Transparent Dressing 12477 | JJ |
| DRESSING ELASTIC ADHESIVE | | | | | |
| 4754F | 6 cm x 1 m, pack | 1 | — | Elastoplast 4025 | SN |
| DRESSING NON ADHERENT DRY ABSORBENT | | | | | |
| 4860T | 5 cm x 5 cm, sterile single sachet, pack of 5 | ‡1 | — | Melolin 1200M | SN |
| 4755G | 5 cm x 7.5 cm, sterile single pack | 10 | — | Telfa 1961C | KE |
| 4758K | 7.5 cm x 10 cm, sterile single pack | 10 | — | Telfa 2132C | KE |
| 4861W | 10 cm x 10 cm, sterile single sachet, pack of 10 | ‡1 | — | Melolin 4933 | SN |
| DRESSING PARAFFIN GAUZE | | | | | |
| 4759L | 10 cm x 10 cm, sterile foil, pack of 10 | ‡1 | — | Unitulle Jelonet 7404 | RL SN |

NOTE: A number following the proprietary name denotes manufacturer's code.

| Code | Item | | No. Max. qty | of rpts | Proprietary name and manufacturer | |
|--|---|--|-----------------|------------|--------------------------------------|----|
| DRESSING PARAFFIN GAUZE with CHLORHEXIDINE ACETATE | | | | | | |
| 4845B | 10 cm x 10 cm, sterile foil, pack of 10 | | ‡1 | 2 | Bactigras 7457 | SN |
| 4846C | 10 cm x 40 cm, sterile foil, pack of 10 | | ‡1 | 2 | Bactigras 00616 | SN |
| 4847D | 15 cm x 20 cm, sterile foil, pack of 10 | | ‡1 | 2 | Bactigras 7461 | SN |
| DRESSING SELF ADHESIVE NON ADHERENT DRY ABSORBENT | | | | | | |
| 4843X | 5 cm x 7.5 cm, sterile sachets, pack of 10 | | ‡1 | 2 | Curity-Telfa 6020C | KE |
| 4844Y | 7.5 cm x 10 cm, sterile sachets, pack of 6 | | ‡1 | 2 | Curity-Telfa 7650C | KE |
| FELT PAD BUNION | | | | | | |
| 4762P | pack of 4 | | ‡1 | — | Scholl | SO |
| FELT PAD CALLOUS | | | | | | |
| 4763Q | pack of 4 | | ‡1 | — | Scholl | SO |
| FELT PAD CORN | | | | | | |
| 4764R | pack of 9 | | ‡1 | — | Scholl | SO |

NOTE: A number following the proprietary name denotes manufacturer's code.

| Code | Name, manner of administration and form | Max. qty | No. of rpts | Proprietary name and manufacturer |
|-------|---|----------|-------------|---|
| 4767X | GAUZE AND COTTON TISSUE (COMBINE ROLL) 9 cm x 10 m wrapped pack | ‡1 | — | SN 121054A SN JJ 12031 JJ |
| 4765T | GAUZE AND COTTON TISSUE (COMBINE ROLL) PIECES 10 cm x 10 cm, sterile single sachet | 5 | 1 | Curity Combine Dressing Pad 2472C KE |
| 4766W | 10 cm x 20 cm, sterile single sachet | 5 | 1 | Curity Combine Dressing Pad 2482C KE |
| 4768Y | GAUZE EYE PADS Pack of 12 | ‡1 | — | Curity 4112 KE |
| 4850G | GAUZE STERILE STRIP 1.25 cm x 1 m | ‡1 | 2 | Nufold 10330 JJ |
| 4851H | 2.5 cm x 1 m | ‡1 | 2 | Nufold 10331 JJ |
| 4852J | 2.5 cm x 2.5 m | ‡1 | 2 | Nufold 10332 JJ |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Code</i> | <i>Name, manner of administration and form</i> | <i>Max. qty</i> | <i>No. rpts</i> | <i>Proprietary name and manufacturer</i> | |
|--|--|-----------------|-----------------|--|----|
| GLOVES PLASTIC (DISPOSABLE) | | | | | |
| NOTE: For occlusive dressing use only | | | | | |
| 4772E | Small, pack of 100 | ‡1 | — | Handy 4177 | BE |
| 4773F | Medium, pack of 100 | ‡1 | — | Handy 4178 | BE |
| 4774G | Large, pack of 100 | ‡1 | — | Handy 4179 | BE |
| LAMBS WOOL | | | | | |
| 4777K | original pack | ‡1 | — | Scholl | SO |
| POVIDONE-IODINE GAUZE PAD | | | | | |
| 4779M | 22.5 cm x 7.5 cm, sterile foil, pack of 12 | ‡1 | 2 | Betadine | FA |
| SELF ADHESIVE PLASTER ELASTIC | | | | | |
| 4780N | 2.5 cm x 2.5 m roll | 1 | — | Leukoplast 1071 | BE |
| 4781P | 5 cm x 2.5 m roll | 1 | — | Leukoplast 1072 | BE |
| 4782Q | 7.5 cm x 2.5 m roll | 1 | — | Leukoplast 1073 | BE |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Code</i> | <i>Item</i> | <i>No.</i> | <i>Max. qty</i> | <i>of rpts</i> | <i>Proprietary name and manufacturer</i> |
|---|--------------------------------------|------------|-----------------|---|--|
| SELF ADHESIVE PLASTER HYPOALLERGENIC | | | | | |
| | | | | | |
| 4784T | 1.25 cm x 5 m roll | 1 | — | Leukoflex 1121 | BE |
| 4783R | 1.25 cm x 5 m roll | 1 | — | Leukopor 2471 | BE |
| 4785W | 1.25 cm x 5 m roll | 1 | — | Leukosilk 1021 | BE |
| 4870H | 1.25 cm x 4.5 m roll, (dispenser) | 1 | — | Micropore Cloth First Aid Tape 2610 | RK |
| 4868F | 1.25 cm x 4.5 m roll, (dispenser) | 1 | — | Micropore Paper First Aid Tape R3 | RK |
| 4869G | 1.25 cm x 4.5 m roll, (dispenser) | 1 | — | Micropore Plastic First Aid Tape TR1 | RK |
| 4872K | 1.25 cm x 4.5 m roll, (dispenser) | 1 | — | Micropore Skintone Paper First Aid Tape RF7 | RK |
| 4871J | 1.25 cm x 4.5 m roll, (dispenser) | 1 | — | Micropore Waterproof First Aid Tape BR1 | RK |
| 4864B | 1.25 cm x 9.1 m roll | 1 | — | Tenderskin 1596.1 | KE |
| 4786X | 2.5 cm x 5 m roll | 1 | — | Leukoflex 1122 | BE |
| 4794H | 2.5 cm x 5 m roll | 1 | — | Leukopor 2472 | BE |
| 4787Y | 2.5 cm x 5 m roll | 1 | — | Leukosilk 1022 | BE |
| 4875N | 2.5 cm x 4.5 m roll, (dispenser) | 1 | — | Micropore Cloth First Aid Tape 2611 | RK |
| Cont. p54 | | | | | |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Code</i> | <i>Item</i> | <i>Max. qty</i> | <i>No. of rpts</i> | <i>Proprietary name and manufacturer</i> |
|---|-------------------------------------|-----------------|--------------------|--|
| 4873L | 2.5 cm x 4.5 m roll, (dispenser) | 1 | — | Micropore Paper First Aid Tape R4 RK |
| 4874M | 2.5 cm x 4.5 m roll, (dispenser) | 1 | — | Micropore Plastic First Aid Tape TR2 RK |
| 4877Q | 2.5 cm x 4.5 m roll, (dispenser) | 1 | — | Micropore Skintone Paper First Aid Tape RF8 RK |
| 4876P | 2.5 cm x 4.5 m roll, (dispenser) | 1 | — | Micropore Waterproof First Aid Tape BR2 RK |
| 4865C | 2.5 cm x 9.1 m roll | 1 | — | Tenderskin 1914.1 KE |
| 4788B | 5 cm x 5 m roll | 1 | — | Leukoflex 1124 BE |
| 4790D | 5 cm x 5 m roll | 1 | — | Leukopor 2474 BE |
| 4789C | 5 cm x 5 m roll | 1 | — | Leukosilk 1024 BE |
| 4866D | 5 cm x 9.1 m roll | 1 | — | Tenderskin 2419.1 KE |
| 4867E | 7.5 cm x 9.1 m roll | 1 | — | Tenderskin 3394.1 KE |
| SELF ADHESIVE PLASTER WATERPROOF | | | | |
| 4791E | 2.5 cm x 5 m roll | 1 | — | Leukoplast 2322 BE |
| 4792F | 5 cm x 5 m roll | 1 | — | Leukoplast 2324 BE |
| 4793G | 7.5 cm x 5 m roll | 1 | — | Leukoplast 2325 BE |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Code</i> | <i>Item</i> | <i>Max. qty</i> | <i>No. rpts</i> | <i>Proprietary name and manufacturer</i> |
|--------------------------------|-------------------------------------|-----------------|-----------------|--|
| TUBULAR DRESSING | | | | |
| 4855M | 6.25 cm x 1 m | 1 | — | Tubigrip B BT |
| 4856N | 6.75 cm x 1 m | 1 | — | Tubigrip C BT |
| 4857P | 7.5 cm x 1 m | 1 | — | Tubigrip D BT |
| 4858Q | 8.75 cm x 1 m | 1 | — | Tubigrip E BT |
| 4859R | 10 cm x 1 m | 1 | — | Tubigrip F BT |
| TUBULAR FINGER DRESSING | | | | |
| 4798M | Complete pack, including applicator | ‡1 | — | Scholl Tubegauz SO |

NOTE: A number following the proprietary name denotes manufacturer's code

Section 4

**REPATRIATION SCHEDULE OF
BENEFITS
Proprietary Name Index**

| Proprietary name | Manufacturer | Approved name |
|------------------------------|--------------|---|
| Accomin | LE | Multivitamin with Minerals |
| Accomin Adult Tonic | LE | Vitamin B Group Complex |
| Aci-Jel | CL | Ricinoleic Acid, Acetic Acid and Hydroxyquinoline Sulphate |
| Actuss | SI | Pholcodine |
| Agiofibe | KN | Plantago Ovata Seeds and Ispaghula Husk |
| Agiolax | KN | Plantago Ovata Seeds, Ispaghula Husk and Senna Fruits |
| Aldactone | SR | Spironolactone |
| Aldecin | SH | Becломethasone Dipropionate |
| Allergex | PT | Chlorpheniramine |
| Alphosyl | SV | Allantoin and Coal Tar Extract |
| Alphosyl Shampoo | SV | Coal Tar Extract |
| Ancolan | GL | Meclozine |
| Antabuse | CL | Disulfiram |
| Aquasun Blockout cream 15+ | PY | Sunscreens |
| Aquasun Blockout lotion 15+ | PY | Sunscreens |
| Aristocomb | LE | Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin |
| Ascorb "50" | PT | Ascorbic Acid |
| Aspalgin | FM | Codeine Phosphate with Aspirin |
| Atarax | PF | Hydroxyzine Pamoate |
| Ativan | WY | Lorazepam |
| Avil | HP | Pheniramine |
| Bactigras 7457/00616/7461 | SN | Dressing Paraffin Gauze with Chlorhexidine Acetate (Section 3) |
| Beconase | GL | Becломethasone Dipropionate |
| Beconase AQ | GL | Becломethasone Dipropionate |
| Becotide | GL | Rotahalers (Section 2) |
| Benadryl | PD | Diphenhydramine Hydrochloride |
| Benadryl Expectorant | PD | Diphenhydramine Hydrochloride |
| Betadine Antiseptic Liquid | FA | Povidone-Iodine |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Proprietary name</i> | <i>Manufacturer</i> | <i>Approved name</i> |
|---|---------------------|---|
| Betadine | FA | Povidone-Iodine Gauze Pad (Section 3) |
| Betnovate ½ | GL | Betamethasone Valerate |
| Betnovate | GL | Betamethasone Valerate |
| B.F.I. | MK | Bismuth Formic Iodide |
| Biocclusive Transparent JJ Dressing 12477 | | Dressing Adhesive Membrane |
| Bioral | SN | Carbenoxolone Sodium |
| Bisolvon | BY | Bromhexine Hydrochloride |
| Bricanyl Nebuhaler 2022AP | | Inhalation Device (Section 2) |
| Buscopan | BY | Hyoscine-N-Butylbromide |
| Caladryl | PD | Lignocaine Hydrochloride, Calamine and Camphor |
| Celestone V Half Strength | SH | Betamethasone Valerate |
| Celestone V | SH | Betamethasone Valerate |
| Celestone-VG | SH | Betamethasone Valerate and Gentamicin Sulphate |
| Cerumol | AC | Dichlorobenzene, Chlorbutol and Turpentine Oil |
| Cetaphil | AQ | Skin Cleanser |
| Chlorohex | OM | Chlorhexidine Gluconate |
| Codalgin | FM | Codeine Phosphate with Paracetamol |
| Cogentin | MK | Benztropine |
| Colofac | CL | Mebeverine Hydrochloride |
| Coloxyl 50 | FM | Docusate Sodium |
| Coloxyl 120 | FM | Docusate Sodium |
| Conform 2230/2231/ 2232/2236/2238 | KE | Bandage Stretch (Section 3) |
| Curaband 8252F/8253F/ 8254F/8256F | KE | Bandage Cotton Crepe Heavy (Section 3) |
| Curaband 8181/8182/ 8183/8184/8186 | KE | Bandage Elastic Conforming (Section 3) |
| Curaband 8232/8233/ 8234/8236 | KE | Bandage Wrinkled Cotton Crepe (Section 3) |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Proprietary name</i> | <i>Manufacturer</i> | <i>Approved name</i> |
|---|---------------------|---|
| Curity 3381/6132/ 6309 | KE | Absorbent Gauze Pad (Section 3) |
| Curity 4112 | KE | Gauze Eye Pads (Section 3) |
| Curity 2323 | KE | Injection Site Preparation Swab (Section 2) |
| Curity 1613/ 1648/1825 | KE | Absorbent Gauze Pad (Section 3) |
| Curity Combine Dressing Pad 2472C/2482C | KE | Gauze and Cotton Tissue (Combine Roll) Pieces (Section 3) |
| Curity-Telfa 6020C/ 7650C | KE | Dressing Self Adhesive Non Adherent Dry Absorbent (Section 3) |
| Dalmane | RO | Flurazepam Dihydrochloride |
| Dan Gard | FA | Zinc Pyrithione |
| Dan Gard Hold & Care | FA | Zinc Pyrithione |
| Dencorub | CW | Camphor, Menthol, Eucalyptus Oil, Isobornyl Acetate and Methyl Salicylate |
| Depend Undergarments 1650 | KC | Absorbent Napkins (Section 3) |
| Dextrostix | AM | Glucose Indicator—Blood |
| Difflam | RK | Benzydamine Hydrochloride |
| Dimetane | RS | Brompheniramine |
| Diprosone | SH | Betamethasone Dipropionate |
| Doloxene | LY | Dextropropoxyphene Napsylate |
| Drapoplex | BW | Benzalkonium Chloride, Cetrimide and Lanolin |
| Drixine | SH | Oxymetazoline Hydrochloride |
| Drixora | SH | Pseudoephedrine Sulphate |
| Duractin | CS | Cimetidine |
| Duro-Tuss | RK | Pholcodine |
| Dymadon Co. | BW | Codeine Phosphate with Paracetamol |
| E.D.P. | GL | Thymol Iodide, Bismuth Subiodide and Chlorbutol |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Proprietary name</i> | <i>Manufacturer</i> | <i>Approved name</i> |
|---|---------------------|---|
| Efudix | RO | Fluorouracil |
| Egopsisyl-TA | EO | Allantoin, Sulphur, Phenol, Coal Tar Solution and Menthol |
| Egosulphyl | EO | Sulphur, Salicylic Acid and Birch Tar Oil |
| Elastocrepe 3205A/3275A/3210A/3215A | SN | Bandage Cotton Crepe Heavy (Section 3) |
| Elastoplast 1002/1003/1004 | SN | Bandage Elastic Adhesive (Section 3) |
| Elastoplast 4025 | SN | Dressing Elastic Adhesive (Section 3) |
| Eurax | CG | Crotamiton |
| Fenamine | FM | Pheniramine |
| Fenamine-M | FM | Pheniramine |
| Fibyrax | SY | Fibrous Extracts of Grain and Citrus |
| Fluoroplex | AG | Fluorouracil |
| Fybogel | RC | Ispaghula Husk |
| Gavigrans | RC | Alginic Acid Compound |
| Gypsona S5002/S5003/S5004/S5006 | SN | Bandage Plaster of Paris (Section 3) |
| Hamilton Bath Oil | HA | Bath Emollient |
| Hamilton Body Wash | HA | Skin Cleanser |
| Hamilton Broad Spectrum Alcoholic Lotion 15 + | HA | Sunscreens |
| Hamilton Broad Spectrum Milky Lotion 15 + | HA | Sunscreens |
| Hamilton Broad Spectrum Solastick 15 + | HA | Sunscreens |
| Hamilton Sunscreen Broad Spectrum Cream 15 + | HA | Sunscreens |
| Handy 4021 | BE | Absorbent Cotton Wool Gauze (Section 3) |
| Handy 5672/5673/5674 | BE | Absorbent Gauze Pad (Section 3) |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Proprietary name</i> | <i>Manufacturer</i> | <i>Approved name</i> |
|---|---------------------|---|
| Handy 4032 | BE | Absorbent Lint (Section 3) |
| Handy 5605 | BE | Bandage Calico Triangular (Section 3) |
| Handy 5551/5552/ 5553/5554 | BE | Bandage Open-Wove (Section 3) |
| Handy 4177/4178/ 4179 | BE | Gloves Plastic (Disposable) (Section 3) |
| Handy-Band 9483/ 9485/9488/9490/9495 | BE | Bandage Cotton Conforming (Section 3) |
| Handycrepe 8235/ 8238/8240/8245 | BE | Bandage Wrinkled Cotton Crepe (Section 3) |
| Hifluor | PT | Sodium Fluoride |
| Histalert | RK | Diphenylpyraline |
| Hydroform | DM | Hydrocortisone and Clioquinol |
| Hypnodorm | AF | Flunitrazepam |
| Ichthopaste 4959 | SN | Bandage Zinc Paste and Ichthammol (Section 3) |
| Intal | FC | Spinhaler (Section 2) |
| Ionil | AQ | Salicylic Acid, Benzalkonium Chloride, Alcohol and Polyoxyethylene Ethers |
| Ionil Rinse | AQ | Hydrolyzed Collagen Proteins |
| Ionil-T | AQ | Salicylic Acid, Benzalkonium Chloride, Alcohol, Coal Tar and Polyoxyethylene Ethers |
| JJ 02011/02013 | JJ | Absorbent Cotton Wool (Section 3) |
| JJ 12031 | JJ | Gauze and Cotton Tissue (Combine Roll) (Section 3) |
| Jelonet 7404 | SN | Dressing Paraffin Gauze (Section 3) |
| Kenacomb | SQ | Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin |
| Kenalone | SQ | Triamcinolone Acetonide |
| Kerlix 6715 | KE | Absorbent Cotton Gauze (Section 3) |
| Leukoflex 1121/1122/ 1124 | BE | Self Adhesive Plaster Hypoallergenic (Section 3) |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Proprietary name</i> | <i>Manufacturer</i> | <i>Approved name</i> |
|---|---------------------|--|
| Leukoplast 1071/ 1072/1073 | BE | Self Adhesive Plaster Elastic (Section 3) |
| Leukoplast 2322/ 2324/2325 | BE | Self Adhesive Plaster Waterproof (Section 3) |
| Leukopor 2471/2472/ 2474 | BE | Self Adhesive Plaster Hypoallergenic (Section 3) |
| Lekosilk 1021/1022/ 1024 | BE | Self Adhesive Plaster Hypoallergenic (Section 3) |
| Lexotan | RO | Bromazepam |
| Librium | RO | Chlordiazepoxide |
| Lubafex | BW | Lubricating Agent |
| Magmin | VS | Magnesium Aspartate |
| Medi Swab 1000H | SN | Injection Site Preparation Swab (Section 2) |
| Melolin 1200M/4933 | SN | Dressing Non Adherent Dry Absorbent (Section 3) |
| Merbentyl | ML | Dicyclomine Hydrochloride |
| Metamucil | SR | Psyllium Hydrophilic Mucilloid |
| Meth-Zinc | PT | Promethazine |
| Metsal | RK | Menthol, Eucalyptus Oil and Methyl Salicylate |
| Microlax | PS | Sodium Citrate and Sodium Lauryl Sulphoacetate |
| Micropore Cloth First Aid Tape 2610/2611 | RK | Self Adhesive Plaster Hypoallergenic (Section 3) |
| Micropore Paper First Aid Tape R3/R4 | RK | Self Adhesive Plaster Hypoallergenic (Section 3) |
| Micropore Plastic First Aid Tape TR1/TR2 | RK | Self Adhesive Plaster Hypoallergenic (Section 3) |
| Micropore Skintone Paper First Aid Tape RF7/RF8 | RK | Self Adhesive Plaster Hypoallergenic (Section 3) |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Proprietary name</i> | <i>Manufacturer</i> | <i>Approved name</i> |
|------------------------------|---------------------|---|
| Micropore Waterproof | RK | Self Adhesive Plaster |
| First Aid Tape | | Hypoallergenic (Section 3) |
| BR1/BR2 | | |
| Mouthpiece | BY | Mouth Piece for Metered Aerosols (Section 2) |
| Multi-B Forte | GP -- | Vitamin B Group Complex Strong with Ascorbic Acid |
| Myadec | PD | Multi Vitamins with Minerals |
| Myambutol | LE | Ethambutol Hydrochloride |
| Mylanta II | PD | Aluminium Hydroxide with Magnesium Hydroxide and Simethicone |
| Neo-Synephrine | WL | Phenylephrine Hydrochloride |
| Normacol | NE | Sterculia with Frangula Bark |
| Nufold 10330/10331/ 10332 | JJ | Gauze Sterile Strip (Section 3) |
| Op-Site 4963 | SN | Dressing Adhesive Membrane (Section 3) |
| Orabase | SQ | Carmellose Sodium with Pectin and Gelatin |
| Pamine | UP | Hyoscine Methobromide |
| Panalgesic | WL | Codeine Phosphate, Paracetamol and Doxylamine Succinate |
| Paradex | PT | Dextropropoxyphene Hydrochloride with Paracetamol |
| Paroven | ZY | Hydroxyethylrutosides |
| Paxyl | FA | Lignocaine, Benzalkonium Chloride, Vitamin A and Allantoin |
| Pedi-Derm | NN | Tolnaftate |
| Pedoz | HA | Tetra-bromo-orthocresol, Undecenoic Acid, Zinc Undecenoate and Zinc Oxide |
| Peg 7420/7422/7423/ 7425 | BK | Bandage Self Adhesive Elastic (Section 3) |
| Phenergan | MB | Promethazine |
| Pholcolin | DH | Pholcodine |
| Pholcolin Red | DH | Pholcodine |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Proprietary name</i> | <i>Manufacturer</i> | <i>Approved name</i> |
|-------------------------|---------------------|--|
| Pholtrate | MG | Pholcodine |
| Pimafucort | GB | Natamycin, Neomycin Sulphate and Hydrocortisone |
| Pinetarsol | EO | Pine Tar and Triethanolamine Lauryl Sulphate |
| Piriton | GL | Chlorpheniramine |
| Pixel | CD | Pine Tar, Coal Tar Solution, Juniper Tar and Phenol |
| Plaquadise | OB | Chlorhexidine Gluconate |
| Pluravit | NY | Multivitamin with Minerals |
| Polybactrin Soluble | BW | Polymyxin B Sulphate, Zinc Bacitracin and Neomycin Sulphate |
| G.U. | | |
| Posalfilin | NE | Salicylic Acid and Podophyllin Resin |
| Prantal | SH | Diphemanil Methylsulphate |
| Procainamide | AP | Procainamide Hydrochloride |
| Durules | | |
| Proctosedyl | RL | Hydrocortisone, Cinchocaine Hydrochloride and Aesculin |
| Pyridium | WW | Phenazopyridine Hydrochloride |
| Quotane | SK | Dimethisoquin Hydrochloride |
| Q V Bath Oil | EO | Bath Emollient |
| Resonium-A | WL | Sodium Polystyrene Sulphonate |
| Rhinalar Nasal Mist | SD | Flunisolide |
| Rikoderm | RK | Bath Emollient |
| Rohypnol | RO | Flunitrazepam |
| Rubesal | HA | Diethylamine Salicylate, Menthol and Camphor |
| Rynacrom | FC | Sodium Cromoglycate |
| Rynacrom | FC | Nasal Insufflator (Section 2) |
| SN 121054A | SN | Gauze and Cotton Tissue (Combine Roll) (Section 3) |
| Salicylin-P | KY | Salicylic Acid and Podophyllin Resin |
| Savacol Mouth & | IC | Chlorhexidine Gluconate |
| Throat Rinse | | |
| Scheriproct | SC | Prednisolone Hexanoate, Cinchocaine Hydrochloride and Clemizole Undecylenate |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Proprietary name</i> | <i>Manufacturer</i> | <i>Approved name</i> |
|---|---------------------|---|
| Scholl | SO | Felt Pad Bunion (Section 3) |
| Scholl | SO | Felt Pad Callous (Section 3) |
| Scholl | SO | Felt Pad Corn (Section 3) |
| Scholl | SO | Lambs Wool (Section 3) |
| Scholl Tubegauz | SO | Tubular Finger Dressing with Applicator (Section 3) |
| Sebitar | EO | Salicylic Acid, Coal Tar Solution, Pine Tar and Undecylenamide |
| Seda-Gel | NN | Choline Salicylate, Cetalkonium Chloride, Menthol, Glycerol and Ethanol |
| Selsun | AB | Selenium Sulphide |
| Senamon | DH | Senega and Ammonia |
| Senokot | RC | Senna Standardised |
| Serenace | SR | Haloperidol |
| Sodibic | PT | Sodium Bicarbonate |
| Softeze Absorbent | BS | Absorbent Napkins (Section 3) |
| Pad Mini 640-0412 | | |
| Softeze Absorbent | BS | Absorbent Napkins (Section 3) |
| Pad Regular 640-0312 | | |
| Softeze Stretch Pants 082-8101/ 082-8201/082-8301 | BS | Absorbent Napkins Pants (Section 2) |
| Solcode | RC | Codeine Phosphate with Aspirin |
| Sopol | CD | Skin cleanser |
| Sotacor | AP | Sotalol Hydrochloride |
| Sudafed | BW | Pseudoephedrine Hydrochloride |
| Sultrin | CL | Sulphathiazole, Sulphacetamide, Sulphabenzamide and Urea |
| Synalar | IC | Fluocinolone Acetonide |
| Synalar 01 | IC | Fluocinolone Acetonide |
| Tagamet | SK | Cimetidine |
| Telfa 1961C/2132C | KE | Dressing Non Adherent Dry Absorbent (Section 3) |
| Tenderskin 1596.1/1914.1 2419.1/3394.1 | KE | Self Adhesive Plaster Hypoallergenic (Section 3) |

NOTE: A number following the proprietary name denotes manufacturer's code.

| <i>Proprietary name</i> | <i>Manufacturer</i> | <i>Approved name</i> |
|--|---------------------|---|
| Ticarda | HP | Normethadone Hydrochloride and Hydroxyephedrine |
| Tinaderm | SO | Tolnaftate |
| Titralac | RK | Calcium Carbonate with Glycine |
| Topilar | SD | Fluclorolone Acetonide |
| Tranxene | GL | Clorazepate Dipotassium |
| Tubigrip B | BT | Tubular Dressing (Section 3) |
| Tubigrip C | BT | Tubular Dressing (Section 3) |
| Tubigrip D | BT | Tubular Dressing (Section 3) |
| Tubigrip E | BT | Tubular Dressing (Section 3) |
| Tubigrip F | BT | Tubular Dressing (Section 3) |
| Ultralan | SC | Fluocortolone Pivalate and Fluocortolone Hexanoate |
| Ultraproct | SC | Fluocortolone Pivalate, Fluocortolone Hexanoate, Clemizole Undecylenate and Cinchocaine Hydrochloride |
| Ungvita | NS | Vitamin A |
| Ungvita Cream | NS | Vitamin A, Calamine and Silicone Oil |
| Unicap-T | UP | Multivitamin with Minerals |
| Unitulle | RL | Dressing Paraffin Gauze (Section 3) |
| UV Ultrablock Broad Spectrum Water Resistant 15+ Cream | IC | Sunscreens |
| Ventolin | GL | Rotahalers (Section 2) |
| Vermox | JP | Mebendazole |
| Viscopaste 4948A | SN | Bandage Zinc Paste (Section 3) |
| Vitaminorum | SI | Multivitamin |
| Volumatic 10359 | GL | Inhalation Device |
| Waxsol | NE | Docusate Sodium |
| Xylocaine Viscous | AP | Lignocaine Hydrochloride and Carboxymethylcellulose |
| Xyloproct | AP | Hydrocortisone, Lignocaine Base, Aluminium Subacetate and Zinc Oxide |
| Zantac | GL | Ranitidine Hydrochloride |
| Z.S.C. | SI | Zinc Oxide, Starch and Chlorphenesin |

NOTE: A number following the proprietary name denotes manufacturer's code.

Section 5

**REPATRIATION SCHEDULE OF
BENEFITS
Manufacturers' Codes**

| <i>Code</i> | <i>Manufacturer</i> | <i>Code</i> | <i>Manufacturer</i> |
|-------------|--|-------------|---------------------------------------|
| AB | Abbott Laboratories Pty Ltd | GP | G.P. Laboratories |
| AC | Alberto Culver Company | HA | Hamilton Laboratories Pty Ltd |
| AF | Alphapharm Pty Ltd | HP | Hoechst Australia Ltd |
| AG | Allergan Pharmaceuticals Pty Ltd | IC | ICI Australia Operations Pty Ltd |
| AM | Ames Company, Division of Miles Laboratories Australia Pty Ltd | JJ | Johnson & Johnson (Australia) Pty Ltd |
| AP | Astra Pharmaceuticals Pty Ltd | JP | Janssen Pharmaceutica Pty Ltd |
| AQ | Alcon Laboratories (Australia) Pty Ltd | KC | Kimberly-Clark Australia Pty Ltd |
| BE | BDF Australia Ltd | KE | Kendall (Australia) |
| BK | Becton Dickinson (USA) | KN | Knoll, A.G., Germany |
| BS | Bowater-Scott Ltd | KY | Key Pharmaceuticals Pty Ltd |
| BT | The Boots Company (Australia) Pty Ltd | LE | Lederle Laboratories Division |
| BW | Wellcome Australia Limited | LY | Eli Lilly (Aust.) and Company |
| BY | Boehringer Ingelheim Pty Ltd | MB | May & Baker Australia Pty Ltd |
| CD | Cambden Pharmaceuticals Pty Ltd | MG | J. McGloin Pty Ltd |
| CG | Ciba-Geigy Australia Ltd | MK | Merck, Sharp & Dohme (Aust) Pty Ltd |
| CL | Cilag Pty Limited | ML | Merrell Dow |
| CS | Commonwealth Serum Laboratories | | Pharmaceuticals |
| CW | Carter-Wallace (Aust) Pty Ltd | NE | (Australia) Pty Ltd |
| DH | Drug Houses of Australia Pty Ltd | NN | Norgine Pty Ltd |
| DM | Dermacare Pty Ltd | NS | Nicholas Kiwi (Pacific) |
| DT | Du Pont Pharmaceuticals | NW | Norwich-Eaton |
| EO | Ego Pharmaceuticals Pty Ltd | | Pharmaceuticals Pty Ltd |
| FA | F.H. Faulding & Co Ltd | NY | Nyal Company |
| FC | Fisons Pty Ltd | OB | Oral B Laboratories Pty Ltd |
| FM | Fawns and McAllan Pty Ltd | OM | Orapharm Products |
| GB | Gist-Brocades Australia Pty Ltd | PD | Parke Davis Pty Ltd |
| GL | Glaxo | PF | Pfizer Pty Ltd |
| | | PR | Prosana Laboratories Pty Ltd |

| <i>Code</i> | <i>Manufacturer</i> | <i>Code</i> | <i>Manufacturer</i> |
|-------------|--|-------------|-------------------------------------|
| PS | Pharmacia (Australia) Pty Ltd | SL | Soul Pattinson Laboratories Pty Ltd |
| PT | CP Protea | SN | Smith & Nephew (Aust) Pty Ltd |
| PY | Pantene Co | SO | Scholl-Plough (Australia) Ltd |
| QE | Queensland Ethicals | SQ | E.R. Squibb & Sons Pty Ltd |
| RC | Reckitt and Colman Pharmaceutical Division | SR | Searle Laboratories |
| RK | Riker Laboratories Australia Pty Ltd | SV | Stafford-Miller Ltd |
| RL | Roussel Pharmaceuticals Pty Ltd | SY | Sterling Pharmaceuticals Pty Ltd |
| RO | Roche Products Pty Ltd | TO | R.D. Toppin & Sons Pty Ltd |
| RS | A.H. Robins Pty Limited | TV | Travenol Laboratories Pty Ltd |
| RT | Rocke, Tompsitt & Co. Ltd | UP | Upjohn Pty Ltd |
| SC | Schering, A.G. | VS | Vitaplex Pty Ltd |
| SD | Syntex Pharmaceuticals Ltd | WL | Winthrop Laboratories |
| SH | Essex Laboratories Pty Ltd -Australian subsidiary of Schering Corporation U.S.A. | WW | Wm R. Warner |
| SI | Sigma Co. Ltd | WY | Wyeth Pharmaceuticals Pty Ltd |
| SK | Smith Kline & French Laboratories (Aust) Ltd | ZY | Zyma-Pharmaceuticals |

Repatriation Schedule of Pharmaceutical Benefits

December 1987