



**Australian Government**

---

**Department of Health and Ageing**

## **SCHEDULE OF PHARMACEUTICAL BENEFITS FOR DENTAL PRACTITIONERS**

This Schedule is also available on the internet at  
[www.pbs.gov.au](http://www.pbs.gov.au)

**EFFECTIVE 1 February 2011 -  
28 February 2011  
(ALL PREVIOUS EDITIONS CANCELLED)**

© Commonwealth of Australia 2011

ISSN 1037-3667

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced by any process without prior written permission from the Commonwealth. Requests and inquiries concerning reproduction and rights should be addressed to the Commonwealth Copyright Administration, Attorney General's Department, Robert Garran Offices, National Circuit, Barton ACT 2600 or posted at <http://www.ag.gov.au/cca>

This Schedule provides information on the arrangements for the prescribing and supply of pharmaceutical benefits. These arrangements operate under the *National Health Act 1953*. However, at the time of printing, the relevant legislation giving authority for the changes included in this issue of the Schedule may still be subject to the usual Parliamentary scrutiny. This book is not a legal document, and, in cases of discrepancy, the legislation will be the source document for payment for the supply of pharmaceutical benefits. The legislation is available from the Federal Register of Legislative Instruments website at <http://www.frli.gov.au>.

The information is not intended to give or replace any legal, medical, dental or optometrical advice. This document is not a legal document and does not constitute legal advice. Neither the information nor this document can be relied upon without first seeking and obtaining independent legal, medical, dental or optometrical advice beforehand. To the extent permitted by law, the Commonwealth of Australia will not be held responsible, nor accept any liability (whether arising out of negligence or otherwise), for any injury, damages, costs, expenses and losses suffered or incurred by a person where such a person has relied on this document or used the information in it as legal, medical, dental or optometrical advice.

## CONTENTS

|                                                          |    |
|----------------------------------------------------------|----|
| SUMMARY OF CHANGES .....                                 | 4  |
| Section 1 – Explanatory Notes.....                       | 5  |
| Introduction.....                                        | 5  |
| 1. The Schedule — Where to Find What .....               | 5  |
| Section 1 .....                                          | 5  |
| Section 2 .....                                          | 5  |
| 2. Prescribing Medicines — Information for Dentists..... | 5  |
| Eligible prescribers.....                                | 5  |
| PBS prescription forms .....                             | 5  |
| Preparing general prescriptions.....                     | 6  |
| Restrictions .....                                       | 6  |
| Maximum quantities.....                                  | 6  |
| Urgent cases .....                                       | 7  |
| 3. Patient Charges.....                                  | 7  |
| Type of patient .....                                    | 7  |
| What patients pay .....                                  | 7  |
| 4. RPBS Dental Prescribing.....                          | 8  |
| Addresses — Medicare Australia.....                      | 9  |
| THERAPEUTIC INDEX.....                                   | 13 |
| Section 2 .....                                          | 16 |
| SYMBOLS USED IN THE SCHEDULE .....                       | 17 |
| GENERIC/PROPRIETARY INDEX .....                          | 46 |

## PHARMACEUTICAL BENEFITS

These changes to the Schedule of Pharmaceutical Benefits are effective from 1 February 2011. The Schedule is updated on the first day of each month and is available on the Internet at [www.pbs.gov.au](http://www.pbs.gov.au).

## SUMMARY OF CHANGES

### Additions

#### Additions – Brands

- 3323X *Vancomycin Alphapharm, AF – Vancomycin*, Powder for injection 500 mg (as hydrochloride) (500,000 i.u. vancomycin activity)
- 5083M *Vancomycin Alphapharm, AF – Vancomycin*, Powder for injection 1 g (as hydrochloride) (1,000,000 i.u. vancomycin activity)

### Alterations

#### Additions – Item Description

From:

- 3323X **Vancomycin**, Powder for injection 500 mg (500,000 i.u.) vancomycin activity (*Hospira Pty Limited, Vancocin CP, Vancomycin Sandoz*)

To:

- 3323X **Vancomycin**, Powder for injection 500 mg (as hydrochloride) (500,000 i.u. vancomycin activity) (*Hospira Pty Limited, Vancocin CP, Vancomycin Sandoz, Vancomycin Alphapharm*)

From:

- 5083M **Vancomycin**, Powder for injection 1 g (1,000,000 i.u.) vancomycin activity (*Hospira Pty Limited, Vancomycin Sandoz*)

To:

- 5083M **Vancomycin**, Powder for injection 1 g (as hydrochloride) (1,000,000 i.u. vancomycin activity) (*Hospira Pty Limited, Vancomycin Sandoz, Vancomycin Alphapharm*)

#### Alterations – Proprietary Name

From:

- 5236N **Tramadol Hydrochloride**, Tablet 200 mg (twice daily sustained release) (*Tramahexal SR*)

To:

- 5236N **Tramadol Hydrochloride**, Tablet 200 mg (twice daily sustained release) (*Tramadol Sandoz SR*)

## Section 1 – Explanatory Notes

### Introduction

These Explanatory Notes are provided to help dentists work within the Australian Government's Pharmaceutical Benefits Scheme (PBS).

The PBS is a system of subsidising the cost of most prescription medicines. The subsidies are available to all Australian residents and eligible foreign visitors, i.e., people from countries which have Reciprocal Health Care Agreements with Australia. These countries are the United Kingdom, Ireland, New Zealand, Malta, Italy, Sweden, the Netherlands, Finland, Norway and Belgium.

The aim of the PBS, which has been in operation since 1948, is to provide reliable and affordable access to a wide range of necessary medicines.

The Schedule of Pharmaceutical Benefits – referred to throughout as the 'Schedule' – lists all of the medicines available under the PBS, and explains how they can be used in order to be subsidised.

The Schedule is produced monthly by the Australian Department of Health and Ageing (effective on the first day of each month).

It is vital therefore that dentists remain up to date with information on which medicines are included in or excluded from the Schedule, whether restrictions apply to the medicines, and how much patients should pay. Queries relating to the PBS can be made to the Pharmaceutical Branch in the State offices of Medicare Australia (telephone 132 290 Mondays to Fridays, during business hours). Queries relating to the Repatriation Pharmaceutical Benefits Scheme (RPBS) can be made to the State offices of the Department of Veterans' Affairs (DVA) (telephone 1800 552 580).

### 1. The Schedule — Where to Find What

The Schedule of Pharmaceutical Benefits is divided into sections. At the start of the Schedule, immediately after the table of contents, is a summary of any changes to listed items.

The last pages of the Schedule provide a generic/proprietary index of PBS and RPBS ready-prepared items.

#### Section 1

Section 1 is what you are reading, the Explanatory Notes. It outlines the correct way to prescribe pharmaceutical benefits, patient charges and who qualifies for concessions. This is followed by a list of Medicare Australia contacts and addresses, then an index of manufacturers' codes.

#### Section 2

This section lists ready-prepared items, and includes the form, manner of administration, brand and brand equivalents that may be prescribed, and the maximum quantity for each item.

Any medicines that have restrictions on how they can be prescribed are printed in ***bold italics***. Items appearing in more than one therapeutic group are cross-referenced.

Section 2 SYMBOLS USED IN THE SCHEDULE explains symbols used throughout the Schedule.

The use of 'NOTE' in this section is used to clarify how some pharmaceutical benefits should be prescribed.

The use of 'CAUTION' is to warn of known adverse reactions from, or precautions to be taken with, a particular pharmaceutical benefit. (The absence of a cautionary note does not imply reactions may not happen.)

### 2. Prescribing Medicines — Information for Dentists

#### Eligible prescribers

Pharmaceutical benefits can only be prescribed by dentists who are approved to work within the PBS.

#### PBS prescription forms

Standard PBS prescription forms are available from Medicare Australia for prescribing pharmaceutical benefits.

- *Personalised forms* – have the dentist's name, qualifications, practice address/es, telephone number and prescriber number.
- *Non-personalised (blank) forms* – are distributed for emergency supply only. Both forms for dentists are supplied free of charge.

#### Ordering forms

Dentists are asked not to over order. Getting the right amount of forms helps to reduce the cost to taxpayers and helps to reduce paper wastage. Also, the pads may deteriorate if stored over time.

Order forms for standard PBS prescription forms are available from Medicare Australia stationery officers. Contact details are listed in the front of the Schedule.

Orders for PBS prescription stationery will only be accepted by application in writing and through the channels mentioned above.

## Preparing general prescriptions

### *Do's and don't's*

A PBS prescription is only valid when it is written by an approved dentist for dental treatment only.

The prescription must be for the treatment of the person named on the PBS prescription. A PBS prescription may only be written for the treatment of one person.

A dentist cannot write more than one PBS prescription for the same pharmaceutical benefit for the same person on the same day.

Up to **three** pharmaceutical benefit items may be included on a single PBS prescription form, but pharmaceutical benefits and non-pharmaceutical benefits should not be listed together on the one PBS prescription form.

If an item has a particular manner of administration it may not, as a pharmaceutical benefit, be administered in any other way, e.g., an ophthalmic preparation may not be prescribed for topical use.

If an item is restricted, but the patient is not suffering from one of the specified conditions, it cannot be prescribed as a pharmaceutical benefit. The dentist should write the prescription either on a private prescription or on a standard prescription with 'PBS/RPBS' clearly struck out. It should also be endorsed 'non-PBS'.

A dentist cannot prescribe a narcotic drug for him/herself. In some States and Territories the prescribing of drugs of addiction by dentists is not permitted.

Dentists are issued with individual PBS prescription pads by Medicare Australia for their own use – these pads should not be used by other dentists, as this can cause confusion through incorrect pharmacy records.

Dentists are required to include their prescriber numbers on non-personalised PBS prescriptions.

The following admixtures are not pharmaceutical benefits:

- the admixture of two or more ready-prepared items listed in the Schedule; or
- the admixture of a non-pharmaceutical benefit item with a pharmaceutical benefit item.

### *Writing the PBS prescription*

The following rules apply for writing PBS prescriptions:

- they must be written in indelible form (i.e., ink or ball-point pen) in the dentist's own handwriting (exceptions must be approved by Medicare Australia's Chief Executive Officer) either on the standard PBS prescription, or on paper approximately 18 cm x 12 cm, or they can be generated by computer on a form approved by Medicare Australia. For patient safety reasons, both the original and the duplicate must be legible;
- they must record the dentist's name, address and prescriber number, the patient's name, address and entitlement status (i.e. whether they are a 'concessional' or 'general' patient), and whether the prescription is under the PBS or RPBS;
- they should completely identify the pharmaceutical benefit by detailing the item, dose, form, strength, quantity and instructions for use;
- they should indicate where brand substitution is not permitted. PBS prescriptions must not be prepared using a computer prescribing program that contains a default which would result in all prescriptions being indicated as Brand Substitution Not Permitted;
- where 'solvent required' is included after the form, the volume and number of ampoules must be specified; and
- they must be signed by the dentist and dated. Forward or back dating is not permitted.

There are separate arrangements for PBS prescriptions in certain public hospitals. To gain access to pharmaceutical benefits under this arrangement a patient must attend a participating public hospital and be a discharge patient or non-admitted patient. Only a dental practitioner providing dental services within a participating public hospital, may prescribe the subsidised medication. The States of Victoria, Queensland and Western Australia and the Northern Territory have agreed to implement these arrangements.

## Restrictions

Pharmaceutical benefits listed in this Schedule fall into two broad categories:

*Unrestricted benefits* – which have no restrictions on their therapeutic uses; and

*Restricted benefits* – which can only be prescribed for specific therapeutic uses (they are noted as **restricted benefit**).

## Maximum quantities

The maximum quantities allowed for PBS items are recommended by the Pharmaceutical Benefits Advisory Committee (PBAC). Dentists cannot prescribe repeats.

PBS prescriptions can be for any quantity up to the maximum. It is not necessary to prescribe the maximum quantity if a lesser quantity is sufficient for the patient's needs. Please clearly indicate the number of tablets, capsules, etc. required, and **do not use** abbreviations such as 'Max. Qty', or 'M.Q.'

## Urgent cases

In urgent cases and where State/Territory law allows, a dentist may telephone a pharmacist and ask that a PBS prescription be supplied. He/she must then forward the written PBS prescription and duplicate to the pharmacist within **seven days of the date of supply**.

## 3. Patient Charges

### Type of patient

There are two types of PBS beneficiaries – general patients and concessional patients. General patients hold a Medicare card. Concessional patients hold a Medicare card and one of the following cards from Centrelink or the Department of Veterans' Affairs (DVA):

- Pensioner Concession Card
- Commonwealth Seniors Health Card
- Health Care Card
- Repatriation Health Card For All Conditions (gold) – concessional patients under RPBS
- Repatriation Health Card For Specific Conditions (white) – only regarded as concessional patients for RPBS prescriptions unless they hold a separate entitlement from Centrelink, otherwise they are general patients
- Repatriation Pharmaceutical Benefits Card (orange) – concessional patients under RPBS
- Safety Net Concession Card or Safety Net Entitlement Card are also issued by Medicare Australia.

Under the Reciprocal Health Care Agreements (RHCA), visitors from participating countries (see the introduction of this section for the list of countries) are treated as general patients – they do not have concessional entitlements. To receive pharmaceutical benefits, these visitors may need to present a temporary Medicare card or their passport.

### What patients pay

#### *Patient contribution*

Under the PBS, the maximum cost for a pharmaceutical benefit item at a pharmacy is \$34.20 for general patients and \$5.60 for concessional patients (except where a brand premium applies).

Patients who have a Safety Net Entitlement Card receive PBS items for free, except where a brand premium applies.

The contribution rate for general patients as outpatients at public hospitals throughout Australia is \$27.40.

The exception is Queensland and hospitals participating in the pharmaceutical reforms where they pay the safety net value of an item when it is listed in the Schedule, or up to \$34.20 for items not listed in the Schedule. The public hospital pharmaceutical reforms enable participating public hospitals to prescribe and supply pharmaceutical medication from the PBS to outpatients and patients upon discharge.

The contribution rate for concessional patients in all public hospitals is \$5.60.

The supply of a pharmaceutical benefit or a Repatriation pharmaceutical benefit to a patient is a GST-free supply. Goods and services tax must not be included in the price charged to a patient for the supply of a benefit under the PBS or RPBS.

It is the patient's responsibility to meet any charge lawfully demanded by an approved pharmacist, otherwise supply may be refused.

The patient contribution rates are usually adjusted on 1 January each year in line with inflation.

#### *Patient contributions for early supply of some PBS medicines*

Prescriptions for some pharmaceutical benefits are not eligible for Safety Net benefits if resupplied within 20 days of a previous supply of the same pharmaceutical benefit for the same person under the PBS or the RPBS. (This is known as the 'Safety Net 20 day rule' which came into effect on 1 January 2006.)

Where a prescription is subject to the Safety Net 20 day rule, exclusion from Safety Net benefits has the following effects:

- the patient contribution does not count towards the Safety Net
- after the Safety Net threshold is reached, the usual patient payment amount for the corresponding entitlement level (not the Safety Net amount) applies.

There are no pharmaceutical benefits listed for prescribing by dentists that are subject to the Safety Net 20 day rule.

#### *Brand premiums*

Under the brand premium arrangements, Commonwealth reimbursement to pharmacists is based on the lowest-priced brand. Patients pay the difference for higher-priced brands, on top of their usual patient contribution.

The Schedule's brand premiums apply to maximum quantities. When a quantity is less than the maximum, the premium will be a fraction of the maximum quantity, using standard pricing rules.

### ***Solvents***

Where a solvent is prescribed as part of a pharmaceutical benefit, only one patient contribution is charged.

## **4. RPBS Dental Prescribing**

Under Department of Veterans' Affairs (DVA) arrangements, financial responsibility for pharmaceutical benefits prescribed by a Local Dental Officer (LDO) is limited to the treatment to which holders of the following cards are entitled:

- a Gold Repatriation Health Card For All Conditions; or
- a White Repatriation Health Card For Specific Conditions; or
- an Orange Repatriation Pharmaceutical Benefits Card.

Where possible the LDO shall prescribe in accordance with the provisions governing dental prescribing under the PBS.

Prescriptions for PBS Dental Schedule items for Gold, White and Orange Card holders are to be dispensed at the PBS concessional rate. The card holder is required to meet the cost of any applicable brand premium.

When a non-PBS Dental Schedule item is prescribed for an eligible card holder, the LDO's private prescription form should be used. The dispensing pharmacist may charge the patient the full cost of the prescription. The patient may claim a refund for the full cost of a non-Schedule item from DVA if an itemised receipt (not a cash register receipt) and a copy of the prescription are provided.

## Addresses — Medicare Australia

Medicare Australia has responsibility for the operational aspects of the Pharmaceutical Benefits Scheme (PBS). This responsibility covers the processing of pharmaceutical benefit and safety net claims, authority applications and supply of PBS stationery used by medical practitioners, participating dental practitioners and approved pharmacists.

Procedures for ordering prescription forms are set out in Introduction of this Schedule .

### New South Wales and Australian Capital Territory

Pharmaceutical Benefits Branch  
130 George Street  
Parramatta NSW 2150

**General and IME enquiries — Tel: 132 290**

Orange Service Centre  
189 Anson Street  
Orange NSW 2800

**General and IME enquiries — Tel: 132 290**

### Victoria

Pharmaceutical Branch  
Level 10  
595 Collins Street  
Melbourne Vic 3000

**General and IME enquiries — Tel: 132 290**

### Queensland

Pharmaceutical Services Branch  
143 Turbot Street  
Brisbane Qld 4000

**General and IME enquiries — Tel: 132 290**

### South Australia and Northern Territory

Pharmaceutical Services Branch  
209 Greenhill Road  
Eastwood SA 5063

**General and IME enquiries — Tel: 132 290**

### Western Australia

Pharmaceutical Benefits Branch  
Level 5, Work Distribution Centre,  
(Reception on Level 4)  
130 Stirling Street  
Northbridge WA 6003

**General and IME enquiries — Tel: 132 290**

### Tasmania

Pharmaceutical Branch  
242 Liverpool Street  
Hobart Tas 7000

**General and IME enquiries — Tel: 132 290**

### National Program Management

Pharmaceutical Benefits Branch  
Medicare Australia  
134 Reed Street  
Tuggeranong ACT 2900  
Telephone — (02) 6124 6333  
Website — [www.medicareaustralia.gov.au](http://www.medicareaustralia.gov.au) Email — [pbs@medicareaustralia.gov.au](mailto:pbs@medicareaustralia.gov.au)

## Index of Manufacturers' Codes

| <i>Code</i> | <i>Manufacturer</i>                                                                                                                                                                                          |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AB          | Abbott Australasia Pty Ltd<br>Sir Joseph Banks Corporate Park 32-34 Lord<br>Street Botany NSW 2019<br>Tel: (02) 9384 9700<br>Fax: (02) 9384 9800                                                             |
| AF          | Alphapharm Pty Limited<br>Chase Building 2 Wentworth Park Road<br>Glebe NSW 2037<br>Tel: (02) 9298 3999<br>Fax: (02) 9566 4686                                                                               |
| AL          | Alphapharm Medical A Division of<br>Alphapharm Pty Limited<br>Chase Building 2 Wentworth Park Road<br>Glebe NSW 2037<br>Tel: (02) 9298 3999<br>Fax: (02) 9566 4686                                           |
| AP          | AstraZeneca Pty Ltd<br>Alma Road North Ryde NSW 2113<br>Tel: (02) 9978 3500<br>Fax: (02) 9978 3700                                                                                                           |
| AS          | Aspen Pharmacare Australia Pty Ltd<br>First Floor 34-36 Chandos Street St<br>Leonards NSW 2065<br>Tel: (02) 8436 8300<br>Fax: (02) 9901 3540                                                                 |
| AV          | Aventis Pharma Division of Sanofi-Aventis<br>Australia Pty Limited<br>Building D, Talavera Corporate Centre 12-<br>24 Talavera Road Macquarie Park NSW<br>2113<br>Tel: (02) 8666 2000<br>Fax: (02) 8666 3000 |
| BF          | Bellwether Pharma Ltd<br>Suite 1, Level 1 1175 Toorak Road<br>Camberwell Vic 3124<br>Tel: (03) 9809 7900<br>Fax: (03) 9809 7999                                                                              |
| BQ          | Bristol-Myers Squibb Pharmaceuticals A<br>Division of Bristol-Myers Squibb Australia<br>Pty Ltd<br>556 Princes Highway Noble Park Vic 3174<br>Tel: (03) 9213 4000<br>Fax: (03) 9701 1518                     |
| BR          | B. Braun Australia Pty Ltd<br>Norwest Business Park 17 Lexington Drive<br>Bella Vista NSW 2153<br>Tel: (02) 9629 0200<br>Fax: (02) 9629 0299                                                                 |

| <i>Code</i> | <i>Manufacturer</i>                                                                                                                                     |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| BX          | Baxter Healthcare Pty Limited<br>1 Baxter Drive Old Toongabbie NSW 2146<br>Tel: (02) 9848 1111<br>Fax: (02) 9848 1123                                   |
| CH          | Chem mart Pty Limited<br>Level 7, 5 Queens Road Melbourne Vic<br>3004<br>Tel: (03) 9918 2500<br>Fax: (03) 9918 2006                                     |
| CO          | Chemists' Own Pty Ltd A member of Sigma<br>Group of Companies<br>96 Merrindale Drive Croydon Vic 3136<br>Tel: (03) 9839 2800<br>Fax: (03) 9839 2753     |
| CR          | Pharmacor Limited<br>5/36 Campbell Avenue Cromer NSW 2099<br>Tel: (02) 9981 4470<br>Fax: (02) 9981 4475                                                 |
| CS          | CSL Limited<br>45 Poplar Road Parkville Vic 3052<br>Tel: (03) 9389 1911<br>Fax: (03) 9388 2351                                                          |
| FK          | Invida Australia Pty Ltd<br>Level 8, 67 Albert Avenue Chatswood NSW<br>2067<br>Tel: (02) 9080 7200<br>Fax: (02) 9080 7201                               |
| FM          | Fawns and McAllan Pty Ltd A member of<br>Sigma Group of Companies<br>96 Merrindale Drive Croydon Vic 3136<br>Tel: (03) 9839 2800<br>Fax: (03) 9839 2753 |
| GK          | GlaxoSmithKline Australia Pty Ltd<br>Level 4, 436-438 Johnston Street<br>Abbotsford Vic 3067<br>Tel: (03) 9413 7300<br>Fax: (03) 8761 2410              |
| GM          | Ascent Pharma Pty Ltd<br>151-153 Clarendon Street South<br>Melbourne Vic 3205<br>Tel: 1800 678 302<br>Fax: (03) 8677 6666                               |
| GN          | Ascent Pharmaceuticals Limited<br>151-153 Clarendon Street South<br>Melbourne Vic 3205<br>Tel: 1800 678 302<br>Fax: (03) 8677 6666                      |

## Index of Manufacturers' Codes

| <i>Code</i> | <i>Manufacturer</i>                                                                                                                                                             |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GQ          | Generic Health Pty Ltd<br>Suite 1, Level 1 1175 Toorak Road<br>Camberwell Vic 3124<br>Tel: (03) 9809 7900<br>Fax: (03) 9809 7999                                                |
| GX          | GenRx A Division of Apotex Pty Ltd<br>66 Waterloo Road North Ryde NSW 2113<br>Tel: (02) 8877 8333<br>Fax: (02) 8877 8377                                                        |
| HH          | Hospira Pty Ltd<br>(David Bull Laboratories, Faulding<br>Pharmaceuticals) Level 6, 390 St Kilda Road<br>Melbourne Vic 3004<br>Tel: (03) 9868 0700<br>Fax: (03) 9868 0111        |
| IA          | iNova Pharmaceuticals (Australia) Pty<br>Limited<br>9-15 Chilvers Road Thornleigh NSW 2120<br>Tel: (02) 9875 6333<br>Fax: (02) 9875 6416                                        |
| JC          | Janssen-Cilag Pty Ltd<br>1-5 Khartoum Road North Ryde NSW 2113<br>Tel: (02) 8875 3333<br>Fax: (02) 8875 3300                                                                    |
| KR          | Kenral Division of Pharmacia Australia Pty<br>Limited<br>59 Kirby Street Rydalmere NSW 2116<br>Tel: (02) 9848 3000<br>Fax: (02) 9848 3333                                       |
| LM          | Link Medical Products Pty Ltd<br>Level 1, Bridgepoint Centre 3 Brady Street<br>Mosman NSW 2088<br>Tel: (02) 9960 0150<br>Fax: (02) 9960 0149                                    |
| LN          | Lennon Healthcare A Division of Aspen<br>Pharmacare Australia Pty Ltd<br>First Floor 34-36 Chandos Street St<br>Leonards NSW 2065<br>Tel: (02) 8436 8300<br>Fax: (02) 9901 3540 |
| MD          | Macarthur Research Division of Roche<br>Products Pty Ltd<br>4-10 Inman Road Dee Why NSW 2099<br>Tel: (02) 9454 9000<br>Fax: (02) 9981 3229                                      |

| <i>Code</i> | <i>Manufacturer</i>                                                                                                                                      |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| MF          | Mundipharma Pty Ltd<br>Level 33, 50 Bridge Street Sydney NSW<br>2000<br>Tel: (02) 9231 7200<br>Fax: (02) 9223 0011                                       |
| MI          | Meditech Int. Pty Ltd<br>Unit 5, 36 Campbell Avenue Cromer NSW<br>2099<br>Tel: (02) 9981 4470<br>Fax: (02) 9981 4475                                     |
| NO          | Novo Nordisk Pharmaceuticals Pty Ltd<br>Level 3, 21 Solent Circuit Baulkham Hills<br>NSW 2153<br>Tel: (02) 8858 3600<br>Fax: (02) 8858 3799              |
| NV          | Novartis Pharmaceuticals Australia Pty Ltd<br>54 Waterloo Road North Ryde NSW 2113<br>Tel: (02) 9805 3555<br>Fax: (02) 9887 4551                         |
| PF          | Pfizer Pty Limited<br>38-42 Wharf Road West Ryde NSW 2114<br>Tel: (02) 9850 3333<br>Fax: (02) 9858 1347                                                  |
| PK          | Fresenius Kabi Australia Pty Limited<br>964 Pacific Highway Pymble NSW 2073<br>Tel: 1300 732 001<br>Fax: 1300 304 384                                    |
| PL          | Phebra<br>332 Burns Bay Road Lane Cove NSW 2066<br>Tel: (02) 9420 9199<br>Fax: (02) 9420 9177                                                            |
| RA          | Ranbaxy Australia Pty Limited<br>Suite 4.02, Level 4 Building D 12-24<br>Talavera Road North Ryde NSW 2113<br>Tel: (02) 9647 1172<br>Fax: (02) 9647 1172 |
| RC          | Reckitt Benckiser (Australia) Pty Limited<br>44 Wharf Road West Ryde NSW 2114<br>Tel: (02) 9857 2000<br>Fax: (02) 9857 2004                              |
| RO          | Roche Products Pty Ltd<br>4-10 Inman Road Dee Why NSW 2099<br>Tel: (02) 9454 9000<br>Fax: (02) 9971 7401                                                 |

## Index of Manufacturers' Codes

| <i>Code</i> | <i>Manufacturer</i>                                                                                                                                                        |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SH          | Schering-Plough Pty Ltd<br>Level 4, 66 Waterloo Road North Ryde<br>NSW 2113<br>Tel: (02) 8988 8000<br>Fax: (02) 9852 7500                                                  |
| SI          | Sigma Pharmaceuticals (Australia ) Pty Ltd<br>A member of Sigma Group of Companies<br>96 Merrindale Drive Croydon Vic 3136<br>Tel: (03) 9839 2800<br>Fax: (03) 9839 2753   |
| SW          | Sanofi-Aventis Australia Pty Ltd<br>Building D, Talavera Corporate Centre 12-<br>24 Talavera Road Macquarie Park NSW<br>2113<br>Tel: (02) 8666 2000<br>Fax: (02) 8666 3000 |
| SZ          | Sandoz Pty Ltd<br>Level 4, Suite 7-19 100 Harris Street<br>Pyrmont NSW 2009<br>Tel: (02) 9566 1500<br>Fax: (02) 9566 1458                                                  |
| TS          | Specialised Therapeutics Australia Pty Ltd<br>Suite 3-4, 6 Westbrook Street East Kew Vic<br>3102<br>Tel: (03) 9859 1493<br>Fax: (03) 9859 6950                             |
| TW          | Terry White Chemists<br>Level 7, 5 Queens Road Melbourne Vic<br>3004<br>Tel: (03) 9918 2500<br>Fax: (03) 9918 2006                                                         |
| TX          | Apotex Pty Ltd<br>66 Waterloo Road North Ryde NSW 2113<br>Tel: (02) 8877 8333<br>Fax: (02) 8877 8377                                                                       |
| VT          | Valeant Pharmaceuticals Australasia Pty<br>Ltd<br>Level 7, Suite 7.02 3 Rider Boulevard<br>Rhodes NSW 2138<br>Tel: 1800 630 056<br>Fax: (02) 9743 4053                     |
| YM          | Symbion Pharmacy Services Pty Ltd<br>Level 7, 5 Queens Road Melbourne Vic<br>3004<br>Tel: (03) 9918 2000<br>Fax: (03) 9918 2006                                            |

| <i>Code</i> | <i>Manufacturer</i>                                                                                                                |
|-------------|------------------------------------------------------------------------------------------------------------------------------------|
| YN          | Mayne Pharma International Pty Ltd<br>1538 Main North Road Salisbury SA 5106<br>Tel: (08) 8209 2666<br>Fax: (08) 8281 6998         |
| YT          | Mayne Products Pty Ltd<br>1538 Main North Road Salisbury SA 5106<br>Tel: (08) 8209 2666<br>Fax: (08) 8281 6998                     |
| ZP          | Spirit Pharmaceuticals Pty Ltd<br>117 Harrington Street The Rocks Sydney<br>NSW 2000<br>Tel: (02) 9251 1088<br>Fax: (02) 9251 1099 |

## **THERAPEUTIC INDEX**

|                                                                              |           |
|------------------------------------------------------------------------------|-----------|
| <b>ALIMENTARY TRACT AND METABOLISM .....</b>                                 | <b>20</b> |
| STOMATOLOGICAL PREPARATIONS .....                                            | 20        |
| <i>Stomatological preparations.....</i>                                      | 20        |
| DRUGS FOR FUNCTIONAL GASTROINTESTINAL DISORDERS.....                         | 20        |
| <i>Propulsives .....</i>                                                     | 20        |
| ANTIEMETICS AND ANTINAUSEANTS.....                                           | 20        |
| <i>Antiemetics and antinauseants.....</i>                                    | 20        |
| ANTIDIARRHEALS, INTESTINAL ANTIINFLAMMATORY/ ANTIINFECTIVE AGENTS.....       | 21        |
| <i>Intestinal antiinfectives .....</i>                                       | 21        |
| <b>BLOOD AND BLOOD FORMING ORGANS .....</b>                                  | <b>22</b> |
| BLOOD SUBSTITUTES AND PERFUSION SOLUTIONS.....                               | 22        |
| <i>I.V. solutions.....</i>                                                   | 22        |
| <b>CARDIOVASCULAR SYSTEM .....</b>                                           | <b>23</b> |
| CARDIAC THERAPY .....                                                        | 23        |
| <i>Antiarrhythmics, class I and III .....</i>                                | 23        |
| <i>Cardiac stimulants excl. cardiac glycosides.....</i>                      | 23        |
| <i>Vasodilators used in cardiac diseases .....</i>                           | 23        |
| <b>DERMATOLOGICALS .....</b>                                                 | <b>24</b> |
| CORTICOSTEROIDS, DERMATOLOGICAL PREPARATIONS .....                           | 24        |
| <i>Corticosteroids, plain.....</i>                                           | 24        |
| <b>SYSTEMIC HORMONAL PREPARATIONS, EXCL. SEX HORMONES AND INSULINS .....</b> | <b>25</b> |
| CORTICOSTEROIDS FOR SYSTEMIC USE .....                                       | 25        |
| <i>Corticosteroids for systemic use, plain .....</i>                         | 25        |
| PANCREATIC HORMONES.....                                                     | 25        |
| <i>Glycogenolytic hormones .....</i>                                         | 25        |
| <b>ANTIINFECTIVES FOR SYSTEMIC USE .....</b>                                 | <b>26</b> |
| ANTIBACTERIALS FOR SYSTEMIC USE .....                                        | 26        |
| <i>Tetracyclines.....</i>                                                    | 26        |
| <i>Beta-lactam antibacterials, penicillins .....</i>                         | 26        |
| <i>Other beta-lactam antibacterials.....</i>                                 | 29        |
| <i>Sulfonamides and trimethoprim .....</i>                                   | 31        |
| <i>Macrolides, lincosamides and streptogramins.....</i>                      | 32        |
| <i>Other antibacterials .....</i>                                            | 33        |
| <b>MUSCULO-SKELETAL SYSTEM .....</b>                                         | <b>34</b> |
| ANTIINFLAMMATORY AND ANTIRHEUMATIC PRODUCTS .....                            | 34        |
| <i>Antiinflammatory and antirheumatic products, non-steroids.....</i>        | 34        |
| <b>NERVOUS SYSTEM.....</b>                                                   | <b>37</b> |
| ANALGESICS .....                                                             | 37        |
| <i>Opioids .....</i>                                                         | 37        |
| <i>Other analgesics and antipyretics .....</i>                               | 41        |
| ANTIEPILEPTICS .....                                                         | 42        |
| <i>Antiepileptics.....</i>                                                   | 42        |
| ANTI-PARKINSON DRUGS .....                                                   | 42        |
| <i>Anticholinergic agents.....</i>                                           | 42        |
| PSYCHOLEPTICS .....                                                          | 42        |
| <i>Anxiolytics .....</i>                                                     | 42        |
| <i>Hypnotics and sedatives.....</i>                                          | 43        |
| <b>RESPIRATORY SYSTEM.....</b>                                               | <b>44</b> |
| DRUGS FOR OBSTRUCTIVE AIRWAY DISEASES .....                                  | 44        |
| <i>Adrenergics for systemic use.....</i>                                     | 44        |
| <b>SENSORY ORGANS.....</b>                                                   | <b>45</b> |

|                                                 |           |
|-------------------------------------------------|-----------|
| OPHTHALMOLOGICALS.....                          | 45        |
| <i>Antiinfectives</i> .....                     | 45        |
| <b>VARIOUS .....</b>                            | <b>46</b> |
| ALL OTHER THERAPEUTIC PRODUCTS .....            | 46        |
| <i>All other therapeutic products</i> .....     | 46        |
| ALL OTHER NON-THERAPEUTIC PRODUCTS .....        | 46        |
| <i>All other non-therapeutic products</i> ..... | 46        |

## **Section 2**

### **Schedule of Benefits**

## SYMBOLS USED IN THE SCHEDULE

An asterisk ( \* ) against the dispensed price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.

A double dagger ( † ) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be prescribed and supplied. For any item where a maximum quantity greater than 1 is marked with a double dagger ( † ), that maximum quantity should be prescribed and supplied.

A gauge sign ( # ) against the dispensed price of a benefit indicates that the product is not preconstituted and that an extemporaneously-prepared dispensing fee is included in the dispensed price and, where appropriate, an amount for purified water.

Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated. NSW-(N); Vic-(V); Qld-(Q); SA-(S); WA-(W); Tas-(T).

## RESTRICTED BENEFITS

All restricted items have separate headings for authority and non-authority items. In each case these items may be prescribed as pharmaceutical benefits only for use for one of the specified indications. Where more than one indication is specified for an Authority required or Restricted pharmaceutical benefit, each indication is separated from the preceding indication by a semi-colon and commences on the next line. In the case of Authority required (STREAMLINED) items, each indication will also include a four digit streamlined authority code. The drug may be prescribed as a pharmaceutical benefit for a patient who qualifies under any of the specified indications.

A straight line is drawn between entries for different forms and strengths of an item to indicate clearly the different restrictions which apply to these various forms and strengths.

The maximum quantity and/or number of repeats in respect of an item shown in the Schedule may be varied by the Chief Executive Officer of Medicare Australia when approving an Authority Prescription or an Authority to Prescribe. The quantity and number of repeats shown on the authority shall be supplied. (See Explanatory Notes). Payment will be made on the basis of the price shown for that item in the Schedule.

## CODES FOR INJECTABLE ITEMS WITH ALLOWABLE SOLVENTS

The entry in this schedule of those pharmaceutical benefit injectable items which require a solvent includes the codes of the items with the relevant solvents. For each such item the code is for the injectable with 10mL sodium chloride injection 9 mg per mL (0.9%).

## BRAND EQUIVALENCE

'a' located immediately before brand names of a particular strength of an item indicates that the sponsors of these brands have submitted evidence that they have been demonstrated to be bioequivalent or therapeutically equivalent, or that justification for not needing bioequivalence or therapeutic equivalence data has been provided to and accepted by the Therapeutic Goods Administration. It would thus be expected that these brands may be interchanged without differences in clinical effect.

For other brands of an item, i.e., those not indicated as above, it is unknown whether or not they are equivalent. There may be several reasons for this, such as bioequivalence data not being considered necessary when the products were approved for marketing, or that advice or data have not been forthcoming from sponsors. This does not necessarily suggest a lack of safety or efficacy, but in these circumstances caution should be taken if brands are interchanged.

'b' attached to brand names indicates that these brands are also equivalent, but that it is not known if there is equivalence between brands marked 'a' and brands marked 'b'.

## BRAND PREMIUM POLICY

The Brand Premium Policy was introduced on 1 December 1990 to increase price competition by allowing pharmaceutical manufacturers to set their own price on multi-branded items listed on the Pharmaceutical Benefits Scheme and to encourage the development of the generic pharmaceutical industry in Australia. The policy does this by increasing prescribers' and patients' consciousness about the price of drugs. In effect, it makes both groups question whether it is

necessary for the patient to pay more for the drugs when a cheaper brand is available. The policy also allows companies to establish prices taking into account competition and consumer acceptance.

The policy operates where there is more than one brand of a particular drug available through the Pharmaceutical Benefits Scheme and where the brands are therapeutically interchangeable. Due to this, the policy mainly applies to out of patent drugs.

Basically the policy operates by:

- the Australian Government subsidising a drug to the level of the lowest priced brand (except in those instances where the lowest priced brand has, as part of its price, a therapeutic group premium);
- suppliers of other brands of that drug being able to set a price above the price charged by the supplier(s) of the lowest priced brand(s); and
- the patient paying the brand premium which is the price difference between the lowest price brand and the brand prescribed.

If a prescription is written generically or for the lowest priced brand, and the lowest priced brand is supplied, there is no brand premium payable.

'B' located immediately before an amount in the premium column indicates a brand premium which applies to that particular brand of the item.

If a brand of a drug which is subject to a therapeutic group premium also has a brand premium, there will be two amounts shown on separate lines in the premium column, prefixed by 'T' and 'B' respectively.

If a brand of a drug which is subject to a special patient contribution also has a brand premium, there will be two amounts shown on separate lines in the premium column, prefixed by 'S' and 'B' respectively.

## **THERAPEUTIC GROUP PREMIUM POLICY**

The Therapeutic Group Premium Policy was introduced on 1 February 1998 as an extension of the Brand Premium Policy to encourage greater competition between manufacturers of drugs and to make doctors and patients more aware of the costs of medicines.

The Therapeutic Group Premium policy applies within narrowly defined therapeutic sub-groups where the drugs concerned are of similar safety, efficacy and health outcomes.

Basically the policy operates by:

- the Australian Government subsidising drugs within a defined therapeutic sub-group to the level of the lowest priced drug in the sub-group;
- suppliers of other drugs within that sub-group being able to set prices above the price charged by the supplier(s) of the lowest priced drug; and
- the patient paying the therapeutic group premium which is the price difference between the lowest price drug and the drug prescribed.

'T' located immediately before an amount in the premium column indicates a therapeutic group premium which applies to that particular item.

If a brand of a drug which is subject to a therapeutic group premium also has a brand premium, there will be two amounts shown on separate lines in the premium column, prefixed by 'T' and 'B' respectively.

The success of the Government in controlling prices of products supplied through the Pharmaceutical Benefits Scheme has often been criticised by the pharmaceutical industry. Under both the Brand Premium Policy and the Therapeutic Group Premium Policy, suppliers of multi-branded items and therapeutically similar drugs are able to set their own prices at a level that they think the market will bear. At the same time, the prescriber and the patient can decide whether it is necessary to pay more for a particular brand or drug when a cheaper one is available and is therapeutically interchangeable.

The brand premium or therapeutic group premium does not count toward the patient's safety net.

It should be noted that the brand premium or therapeutic group premium is not a Government charge or revenue. The premium arises from the manufacturer's price and the majority goes to the manufacturer with wholesalers and pharmacists receiving a small percentage.

## SPECIAL PHARMACEUTICAL BENEFITS

The special patient contribution is payable by all patients in addition to the relevant patient contribution for concessional and general patients.

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for | Maximum<br>Recordable<br>Value for | Brand Name and Manufacturer |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------|------------------------------------|-----------------------------|
|      |                                                         |             |             |         | Max. Qty<br>\$         | Safety Net<br>\$                   |                             |

### PHARMACEUTICAL BENEFITS FOR DENTAL USE

| AMOXYCILLIN |                                                          |    |    |                   |        |        |       |        |    |
|-------------|----------------------------------------------------------|----|----|-------------------|--------|--------|-------|--------|----|
| 3310F       | Powder for paediatric oral drops<br>100 mg per mL, 20 mL | ±1 | .. | <sup>s</sup> 0.61 | #13.18 | #13.79 | 14.59 | Amoxil | GK |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer |  |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|--|
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|--|

## Alimentary tract and metabolism

### Stomatological preparations

#### Stomatological preparations

##### *Antiinfectives and antiseptics for local oral treatment*

|                     |                                             |    |    |    |       |       |            |    |
|---------------------|---------------------------------------------|----|----|----|-------|-------|------------|----|
| <b>AMPHOTERICIN</b> |                                             |    |    |    |       |       |            |    |
| 3306B               | Lozenge 10 mg                               | 20 | .. | .. | 12.03 | 13.10 | Fungilin   | SI |
| <b>NYSTATIN</b>     |                                             |    |    |    |       |       |            |    |
| 3343Y               | Oral suspension 100,000 units per mL, 24 mL | ¥1 | .. | .. | 10.85 | 11.92 | Mycostatin | FM |
|                     |                                             |    |    |    |       |       | Nilstat    | SI |

##### *Other agents for local oral treatment*

|                                  |                                                  |    |    |    |       |       |         |    |
|----------------------------------|--------------------------------------------------|----|----|----|-------|-------|---------|----|
| <b>BENZYDAMINE HYDROCHLORIDE</b> |                                                  |    |    |    |       |       |         |    |
| <b>Restricted benefit</b>        |                                                  |    |    |    |       |       |         |    |
| Radiation induced mucositis.     |                                                  |    |    |    |       |       |         |    |
| 5032W                            | Mouth and throat rinse 22.5 mg per 15 mL, 500 mL | ¥1 | .. | .. | 22.26 | 23.33 | Diffiam | IA |

### Drugs for functional gastrointestinal disorders

#### Propulsives

##### *Propulsives*

|                                     |                         |    |    |                   |       |       |         |    |
|-------------------------------------|-------------------------|----|----|-------------------|-------|-------|---------|----|
| <b>METOCLOPRAMIDE HYDROCHLORIDE</b> |                         |    |    |                   |       |       |         |    |
| 5151D                               | Tablet 10 mg            | 25 | .. | ..                | 8.20  | 9.27  | Pramin  | AF |
|                                     |                         |    |    | <sup>B</sup> 3.02 | 11.22 | 9.27  | Maxolon | VT |
| 5153F                               | Injection 10 mg in 2 mL | 10 | .. | ..                | 12.99 | 14.06 | Maxolon | VT |

### Antiemetics and antinauseants

#### Antiemetics and antinauseants

##### *Other antiemetics*

|                                                                                                                               |                                                                                           |    |    |                   |        |                                  |                                   |    |
|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|----|----|-------------------|--------|----------------------------------|-----------------------------------|----|
| <b>PROCHLORPERAZINE</b>                                                                                                       |                                                                                           |    |    |                   |        |                                  |                                   |    |
| <b>Caution</b>                                                                                                                |                                                                                           |    |    |                   |        |                                  |                                   |    |
| Prochlorperazine may be associated with parkinsonism and tardive dyskinesia and should be used for short-term treatment only. |                                                                                           |    |    |                   |        |                                  |                                   |    |
| 5205Y                                                                                                                         | Tablet containing prochlorperazine maleate 5 mg                                           | 25 | .. | ..                | 9.46   | 10.53                            | <sup>a</sup> APO-Prochlorperazine | TX |
|                                                                                                                               |                                                                                           |    |    |                   |        | <sup>a</sup> ProCalm             |                                   | SI |
|                                                                                                                               |                                                                                           |    |    |                   |        | <sup>a</sup> Prochlorperazine-GA |                                   | GM |
|                                                                                                                               |                                                                                           |    |    |                   |        | <sup>a</sup> Stemetil            |                                   | AV |
|                                                                                                                               |                                                                                           |    |    | <sup>B</sup> 3.38 | 12.84  | 10.53                            | <sup>a</sup> Stemetil             | SW |
| 5206B                                                                                                                         | Injection containing prochlorperazine mesylate 12.5 mg in 1 mL                            | 10 | .. | ..                | 16.82  | 17.89                            | Stemetil                          | SW |
| 5208D                                                                                                                         | Suppositories containing prochlorperazine equivalent to 25 mg prochlorperazine maleate, 5 | ¥1 | .. | ..                | 19.93  | 21.00                            | Stemetil                          | SW |
| <b>PROMETHAZINE HYDROCHLORIDE</b>                                                                                             |                                                                                           |    |    |                   |        |                                  |                                   |    |
| 3374N                                                                                                                         | Injection 50 mg in 2 mL                                                                   | 10 | .. | ..                | *22.32 | 23.39                            | Hospira Pty Limited               | HH |

| Code                                                              | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty | Maximum<br>Recordable<br>Value for<br>Safety Net | Brand Name and Manufacturer |
|-------------------------------------------------------------------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------|--------------------------------------------------|-----------------------------|
|                                                                   |                                                         |             |             |         | \$                                 | \$                                               |                             |
| Antidiarrheals, intestinal antiinflammatory/ antiinfective agents |                                                         |             |             |         |                                    |                                                  |                             |

### Intestinal antiinfectives

#### *Antibiotics*

##### NYSTATIN

|       |                       |    |    |    |       |       |         |    |
|-------|-----------------------|----|----|----|-------|-------|---------|----|
| 3342X | Tablet 500,000 units  | 50 | .. | .. | 17.98 | 19.05 | Nilstat | SI |
| 3345C | Capsule 500,000 units | 50 | .. | .. | 17.98 | 19.05 | Nilstat | SI |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|

## Blood and blood forming organs

### Blood substitutes and perfusion solutions

#### I.V. solutions

##### *Solutions for parenteral nutrition*

##### GLUCOSE

|       |                                                            |   |    |    |        |       |                                                   |    |
|-------|------------------------------------------------------------|---|----|----|--------|-------|---------------------------------------------------|----|
| 5005K | I.V. infusion 139 mmol (anhydrous) per 500 mL (5%), 500 mL | 5 | .. | .. | *17.87 | 18.94 | <sup>a</sup> B. Braun Australia Pty Ltd           | BR |
|       |                                                            |   |    |    |        |       | <sup>a</sup> Fresenius Kabi Australia Pty Limited | PK |
| 5106R | I.V. infusion 278 mmol (anhydrous) per L (5%), 1 L         | 5 | .. | .. | *22.82 | 23.89 | <sup>a</sup> B. Braun Australia Pty Ltd           | BR |
|       |                                                            |   |    |    |        |       | <sup>a</sup> Baxter Healthcare Pty Ltd            | BX |
|       |                                                            |   |    |    |        |       | <sup>a</sup> Fresenius Kabi Australia Pty Limited | PK |

##### *Solutions affecting the electrolyte balance*

##### SODIUM CHLORIDE

|       |                                                 |   |    |    |        |       |                                                   |    |
|-------|-------------------------------------------------|---|----|----|--------|-------|---------------------------------------------------|----|
| 5021G | I.V. infusion 77 mmol per 500 mL (0.9%), 500 mL | 5 | .. | .. | *17.87 | 18.94 | <sup>a</sup> B. Braun Australia Pty Ltd           | BR |
|       |                                                 |   |    |    |        |       | <sup>a</sup> Fresenius Kabi Australia Pty Limited | PK |
| 5212H | I.V. infusion 154 mmol per L (0.9%), 1 L        | 5 | .. | .. | *22.82 | 23.89 | <sup>a</sup> B. Braun Australia Pty Ltd           | BR |
|       |                                                 |   |    |    |        |       | <sup>a</sup> Baxter Healthcare Pty Ltd            | BX |
|       |                                                 |   |    |    |        |       | <sup>a</sup> Fresenius Kabi Australia Pty Limited | PK |
| 5213J | I.V. infusion 513 mmol per L (3%), 1 L          | 2 | .. | .. | *16.34 | 17.41 | Baxter Healthcare Pty Ltd                         | BX |

##### SODIUM CHLORIDE with GLUCOSE

|       |                                                                              |   |    |    |        |       |                           |    |
|-------|------------------------------------------------------------------------------|---|----|----|--------|-------|---------------------------|----|
| 5214K | I.V. infusion 31 mmol-222 mmol (anhydrous) per L (0.18%-4%), 1 L             | 5 | .. | .. | *23.52 | 24.59 | Baxter Healthcare Pty Ltd | BX |
| 5215L | I.V. infusion 19 mmol-104 mmol (anhydrous) per 500 mL (0.225%-3.75%), 500 mL | 5 | .. | .. | *28.77 | 29.84 | Baxter Healthcare Pty Ltd | BX |
| 5216M | I.V. infusion 39 mmol-69 mmol (anhydrous) per 500 mL (0.45%-2.5%), 500 mL    | 5 | .. | .. | *28.77 | 29.84 | Baxter Healthcare Pty Ltd | BX |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer |  |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|--|
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|--|

## Cardiovascular system

### Cardiac therapy

#### Antiarrhythmics, class I and III

##### *Antiarrhythmics, class IB*

|                                 |                          |   |    |    |       |       |                          |    |
|---------------------------------|--------------------------|---|----|----|-------|-------|--------------------------|----|
| <b>LIGNOCAINE HYDROCHLORIDE</b> |                          |   |    |    |       |       |                          |    |
| 5142P                           | Injection 100 mg in 5 mL | 5 | .. | .. | 37.33 | 34.20 | Pfizer Australia Pty Ltd | PF |

#### Cardiac stimulants excl. cardiac glycosides

##### *Adrenergic and dopaminergic agents*

|                   |                                     |   |    |    |       |       |                     |    |
|-------------------|-------------------------------------|---|----|----|-------|-------|---------------------|----|
| <b>ADRENALINE</b> |                                     |   |    |    |       |       |                     |    |
| 5004J             | Injection 1 mg in 1 mL (1 in 1,000) | 5 | .. | .. | 20.34 | 21.41 | AstraZeneca Pty Ltd | AP |

#### Vasodilators used in cardiac diseases

##### *Organic nitrates*

|                            |                             |   |    |                   |       |                    |                                 |    |
|----------------------------|-----------------------------|---|----|-------------------|-------|--------------------|---------------------------------|----|
| <b>GLYCERYL TRINITRATE</b> |                             |   |    |                   |       |                    |                                 |    |
| 5108W                      | Tablets 600 micrograms, 100 | 1 | .. | ..                | 14.83 | 15.90 <sup>a</sup> | Lycinate<br>Anginine Stabilised | FM |
|                            |                             |   |    | <sup>B</sup> 2.94 | 17.77 | 15.90 <sup>a</sup> |                                 | SI |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for | Maximum                               | Brand Name and Manufacturer |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------|---------------------------------------|-----------------------------|
|      |                                                         |             |             |         | Max. Qty               | Recordable<br>Value for<br>Safety Net |                             |
|      |                                                         |             |             |         | \$                     | \$                                    |                             |

## Dermatologicals

### Corticosteroids, dermatological preparations

#### Corticosteroids, plain

#### *Corticosteroids, weak (group I)*

##### HYDROCORTISONE ACETATE

##### Restricted benefit

Treatment of corticosteroid-responsive dermatoses.

|       |                                         |    |    |                   |       |      |              |              |    |
|-------|-----------------------------------------|----|----|-------------------|-------|------|--------------|--------------|----|
| 5111B | Cream 10 mg per g (1%), 30 g            | #1 | .. | ..                | 8.89  | 9.96 | <sup>a</sup> | Cortic-DS 1% | FM |
|       |                                         |    |    | <sup>B</sup> 2.69 | 11.58 | 9.96 | <sup>a</sup> | Sigmacort    | SI |
| 5112C | Topical ointment 10 mg per g (1%), 30 g | #1 | .. | ..                | 8.89  | 9.96 | <sup>a</sup> | Cortic-DS 1% | FM |
|       |                                         |    |    | <sup>B</sup> 2.69 | 11.58 | 9.96 | <sup>a</sup> | Sigmacort    | SI |
| 5113D | Cream 10 mg per g (1%), 50 g            | #1 | .. | ..                | 8.56  | 9.63 | <sup>a</sup> | Cortic-DS 1% | FM |
|       |                                         |    |    | <sup>B</sup> 0.08 | 8.64  | 9.63 |              | Cortef       | VT |
|       |                                         |    |    | <sup>B</sup> 2.70 | 11.26 | 9.63 | <sup>a</sup> | Sigmacort    | SI |
| 5114E | Topical ointment 10 mg per g (1%), 50 g | #1 | .. | ..                | 8.56  | 9.63 | <sup>a</sup> | Cortic-DS 1% | FM |
|       |                                         |    |    | <sup>B</sup> 2.70 | 11.26 | 9.63 | <sup>a</sup> | Sigmacort    | SI |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty | Maximum<br>Recordable<br>Value for<br>Safety Net | Brand Name and Manufacturer |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------|--------------------------------------------------|-----------------------------|
|      |                                                         |             |             |         | \$                                 | \$                                               |                             |

## Systemic hormonal preparations, excl. sex hormones and insulins

### Corticosteroids for systemic use

#### Corticosteroids for systemic use, plain *Glucocorticoids*

##### BETAMETHASONE ACETATE with BETAMETHASONE SODIUM PHOSPHATE

###### Restricted benefit

For local intra-articular or peri-articular infiltration;

Keloid;

Lichen planus hypertrophic.

|       |                                                                    |   |    |    |       |       |                      |    |
|-------|--------------------------------------------------------------------|---|----|----|-------|-------|----------------------|----|
| 5034Y | Injection 3 mg-3.9 mg (equivalent to 5.7 mg betamethasone) in 1 mL | 5 | .. | .. | 25.00 | 26.07 | Celestone Chronodose | SH |
|-------|--------------------------------------------------------------------|---|----|----|-------|-------|----------------------|----|

##### HYDROCORTISONE SODIUM SUCCINATE

###### Restricted benefit

For use in a hospital.

|       |                                                                 |   |    |    |        |       |             |    |
|-------|-----------------------------------------------------------------|---|----|----|--------|-------|-------------|----|
| 5118J | Injection equivalent to 100 mg hydrocortisone with 2 mL solvent | 6 | .. | .. | *36.72 | 34.20 | Solu-Cortef | PF |
|-------|-----------------------------------------------------------------|---|----|----|--------|-------|-------------|----|

|       |                                                                 |   |    |    |        |       |             |    |
|-------|-----------------------------------------------------------------|---|----|----|--------|-------|-------------|----|
| 5119K | Injection equivalent to 250 mg hydrocortisone with 2 mL solvent | 6 | .. | .. | *58.74 | 34.20 | Solu-Cortef | PF |
|-------|-----------------------------------------------------------------|---|----|----|--------|-------|-------------|----|

##### METHYLPREDNISOLONE ACETATE

###### Restricted benefit

For local intra-articular or peri-articular infiltration.

|       |                         |   |    |                   |       |                    |               |    |
|-------|-------------------------|---|----|-------------------|-------|--------------------|---------------|----|
| 5148Y | Injection 40 mg in 1 mL | 5 | .. | ..                | 24.23 | 25.30 <sup>a</sup> | Depo-Nisolone | KR |
|       |                         |   |    | <sup>B</sup> 0.72 | 24.95 | 25.30 <sup>a</sup> | Depo-Medrol   | PF |

##### TRIAMCINOLONE ACETONIDE

###### Restricted benefit

For local intra-articular or peri-articular infiltration;

Keloid;

Lichen planus hypertrophic.

|       |                         |   |    |    |       |       |              |    |
|-------|-------------------------|---|----|----|-------|-------|--------------|----|
| 5233K | Injection 10 mg in 1 mL | 5 | .. | .. | 25.00 | 26.07 | Kenacort-A10 | SI |
|-------|-------------------------|---|----|----|-------|-------|--------------|----|

### Pancreatic hormones

#### Glycogenolytic hormones *Glycogenolytic hormones*

##### GLUCAGON HYDROCHLORIDE

|       |                                                                               |   |    |    |       |       |                  |    |
|-------|-------------------------------------------------------------------------------|---|----|----|-------|-------|------------------|----|
| 5105Q | Injection set containing 1 mg (1 i.u.) and 1 mL solvent in disposable syringe | 1 | .. | .. | 45.63 | 34.20 | GlucaGen Hypokit | NO |
|-------|-------------------------------------------------------------------------------|---|----|----|-------|-------|------------------|----|

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|

## Antiinfectives for systemic use

### Antibacterials for systemic use

#### Tetracyclines

##### *Tetracyclines*

##### DOXYCYCLINE

##### Note

Bioequivalence has been demonstrated between doxycycline tablet 100 mg (as hydrochloride) and doxycycline tablet 100 mg (as monohydrate).

|       |                                  |   |    |                   |      |      |                                |    |
|-------|----------------------------------|---|----|-------------------|------|------|--------------------------------|----|
| 3321T | Tablet 100 mg (as hydrochloride) | 7 | .. | ..                | 8.36 | 9.43 | <sup>a</sup> Doxsig            | SI |
|       |                                  |   |    |                   |      |      | <sup>a</sup> Doxy-100          | GM |
|       |                                  |   |    |                   |      |      | <sup>a</sup> Doxylin 100       | AF |
|       |                                  |   |    | <sup>B</sup> 1.14 | 9.50 | 9.43 | <sup>a</sup> Vibramycin        | PF |
| 5082L | Tablet 100 mg (as monohydrate)   | 7 | .. | ..                | 8.36 | 9.43 | <sup>a</sup> Chem mart         | CH |
|       |                                  |   |    |                   |      |      | <sup>a</sup> Doxycycline       |    |
|       |                                  |   |    |                   |      |      | <sup>a</sup> Doxyhexal         | SZ |
|       |                                  |   |    |                   |      |      | <sup>a</sup> GenRx Doxycycline | GX |
|       |                                  |   |    |                   |      |      | <sup>a</sup> Terry White       | TW |
|       |                                  |   |    |                   |      |      | <sup>a</sup> Chemists          |    |
|       |                                  |   |    |                   |      |      | <sup>a</sup> Doxycycline       |    |

##### DOXYCYCLINE

|       |                                   |   |    |                   |      |      |                           |    |
|-------|-----------------------------------|---|----|-------------------|------|------|---------------------------|----|
| 3322W | Capsule 100 mg (as hydrochloride) | 7 | .. | ..                | 8.36 | 9.43 | <sup>a</sup> Mayne Pharma | YT |
|       |                                   |   |    |                   |      |      | <sup>a</sup> Doxycycline  |    |
|       |                                   |   |    | <sup>B</sup> 1.10 | 9.46 | 9.43 | <sup>a</sup> Doryx        | YN |

#### Beta-lactam antibacterials, penicillins

##### *Penicillins with extended spectrum*

##### AMOXYCILLIN

|       |                |    |    |                   |       |       |                                 |    |
|-------|----------------|----|----|-------------------|-------|-------|---------------------------------|----|
| 3300Q | Capsule 500 mg | 20 | .. | ..                | 10.45 | 11.52 | <sup>a</sup> Alphamox 500       | AF |
|       |                |    |    |                   |       |       | <sup>a</sup> Amoxycillin-GA     | GM |
|       |                |    |    |                   |       |       | <sup>a</sup> Amoxycillin        | RA |
|       |                |    |    |                   |       |       | <sup>a</sup> Ranbaxy            |    |
|       |                |    |    |                   |       |       | <sup>a</sup> Amoxycillin Sandoz | SZ |
|       |                |    |    |                   |       |       | <sup>a</sup> APO-Amoxycillin    | TX |
|       |                |    |    |                   |       |       | <sup>a</sup> Chem mart          | CH |
|       |                |    |    |                   |       |       | <sup>a</sup> Amoxycillin        |    |
|       |                |    |    |                   |       |       | <sup>a</sup> Cilamox            | SI |
|       |                |    |    |                   |       |       | <sup>a</sup> GenRx Amoxycillin  | GX |
|       |                |    |    |                   |       |       | <sup>a</sup> Terry White        | TW |
|       |                |    |    |                   |       |       | <sup>a</sup> Chemists           |    |
|       |                |    |    | <sup>B</sup> 0.74 | 11.19 | 11.52 | <sup>a</sup> Amoxil             | GK |
| 3301R | Capsule 250 mg | 20 | .. | ..                | 8.44  | 9.51  | <sup>a</sup> Alphamox 250       | AF |
|       |                |    |    |                   |       |       | <sup>a</sup> Amoxycillin-GA     | GM |
|       |                |    |    |                   |       |       | <sup>a</sup> Amoxycillin        | RA |
|       |                |    |    |                   |       |       | <sup>a</sup> Ranbaxy            |    |
|       |                |    |    |                   |       |       | <sup>a</sup> Amoxycillin Sandoz | SZ |
|       |                |    |    |                   |       |       | <sup>a</sup> APO-Amoxycillin    | TX |
|       |                |    |    |                   |       |       | <sup>a</sup> Chem mart          | CH |
|       |                |    |    |                   |       |       | <sup>a</sup> Amoxycillin        |    |
|       |                |    |    |                   |       |       | <sup>a</sup> Cilamox            | SI |
|       |                |    |    |                   |       |       | <sup>a</sup> GenRx Amoxycillin  | GX |
|       |                |    |    |                   |       |       | <sup>a</sup> Terry White        | TW |
|       |                |    |    |                   |       |       | <sup>a</sup> Chemists           |    |
|       |                |    |    |                   |       |       | <sup>a</sup> Amoxycillin        |    |

| Code                                        | Name, Restriction,<br>Manner of Administration and Form     | Max.<br>Qty | No. of Rpts | Premium           | Dispensed Price<br>for<br>Max. Qty | Maximum<br>Recordable<br>Value for<br>Safety Net | Brand Name and Manufacturer                         |    |
|---------------------------------------------|-------------------------------------------------------------|-------------|-------------|-------------------|------------------------------------|--------------------------------------------------|-----------------------------------------------------|----|
|                                             |                                                             |             |             |                   | \$                                 | \$                                               |                                                     |    |
|                                             |                                                             |             |             | <sup>B</sup> 0.75 | 9.19                               | 9.51                                             | <sup>a</sup> Amoxil                                 | GK |
| 3302T                                       | Powder for syrup 125 mg per 5 mL, 100 mL                    | ‡1          | ..          | ..                | #10.76                             | 12.17                                            | <sup>a</sup> Alphamox 125                           | AF |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Amoxycillin Sandoz                     | SZ |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Bgramin                                | GM |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Chem mart                              | CH |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Amoxycillin<br>GenRx Amoxycillin       | GX |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Ranmoxy                                | RA |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Terry White<br>Chemists<br>Amoxycillin | TW |
|                                             |                                                             |             |             | <sup>B</sup> 0.90 | #11.66                             | 12.17                                            | <sup>a</sup> Amoxil                                 | GK |
| 3309E                                       | Sachet containing oral powder 3 g                           | 1           | ..          | ..                | 8.97                               | 10.04                                            | Amoxil                                              | GK |
| 3393N                                       | Powder for syrup 250 mg per 5 mL, 100 mL                    | ‡1          | ..          | ..                | #11.55                             | 12.96                                            | <sup>a</sup> Alphamox 250                           | AF |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Amoxycillin Sandoz                     | SZ |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Bgramin                                | GM |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Chem mart                              | CH |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Amoxycillin<br>Cilamox                 | SI |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> GenRx Amoxycillin                      | GX |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Ranmoxy                                | RA |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Terry White<br>Chemists<br>Amoxycillin | TW |
|                                             |                                                             |             |             | <sup>B</sup> 0.76 | #12.31                             | 12.96                                            | <sup>a</sup> Amoxil Forte                           | GK |
| 5225B                                       | Powder for oral suspension 500 mg per 5 mL,<br>100 mL       | ‡1          | ..          | ..                | #14.41                             | 15.82                                            | Maxamox                                             | SZ |
| <b>AMPICILLIN</b>                           |                                                             |             |             |                   |                                    |                                                  |                                                     |    |
| 3313J                                       | Powder for injection 500 mg                                 | 5           | ..          | ..                | 10.85                              | 11.92                                            | <sup>a</sup> Austrapen                              | LN |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Ibimicyn                               | TS |
| 3314K                                       | Powder for injection 1 g                                    | 5           | ..          | ..                | 13.69                              | 14.76                                            | <sup>a</sup> Aspen Ampicyn                          | AS |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Austrapen                              | LN |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Ibimicyn                               | TS |
| <b>Beta-lactamase sensitive penicillins</b> |                                                             |             |             |                   |                                    |                                                  |                                                     |    |
| <b>BENZATHINE BENZYL PENICILLIN</b>         |                                                             |             |             |                   |                                    |                                                  |                                                     |    |
| 5027N                                       | Injection 900 mg in 2.3 mL single use pre-filled<br>syringe | 10          | ..          | ..                | 293.11                             | 34.20                                            | Bicillin L-A                                        | AS |
| <b>BENZYL PENICILLIN</b>                    |                                                             |             |             |                   |                                    |                                                  |                                                     |    |
| 3398W                                       | Powder for injection 600 mg                                 | 10          | ..          | ..                | *42.92                             | 34.20                                            | BenPen                                              | CS |
| 3399X                                       | Powder for injection 3 g                                    | 10          | ..          | ..                | *66.92                             | 34.20                                            | BenPen                                              | CS |
| <b>PHENOXYMETHYL PENICILLIN</b>             |                                                             |             |             |                   |                                    |                                                  |                                                     |    |
| 3360W                                       | Tablet 250 mg                                               | 50          | ..          | ..                | *11.32                             | 12.39                                            | Abbecillin-VK<br>Filmtab                            | SI |
| 3361X                                       | Tablet 500 mg                                               | 50          | ..          | ..                | *13.66                             | 14.73                                            | Abbecillin-VK<br>Filmtab                            | SI |
| 3363B                                       | Capsule 250 mg                                              | 50          | ..          | ..                | 11.16                              | 12.23                                            | <sup>a</sup> Cilicaine VK                           | FM |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Cilopen VK                             | GM |
|                                             |                                                             |             |             |                   |                                    |                                                  | LPV                                                 | AS |
| 3364C                                       | Capsule 500 mg                                              | 50          | ..          | ..                | 13.47                              | 14.54                                            | <sup>a</sup> Cilicaine VK                           | FM |
|                                             |                                                             |             |             |                   |                                    |                                                  | <sup>a</sup> Cilopen VK                             | GM |
|                                             |                                                             |             |             |                   |                                    |                                                  | LPV                                                 | AS |
| 5012T                                       | Oral suspension 150 mg (as benzathine) per<br>5 mL, 100 mL  | 2           | ..          | ..                | *21.60                             | 22.67                                            | <sup>a</sup> Cilicaine V                            | FM |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium           | Dispensed Price<br>for<br>Max. Qty | Maximum<br>Recordable<br>Value for<br>Safety Net | Brand Name and Manufacturer |    |
|------|---------------------------------------------------------|-------------|-------------|-------------------|------------------------------------|--------------------------------------------------|-----------------------------|----|
|      |                                                         |             |             |                   | \$                                 | \$                                               |                             |    |
|      |                                                         |             |             | <sup>B</sup> 1.90 | *23.50                             | 22.67 <sup>a</sup>                               | Abbotocillin-V              | SI |

|       |                                               |   |    |    |       |       |           |    |
|-------|-----------------------------------------------|---|----|----|-------|-------|-----------|----|
| 3371K | <b>PROCAINE PENICILLIN</b><br>Injection 1.5 g | 5 | .. | .. | 92.22 | 34.20 | Cilicaine | SI |
|-------|-----------------------------------------------|---|----|----|-------|-------|-----------|----|

### ***Beta-lactamase resistant penicillins***

#### **DICLOXACILLIN**

##### **Restricted benefit**

Serious staphylococcal infections.

|       |                |    |    |    |       |                    |             |    |
|-------|----------------|----|----|----|-------|--------------------|-------------|----|
| 5096F | Capsule 250 mg | 24 | .. | .. | 11.19 | 12.26 <sup>a</sup> | Didoxsig    | SI |
|       |                |    |    |    |       | <sup>a</sup>       | Distaph 250 | AF |
| 5097G | Capsule 500 mg | 24 | .. | .. | 16.41 | 17.48 <sup>a</sup> | Didocil     | BQ |
|       |                |    |    |    |       | <sup>a</sup>       | Didoxsig    | SI |
|       |                |    |    |    |       | <sup>a</sup>       | Distaph 500 | AF |

#### **FLUCLOXACILLIN**

##### **Caution**

Severe cholestatic hepatitis has been reported with this drug. Significant risk factors are age, particularly greater than 55 years, and duration of treatment longer than 14 days.

|       |                             |   |    |    |       |                    |                     |    |
|-------|-----------------------------|---|----|----|-------|--------------------|---------------------|----|
| 5094D | Powder for injection 500 mg | 5 | .. | .. | 15.05 | 16.12 <sup>a</sup> | Flubidox            | TS |
|       |                             |   |    |    |       | <sup>a</sup>       | Flucil              | AS |
| 5095E | Powder for injection 1 g    | 5 | .. | .. | 19.94 | 21.01 <sup>a</sup> | Flubidox            | TS |
|       |                             |   |    |    |       | <sup>a</sup>       | Flucil              | AS |
|       |                             |   |    |    |       | <sup>a</sup>       | Hospira Pty Limited | HH |

#### **FLUCLOXACILLIN**

##### **Caution**

Severe cholestatic hepatitis has been reported with this drug. Significant risk factors are age, particularly greater than 55 years, and duration of treatment longer than 14 days.

##### **Restricted benefit**

Serious staphylococcal infections.

|       |                                                            |    |    |    |        |                    |                                        |    |
|-------|------------------------------------------------------------|----|----|----|--------|--------------------|----------------------------------------|----|
| 5090X | Capsule 250 mg (as sodium)                                 | 24 | .. | .. | 11.19  | 12.26 <sup>a</sup> | Flophen                                | AS |
|       |                                                            |    |    |    |        | <sup>a</sup>       | Staphylex 250                          | AF |
| 5091Y | Capsule 500 mg (as sodium)                                 | 24 | .. | .. | 16.41  | 17.48 <sup>a</sup> | Flophen                                | AS |
|       |                                                            |    |    |    |        | <sup>a</sup>       | Staphylex 500                          | AF |
| 5257Q | Powder for oral liquid 125 mg (as sodium) per 5 mL, 100 mL | #1 | .. | .. | #16.00 | 17.41              | Aspen Pharmacare Australia Pty Limited | LN |
| 5258R | Powder for oral liquid 250 mg (as sodium) per 5 mL, 100 mL | #1 | .. | .. | #19.53 | 20.94              | Aspen Pharmacare Australia Pty Limited | LN |

### ***Combinations of penicillins, incl. beta-lactamase inhibitors***

#### **AMOXYCILLIN with CLAVULANIC ACID**

##### **Caution**

Hepatotoxicity has been reported with this drug.

##### **Restricted benefit**

Infections where resistance to amoxycillin is suspected;

Infections where resistance to amoxycillin is proven.

|       |                      |    |    |    |       |                    |                                                             |    |
|-------|----------------------|----|----|----|-------|--------------------|-------------------------------------------------------------|----|
| 5006L | Tablet 875 mg-125 mg | 10 | .. | .. | 14.18 | 15.25 <sup>a</sup> | Amoxycillin/<br>Clavulanic Acid<br>875/125<br>generichealth | GQ |
|       |                      |    |    |    |       | <sup>a</sup>       | Chem mart<br>Amoxycillin and<br>Clavulanic Acid             | CH |

|       |                                                         |             |             |         | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ |                                                                   |        |       |                                  |    |
|-------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-------------------------------------------------------------------|--------|-------|----------------------------------|----|
| Code  | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium |                                          |                                                        | Brand Name and Manufacturer                                       |        |       |                                  |    |
| 5008N | Tablet 500 mg-125 mg                                    | 10          | ..          | ..      | 11.87                                    | 12.94                                                  | <sup>a</sup> Clamoxyl Duo forte                                   | AL     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Clavycillin 875/125                                  | CR     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Curam Duo Forte 875/125                              | SZ     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> GA-Amclav Forte 875/125                              | GM     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> GenRx Amoxycillin and Clavulanic Acid                | GX     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Moxiclav Duo Forte 875/125                           | SI     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Terry White Chemists Amoxycillin and Clavulanic Acid | TW     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>B</sup> 1.96                                                 | 16.14  | 15.25 | <sup>a</sup> Augmentin Duo forte | GK |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Amoxycillin/Clavulanic Acid 500/125 generichealth    | GQ     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> APO-Amoxycillin/Clavulanic Acid 500/125              | TX     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Clamoxyl Duo                                         | AL     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Curam Duo 500/125                                    | SZ     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> GA-Amclav 500/125                                    | GM     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Moxiclav Duo 500/125                                 | SI     |       |                                  |    |
| 5009P | Powder for syrup 125 mg-31.25 mg per 5 mL, 75 mL        | #1          | ..          | ..      | #12.31                                   | 13.72                                                  | <sup>B</sup> 1.47                                                 | 13.34  | 12.94 | <sup>a</sup> Augmentin Duo       | GK |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Clamoxyl                                             | AL     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Curam                                                | SZ     |       |                                  |    |
| 5011R | Powder for syrup 400 mg-57 mg per 5 mL, 60 mL           | #1          | ..          | ..      | #13.73                                   | 15.14                                                  | <sup>B</sup> 1.42                                                 | #13.73 | 13.72 | <sup>a</sup> Augmentin           | GK |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Clamoxyl Duo 400                                     | AL     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Curam Duo                                            | SZ     |       |                                  |    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>B</sup> 1.46                                                 | #15.19 | 15.14 | <sup>a</sup> Augmentin Duo 400   | GK |

**TICARCILLIN with CLAVULANIC ACID****Restricted benefit**

Infections where positive bacteriological evidence confirms that this antibiotic is an appropriate therapeutic agent.

|       |                                                                                                                |    |    |    |        |       |          |    |
|-------|----------------------------------------------------------------------------------------------------------------|----|----|----|--------|-------|----------|----|
| 5230G | Powder for injection 3 g-100 mg (solvent required)<br>(code 7043Q applies to above item with approved solvent) | 10 | .. | .. | 163.32 | 34.20 | Timentin | GK |
|-------|----------------------------------------------------------------------------------------------------------------|----|----|----|--------|-------|----------|----|

**Other beta-lactam antibacterials**  
***First-generation cephalosporins***

**CEFALOTIN**

|       |                          |    |    |    |       |       |                                                                                                  |                |
|-------|--------------------------|----|----|----|-------|-------|--------------------------------------------------------------------------------------------------|----------------|
| 3376Q | Powder for injection 1 g | 10 | .. | .. | 26.25 | 27.32 | <sup>a</sup> Cefalotin Sandoz<br><sup>a</sup> Hospira Pty Limited<br><sup>a</sup> Keflin Neutral | SZ<br>HH<br>AS |
|-------|--------------------------|----|----|----|-------|-------|--------------------------------------------------------------------------------------------------|----------------|

**CEPHALEXIN**

|       |                |    |    |    |      |      |                                                                                                                                  |                      |
|-------|----------------|----|----|----|------|------|----------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 3317N | Capsule 250 mg | 20 | .. | .. | 8.72 | 9.79 | <sup>a</sup> Cephalexin Sandoz<br><sup>a</sup> Cephabell<br><sup>a</sup> Cephalexin generichealth<br><sup>a</sup> Cephatrust 250 | SZ<br>BF<br>GQ<br>MI |
|-------|----------------|----|----|----|------|------|----------------------------------------------------------------------------------------------------------------------------------|----------------------|

| Code  | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer                           |
|-------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-------------------------------------------------------|
| 3318P | Capsule 500 mg                                          | 20          | ..          | ..      | 10.55                                    | 11.62                                                  | <sup>a</sup> Chem mart<br>Cephalexin CH               |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Cilex GM                                 |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> GenRx Cephalexin GX                      |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Ialex LN                                 |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Ibilex 250 AF                            |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Rancef RA                                |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Terry White<br>Chemists<br>Cephalexin TW |
|       |                                                         |             |             |         |                                          |                                                        | <sup>B</sup> 3.14 11.86 9.79 <sup>a</sup> Keflex AS   |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Cefalexin Sandoz SZ                      |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Cephabell BF                             |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Cephalexin<br>generichealth GQ           |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Cephatrust 500 MI                        |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Chem mart<br>Cephalexin CH               |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Cilex GM                                 |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> GenRx Cephalexin GX                      |
| 3319Q | Granules for syrup 125 mg per 5 mL, 100 mL              | #1          | ..          | ..      | #11.69                                   | 13.10                                                  | <sup>a</sup> Ialex LN                                 |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Ibilex 500 AF                            |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Rancef RA                                |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Terry White<br>Chemists<br>Cephalexin TW |
|       |                                                         |             |             |         |                                          |                                                        | <sup>B</sup> 4.20 14.75 11.62 <sup>a</sup> Keflex AS  |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> APO-Cephalexin TX                        |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Cefalexin Sandoz SZ                      |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Chem mart<br>Cephalexin CH               |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Cilex GM                                 |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> GenRx Cephalexin GX                      |
| 3320R | Granules for syrup 250 mg per 5 mL, 100 mL              | #1          | ..          | ..      | #13.02                                   | 14.43                                                  | <sup>a</sup> Ialex LN                                 |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Ibilex 125 AF                            |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Terry White<br>Chemists<br>Cephalexin TW |
|       |                                                         |             |             |         |                                          |                                                        | <sup>B</sup> 3.38 #15.07 13.10 <sup>a</sup> Keflex AS |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> APO-Cephalexin TX                        |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Cefalexin Sandoz SZ                      |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Chem mart<br>Cephalexin CH               |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Cilex GM                                 |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> GenRx Cephalexin GX                      |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Ialex LN                                 |
|       |                                                         |             |             |         | #17.18                                   | 14.43                                                  | <sup>a</sup> Ibilex 250 AF                            |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Terry White<br>Chemists<br>Cephalexin TW |
|       |                                                         |             |             |         |                                          |                                                        | <sup>B</sup> 4.16 #17.18 14.43 <sup>a</sup> Keflex AS |

### Second-generation cephalosporins

#### CEFACTOR

##### Caution

Serum sickness-like reactions have been reported with this drug, especially in children.

|       |                                   |    |    |    |       |       |                                         |
|-------|-----------------------------------|----|----|----|-------|-------|-----------------------------------------|
| 5045M | Tablet 375 mg (sustained release) | 10 | .. | .. | 12.57 | 13.64 | <sup>a</sup> Cefador-GA GN              |
|       |                                   |    |    |    |       |       | <sup>a</sup> Chem mart<br>Cefador CD CH |

| Code  | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium           | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer                            |
|-------|---------------------------------------------------------|-------------|-------------|-------------------|------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Douglas Cefaclor-<br>CD GM                |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> GenRx Cefaclor CD GX                      |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Karlor CD LN                              |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Keflor CD AF                              |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Ozcef RA                                  |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Terry White<br>Chemists<br>Cefaclor CD TW |
|       |                                                         |             |             | <sup>B</sup> 4.94 | 17.51                                    | 13.64                                                  | <sup>a</sup> Cedlor CD AS                              |
| 5046N | Powder for oral suspension 125 mg per 5 mL,<br>100 mL   | #1          | ..          | ..                | #13.27                                   | 14.68                                                  | <sup>a</sup> Aclor 125 SI                              |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Cefaclor Sandoz SZ                        |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Chem mart<br>Cefaclor CH                  |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> GenRx Cefaclor GX                         |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Keflor AF                                 |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Ozcef RA                                  |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Terry White<br>Chemists<br>Cefaclor TW    |
|       |                                                         |             |             | <sup>B</sup> 3.97 | #17.24                                   | 14.68                                                  | <sup>a</sup> Cedlor AS                                 |
| 5047P | Powder for oral suspension 250 mg per 5 mL,<br>75 mL    | #1          | ..          | ..                | #13.58                                   | 14.99                                                  | <sup>a</sup> Aclor 250 SI                              |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Cefaclor Sandoz SZ                        |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Chem mart<br>Cefaclor CH                  |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> GenRx Cefaclor GX                         |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Keflor AF                                 |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Ozcef RA                                  |
|       |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Terry White<br>Chemists<br>Cefaclor TW    |
|       |                                                         |             |             | <sup>B</sup> 4.16 | #17.74                                   | 14.99                                                  | <sup>a</sup> Cedlor AS                                 |
| 5052X | <b>CEFUROXIME AXETIL</b><br>Tablet 250 mg (base)        | 14          | ..          | ..                | 18.62                                    | 19.69                                                  | Zinnat GK                                              |

### ***Third-generation cephalosporins***

#### **CEFOTAXIME**

#### **Restricted benefit**

Infections where positive bacteriological evidence confirms that this antibiotic is an appropriate therapeutic agent.

|       |                          |    |    |    |        |       |                                     |
|-------|--------------------------|----|----|----|--------|-------|-------------------------------------|
| 5048Q | Powder for injection 1 g | 10 | .. | .. | *26.32 | 27.39 | <sup>a</sup> Cefotaxime Sandoz SZ   |
|       |                          |    |    | .. | 26.44  | 27.51 | <sup>a</sup> Hospira Pty Limited HH |
| 5049R | Powder for injection 2 g | 10 | .. | .. | *42.92 | 34.20 | <sup>a</sup> Cefotaxime Sandoz SZ   |
|       |                          |    |    | .. | 43.02  | 34.20 | <sup>a</sup> Hospira Pty Limited HH |

### **Sulfonamides and trimethoprim**

#### ***Combinations of sulfonamides and trimethoprim, incl. derivatives***

#### **TRIMETHOPRIM with SULFAMETHOXAZOLE**

#### **Caution**

There is an increased risk of severe adverse reactions with this combination in the elderly.

|       |                                               |    |    |                   |       |       |                               |
|-------|-----------------------------------------------|----|----|-------------------|-------|-------|-------------------------------|
| 3389J | Tablet 80 mg-400 mg                           | 10 | .. | ..                | 8.56  | 9.63  | Resprim AF                    |
| 3390K | Tablet 160 mg-800 mg                          | 10 | .. | ..                | 9.24  | 10.31 | <sup>a</sup> Bactrim DS RO    |
|       |                                               |    |    |                   |       |       | <sup>a</sup> Resprim Forte AF |
|       |                                               |    |    | <sup>B</sup> 1.46 | 10.70 | 10.31 | <sup>a</sup> Septrin Forte SI |
| 3391L | Oral suspension 40 mg-200 mg per 5 mL, 100 mL | #1 | .. | ..                | 8.93  | 10.00 | Bactrim RO                    |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium           | Dispensed Price<br>for<br>Max. Qty | Maximum<br>Recordable<br>Value for<br>Safety Net | Brand Name and Manufacturer |    |
|------|---------------------------------------------------------|-------------|-------------|-------------------|------------------------------------|--------------------------------------------------|-----------------------------|----|
|      |                                                         |             |             |                   | \$                                 | \$                                               |                             |    |
|      |                                                         |             |             | <sup>B</sup> 1.79 | 10.72                              | 10.00                                            | Seprin                      | SI |

## Macrolides, lincosamides and streptogramins

### Macrolides

|                                     |                                                          |    |    |                   |        |       |                                      |    |
|-------------------------------------|----------------------------------------------------------|----|----|-------------------|--------|-------|--------------------------------------|----|
| <b>ERYTHROMYCIN</b>                 |                                                          |    |    |                   |        |       |                                      |    |
| 3325B                               | Capsule 250 mg                                           | 25 | .. | ..                | 9.28   | 10.35 | <sup>a</sup> Mayne Pharma            | YT |
|                                     |                                                          |    |    | <sup>B</sup> 1.28 | 10.56  | 10.35 | <sup>a</sup> Erythromycin<br>Eryc    | YN |
| <b>ERYTHROMYCIN ETHYL SUCCINATE</b> |                                                          |    |    |                   |        |       |                                      |    |
| 3334L                               | Powder for oral liquid 200 mg (base) per 5 mL,<br>100 mL | #1 | .. | ..                | #12.15 | 13.56 | <sup>a</sup> E-Mycin 200             | AF |
|                                     |                                                          |    |    | <sup>B</sup> 2.72 | #14.87 | 13.56 | <sup>a</sup> E.E.S. 200              | LM |
| 3336N                               | Tablet 400 mg (base)                                     | 25 | .. | ..                | 10.69  | 11.76 | <sup>a</sup> E-Mycin                 | AF |
|                                     |                                                          |    |    | <sup>B</sup> 2.66 | 13.35  | 11.76 | <sup>a</sup> E.E.S. 400 Filmstab     | LM |
| 3337P                               | Powder for oral liquid 400 mg (base) per 5 mL,<br>100 mL | #1 | .. | ..                | #13.18 | 14.59 | <sup>a</sup> E-Mycin 400             | AF |
|                                     |                                                          |    |    | <sup>B</sup> 2.74 | #15.92 | 14.59 | <sup>a</sup> E.E.S. Granules         | LM |
| <b>ERYTHROMYCIN LACTOBIONATE</b>    |                                                          |    |    |                   |        |       |                                      |    |
| 5088T                               | Powder for I.V. infusion 1 g (base)                      | 5  | .. | ..                | *88.92 | 34.20 | Erythrocin-I.V.                      | LM |
| <b>ROXITHROMYCIN</b>                |                                                          |    |    |                   |        |       |                                      |    |
| 5259T                               | Tablet for oral suspension 50 mg                         | 10 | .. | ..                | 12.89  | 13.96 | Rulide D                             | SW |
| 5260W                               | Tablet 150 mg                                            | 10 | .. | ..                | 11.49  | 12.56 | <sup>a</sup> APO-Roxithromycin       | TX |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Biaxig                  | AV |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Chem mart               | CH |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Roxithromycin           |    |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Roxar 150               | SI |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Roxide                  | SZ |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Roximycin               | AF |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Roxithromycin-GA        | GM |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Terry White<br>Chemists | TW |
|                                     |                                                          |    |    | <sup>B</sup> 2.47 | 13.96  | 12.56 | <sup>a</sup> Roxithromycin           |    |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Rulide                  | SW |
| 5261X                               | Tablet 300 mg                                            | 5  | .. | ..                | 11.49  | 12.56 | <sup>a</sup> APO-Roxithromycin       | TX |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Biaxig                  | AV |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Chem mart               | CH |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Roxithromycin           |    |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Roxar 300               | SI |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Roxide                  | SZ |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Roximycin               | AF |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Roxithromycin-GA        | GM |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Terry White<br>Chemists | TW |
|                                     |                                                          |    |    | <sup>B</sup> 2.47 | 13.96  | 12.56 | <sup>a</sup> Roxithromycin           |    |
|                                     |                                                          |    |    |                   |        |       | <sup>a</sup> Rulide                  | SW |

### Lincosamides

#### CLINDAMYCIN

#### Restricted benefit

Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin.

|       |                |    |    |                   |       |       |                        |    |
|-------|----------------|----|----|-------------------|-------|-------|------------------------|----|
| 5057E | Capsule 150 mg | 24 | .. | ..                | 19.75 | 20.82 | <sup>a</sup> Cleocin   | KR |
|       |                |    |    | <sup>B</sup> 1.37 | 21.12 | 20.82 | <sup>a</sup> Dalacin C | PF |

| Code  | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer |
|-------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|
| 5144R | <b>LINCOMYCIN</b><br>Injection 600 mg in 2 mL           | 5           | ..          | ..      | 33.74                                    | 34.20                                                  | Lincocin PF                 |

## Other antibacterials

### *Glycopeptide antibacterials*

#### **VANCOMYCIN**

##### **Restricted benefit**

Prophylaxis of endocarditis in patients hypersensitive to penicillin.

|       |                                                                                      |   |    |    |        |       |              |                           |    |
|-------|--------------------------------------------------------------------------------------|---|----|----|--------|-------|--------------|---------------------------|----|
| 3323X | Powder for injection 500 mg (as hydrochloride)<br>(500,000 i.u. vancomycin activity) | 2 | .. | .. | *17.96 | 19.03 | <sup>a</sup> | Hospira Pty Limited       | HH |
|       |                                                                                      |   |    |    |        |       | <sup>a</sup> | Vancocin CP               | AS |
|       |                                                                                      |   |    |    |        |       | <sup>a</sup> | Vancomycin<br>Alpha pharm | AF |
|       |                                                                                      |   |    |    |        |       | <sup>a</sup> | Vancomycin<br>Sandoz      | SZ |
| 5083M | Powder for injection 1 g (as hydrochloride)<br>(1,000,000 i.u. vancomycin activity)  | 1 | .. | .. | 17.95  | 19.02 | <sup>a</sup> | Hospira Pty Limited       | HH |
|       |                                                                                      |   |    |    |        |       | <sup>a</sup> | Vancomycin<br>Alpha pharm | AF |
|       |                                                                                      |   |    |    |        |       | <sup>a</sup> | Vancomycin<br>Sandoz      | SZ |

### *Imidazole derivatives*

#### **METRONIDAZOLE**

|       |                          |    |    |                   |       |              |                           |    |
|-------|--------------------------|----|----|-------------------|-------|--------------|---------------------------|----|
| 3339R | Tablet 200 mg            | 21 | .. | ..                | 7.88  | 8.95         | <sup>a</sup> Metrogyl 200 | AF |
|       |                          |    |    |                   |       | <sup>a</sup> | Metronide 200             | AV |
|       |                          |    |    | <sup>B</sup> 2.19 | 10.07 | 8.95         | <sup>a</sup> Flagyl       | SW |
| 5157K | Suppositories 500 mg, 10 | #1 | .. | ..                | 23.16 | 24.23        | Flagyl                    | SW |
| 5159M | Tablet 400 mg            | 5  | .. | ..                | 7.81  | 8.88         | Metrogyl 400              | AF |

#### **METRONIDAZOLE**

##### **Restricted benefit**

Treatment of anaerobic infections.

|       |               |    |    |                   |       |       |                            |    |
|-------|---------------|----|----|-------------------|-------|-------|----------------------------|----|
| 5155H | Tablet 400 mg | 21 | .. | ..                | 9.85  | 10.92 | <sup>a</sup> Metrogyl 400  | AF |
|       |               |    |    |                   |       |       | <sup>a</sup> Metronide 400 | AV |
|       |               |    |    | <sup>B</sup> 2.18 | 12.03 | 10.92 | <sup>a</sup> Flagyl        | SW |

#### **METRONIDAZOLE**

##### **Restricted benefit**

Treatment, in a hospital, of acute anaerobic sepsis.

|       |                                |   |    |    |        |       |              |                                        |    |
|-------|--------------------------------|---|----|----|--------|-------|--------------|----------------------------------------|----|
| 5154G | I.V. infusion 500 mg in 100 mL | 5 | .. | .. | *30.67 | 31.74 | <sup>a</sup> | Baxter Healthcare Pty Ltd              | BX |
|       |                                |   |    | .. | *30.76 | 31.83 | <sup>a</sup> | DBL Metronidazole Intravenous Infusion | HH |
|       |                                |   |    |    |        |       | <sup>a</sup> | Metronidazole Sandoz                   | SZ |

#### **METRONIDAZOLE BENZOATE**

|       |                                                                                      |   |    |    |       |       |             |
|-------|--------------------------------------------------------------------------------------|---|----|----|-------|-------|-------------|
| 3341W | Oral suspension 320 mg per 5 mL (equivalent to 200 mg metronidazole in 5 mL), 100 mL | 1 | .. | .. | 18.82 | 19.89 | Flagyl S SW |
|-------|--------------------------------------------------------------------------------------|---|----|----|-------|-------|-------------|

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|

## Musculo-skeletal system

### Antiinflammatory and antirheumatic products

#### Antiinflammatory and antirheumatic products, non-steroids *Acetic acid derivatives and related substances*

|       |                                                                                                                                                                                         |     |    |                   |        |       |                                                                                                                                                                                                                                              |                                        |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|-------------------|--------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| 5079H | <b>DICLOFENAC SODIUM</b><br>Suppository 100 mg                                                                                                                                          | 40  | .. | ..                | *24.92 | 25.99 | Voltaren 100                                                                                                                                                                                                                                 | NV                                     |
| <hr/> |                                                                                                                                                                                         |     |    |                   |        |       |                                                                                                                                                                                                                                              |                                        |
|       | <b>DICLOFENAC SODIUM</b><br><b><u>Restricted benefit</u></b><br>Chronic arthropathies (including osteoarthritis) with an inflammatory component;<br>Bone pain due to malignant disease. |     |    |                   |        |       |                                                                                                                                                                                                                                              |                                        |
| 5076E | Tablet 25 mg (enteric coated)                                                                                                                                                           | 100 | .. | ..                | *12.74 | 13.81 | <sup>a</sup> APO-Diclofenac<br><sup>a</sup> Chem mart<br>Diclofenac<br><sup>a</sup> Clonac 25<br><sup>a</sup> Diclofenac-GA<br><sup>a</sup> Diclofenac Sandoz<br><sup>a</sup> Fenac 25<br><sup>a</sup> Terry White<br>Chemists<br>Diclofenac | TX<br>CH<br>SI<br>GM<br>SZ<br>AF<br>TW |
|       |                                                                                                                                                                                         |     |    | <sup>B</sup> 1.84 | *14.58 | 13.81 | <sup>a</sup> Voltaren 25                                                                                                                                                                                                                     | NV                                     |
| 5077F | Tablet 50 mg (enteric coated)                                                                                                                                                           | 50  | .. | ..                | 10.82  | 11.89 | <sup>a</sup> APO-Diclofenac<br><sup>a</sup> Chem mart<br>Diclofenac<br><sup>a</sup> Clonac 50<br><sup>a</sup> Diclofenac-GA<br><sup>a</sup> Diclofenac Sandoz<br><sup>a</sup> Fenac<br><sup>a</sup> Terry White<br>Chemists<br>Diclofenac    | TX<br>CH<br>SI<br>GM<br>SZ<br>AF<br>TW |
|       |                                                                                                                                                                                         |     |    | <sup>B</sup> 1.86 | 12.68  | 11.89 | <sup>a</sup> Voltaren 50                                                                                                                                                                                                                     | NV                                     |
| 5128X | <b>INDOMETHACIN</b><br>Suppository 100 mg                                                                                                                                               | 40  | .. | ..                | *22.50 | 23.57 | Indocid                                                                                                                                                                                                                                      | AS                                     |
| <hr/> |                                                                                                                                                                                         |     |    |                   |        |       |                                                                                                                                                                                                                                              |                                        |
|       | <b>INDOMETHACIN</b><br><b><u>Restricted benefit</u></b><br>Chronic arthropathies (including osteoarthritis) with an inflammatory component;<br>Bone pain due to malignant disease.      |     |    |                   |        |       |                                                                                                                                                                                                                                              |                                        |
| 5126T | Capsule 25 mg                                                                                                                                                                           | 100 | .. | ..                | *11.80 | 12.87 | <sup>a</sup> Arthrexin                                                                                                                                                                                                                       | AF                                     |
|       |                                                                                                                                                                                         |     |    | <sup>B</sup> 2.04 | *13.84 | 12.87 | <sup>a</sup> Indocid                                                                                                                                                                                                                         | AS                                     |
| <hr/> |                                                                                                                                                                                         |     |    |                   |        |       |                                                                                                                                                                                                                                              |                                        |
|       | <b>SULINDAC</b><br><b><u>Restricted benefit</u></b><br>Chronic arthropathies (including osteoarthritis) with an inflammatory component;<br>Bone pain due to malignant disease.          |     |    |                   |        |       |                                                                                                                                                                                                                                              |                                        |
| 5217N | Tablet 100 mg                                                                                                                                                                           | 100 | .. | ..                | *16.34 | 17.41 | Aclin                                                                                                                                                                                                                                        | AF                                     |
| 5218P | Tablet 200 mg                                                                                                                                                                           | 50  | .. | ..                | 15.28  | 16.35 | Aclin 200                                                                                                                                                                                                                                    | AF                                     |

| Code                                                                             | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium           | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer       |    |
|----------------------------------------------------------------------------------|---------------------------------------------------------|-------------|-------------|-------------------|------------------------------------------|--------------------------------------------------------|-----------------------------------|----|
| <b>Oxicams</b>                                                                   |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| <b>PIROXICAM</b>                                                                 |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| <b><u>Restricted benefit</u></b>                                                 |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| Chronic arthropathies (including osteoarthritis) with an inflammatory component. |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| 5201R                                                                            | Dispersible tablet 10 mg                                | 50          | ..          | ..                | 12.20                                    | 13.27                                                  | Mobilis D-10                      | AF |
| 5202T                                                                            | Dispersible tablet 20 mg                                | 25          | ..          | ..                | 11.92                                    | 12.99 <sup>a</sup>                                     | Mobilis D-20                      | AF |
|                                                                                  |                                                         |             |             | <sup>B</sup> 2.49 | 14.41                                    | 12.99 <sup>a</sup>                                     | Feldene-D                         | PF |
| 5203W                                                                            | Capsule 10 mg                                           | 50          | ..          | ..                | 12.20                                    | 13.27 <sup>a</sup>                                     | Chem mart                         | CH |
|                                                                                  |                                                         |             |             |                   |                                          |                                                        | Piroxicam                         |    |
|                                                                                  |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> GenRx Piroxicam      | GX |
|                                                                                  |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Mobilis 10           | AF |
|                                                                                  |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Terry White Chemists | TW |
|                                                                                  |                                                         |             |             |                   |                                          |                                                        | Piroxicam                         |    |
|                                                                                  |                                                         |             |             | <sup>B</sup> 2.52 | 14.72                                    | 13.27 <sup>a</sup>                                     | Feldene                           | PF |
| 5204X                                                                            | Capsule 20 mg                                           | 25          | ..          | ..                | 11.92                                    | 12.99 <sup>a</sup>                                     | Chem mart                         | CH |
|                                                                                  |                                                         |             |             |                   |                                          |                                                        | Piroxicam                         |    |
|                                                                                  |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> GenRx Piroxicam      | GX |
|                                                                                  |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Mobilis 20           | AF |
|                                                                                  |                                                         |             |             |                   |                                          |                                                        | <sup>a</sup> Terry White Chemists | TW |
|                                                                                  |                                                         |             |             |                   |                                          |                                                        | Piroxicam                         |    |
|                                                                                  |                                                         |             |             | <sup>B</sup> 2.49 | 14.41                                    | 12.99 <sup>a</sup>                                     | Feldene                           | PF |
| <b>Propionic acid derivatives</b>                                                |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| <b>IBUPROFEN</b>                                                                 |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| 5124Q                                                                            | Tablet 400 mg                                           | 30          | ..          | ..                | 9.19                                     | 10.26                                                  | Brufen                            | AB |
| <b>IBUPROFEN</b>                                                                 |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| <b><u>Restricted benefit</u></b>                                                 |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| Chronic arthropathies (including osteoarthritis) with an inflammatory component; |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| Bone pain due to malignant disease.                                              |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| 5123P                                                                            | Tablet 400 mg                                           | 90          | ..          | ..                | *14.73                                   | 15.80                                                  | Brufen                            | AB |
| <b>KETOPROFEN</b>                                                                |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| 5139L                                                                            | Suppository 100 mg                                      | 40          | ..          | ..                | *25.30                                   | 26.37                                                  | Orudis                            | SW |
| <b>KETOPROFEN</b>                                                                |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| <b><u>Restricted benefit</u></b>                                                 |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| Chronic arthropathies (including osteoarthritis) with an inflammatory component. |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| 5136H                                                                            | Capsule 200 mg (sustained release)                      | 28          | ..          | ..                | 19.10                                    | 20.17 <sup>a</sup>                                     | Oruvail SR                        | AV |
|                                                                                  |                                                         |             |             | <sup>B</sup> 2.18 | 21.28                                    | 20.17 <sup>a</sup>                                     | Orudis SR 200                     | SW |
| <b>NAPROXEN</b>                                                                  |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| <b><u>Restricted benefit</u></b>                                                 |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| Chronic arthropathies (including osteoarthritis) with an inflammatory component; |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| Bone pain due to malignant disease.                                              |                                                         |             |             |                   |                                          |                                                        |                                   |    |
| 5176K                                                                            | Tablet 250 mg                                           | 100         | ..          | ..                | *13.34                                   | 14.41 <sup>a</sup>                                     | Inza 250                          | AF |
|                                                                                  |                                                         |             |             | <sup>B</sup> 2.24 | *15.58                                   | 14.41 <sup>a</sup>                                     | Naprosyn                          | RO |
| 5177L                                                                            | Tablet 500 mg                                           | 50          | ..          | ..                | 12.58                                    | 13.65 <sup>a</sup>                                     | Inza 500                          | AF |
|                                                                                  |                                                         |             |             | <sup>B</sup> 1.30 | 13.88                                    | 13.65 <sup>a</sup>                                     | Naprosyn                          | RO |
| 5178M                                                                            | Tablet 750 mg (sustained release)                       | 28          | ..          | ..                | 12.08                                    | 13.15 <sup>a</sup>                                     | Proxen SR 750                     | MD |
|                                                                                  |                                                         |             |             | <sup>B</sup> 1.22 | 13.30                                    | 13.15 <sup>a</sup>                                     | Naprosyn SR750                    | RO |

| Code  | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium           | Dispensed Price<br>for | Maximum<br>Recordable<br>Value for | Brand Name and Manufacturer |
|-------|---------------------------------------------------------|-------------|-------------|-------------------|------------------------|------------------------------------|-----------------------------|
|       |                                                         |             |             |                   | Max. Qty               | Safety Net                         |                             |
|       |                                                         |             |             |                   | \$                     | \$                                 |                             |
| 5179N | Tablet 1 g (sustained release)                          | 28          | ..          | ..                | 13.96                  | 15.03 <sup>a</sup>                 | Proxen SR 1000 MD           |
|       |                                                         |             |             | <sup>B</sup> 1.29 | 15.25                  | 15.03 <sup>a</sup>                 | Naprosyn SR1000 RO          |

**NAPROXEN SODIUM****Restricted benefit**

Chronic arthropathies (including osteoarthritis) with an inflammatory component;

Bone pain due to malignant disease.

**Note**

Naproxen sodium 550 mg is approximately equivalent to 500 mg of naproxen acid.

|       |               |    |    |                   |       |                    |                |
|-------|---------------|----|----|-------------------|-------|--------------------|----------------|
| 5186Y | Tablet 550 mg | 50 | .. | ..                | 12.77 | 13.84 <sup>a</sup> | Crysanal MD    |
|       |               |    |    | <sup>B</sup> 2.17 | 14.94 | 13.84 <sup>a</sup> | Anaprox 550 RO |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|

# Nervous system

## Analgesics

### Opioids

#### *Natural opium alkaloids*

##### CODEINE PHOSPHATE

##### Note

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

|       |              |    |    |    |       |       |                                             |    |
|-------|--------------|----|----|----|-------|-------|---------------------------------------------|----|
| 5063L | Tablet 30 mg | 20 | .. | .. | 16.87 | 17.94 | Fawns and McAllan<br>Proprietary<br>Limited | FM |
|-------|--------------|----|----|----|-------|-------|---------------------------------------------|----|

##### CODEINE PHOSPHATE with PARACETAMOL

|       |                     |    |    |                   |       |              |                                                     |    |
|-------|---------------------|----|----|-------------------|-------|--------------|-----------------------------------------------------|----|
| 3316M | Tablet 30 mg-500 mg | 20 | .. | ..                | 8.00  | 9.07         | <sup>a</sup> APO-<br>Paracetamol/Co<br>deine 500/30 | TX |
|       |                     |    |    |                   |       | <sup>a</sup> | Codalgin Forte                                      | FM |
|       |                     |    |    |                   |       | <sup>a</sup> | Codapane Forte                                      | AL |
|       |                     |    |    |                   |       | <sup>a</sup> | Comfarol Forte                                      | SZ |
|       |                     |    |    |                   |       | <sup>a</sup> | Dolaforte                                           | CO |
|       |                     |    |    |                   |       | <sup>a</sup> | Prodeine Forte                                      | AV |
|       |                     |    |    | <sup>B</sup> 2.66 | 10.66 | 9.07         | <sup>a</sup> Panadeine Forte                        | SW |

##### HYDROMORPHONE HYDROCHLORIDE

##### Caution

The risk of drug dependence is high.

##### Note

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

|       |                         |   |    |    |       |       |             |    |
|-------|-------------------------|---|----|----|-------|-------|-------------|----|
| 5129Y | Injection 2 mg in 1 mL  | 5 | .. | .. | 22.84 | 23.91 | Dilaudid    | MF |
| 5130B | Injection 10 mg in 1 mL | 5 | .. | .. | 28.97 | 30.04 | Dilaudid-HP | MF |
| 5131C | Injection 50 mg in 5 mL | 5 | .. | .. | 52.00 | 34.20 | Dilaudid-HP | MF |

##### HYDROMORPHONE HYDROCHLORIDE

##### Caution

The risk of drug dependence is high.

##### Restricted benefit

Severe disabling pain not responding to non-narcotic analgesics.

##### Note

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

|       |                                 |    |    |    |       |       |          |    |
|-------|---------------------------------|----|----|----|-------|-------|----------|----|
| 5115F | Tablet 2 mg                     | 20 | .. | .. | 17.10 | 18.17 | Dilaudid | MF |
| 5116G | Tablet 4 mg                     | 20 | .. | .. | 19.85 | 20.92 | Dilaudid | MF |
| 5117H | Tablet 8 mg                     | 20 | .. | .. | 30.03 | 31.10 | Dilaudid | MF |
| 5132D | Oral liquid 1 mg per mL, 473 mL | 1  | .. | .. | 63.70 | 34.20 | Dilaudid | MF |

##### HYDROMORPHONE HYDROCHLORIDE

##### Caution

The risk of drug dependence is high.

##### Restricted benefit

Chronic severe disabling pain not responding to non-narcotic analgesics.

##### Note

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

| Code  | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty | Maximum<br>Recordable<br>Value for<br>Safety Net | Brand Name and Manufacturer |    |
|-------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------|--------------------------------------------------|-----------------------------|----|
|       |                                                         |             |             |         | \$                                 | \$                                               |                             |    |
| 3357Q | Tablet 8 mg (modified release)                          | 14          | ..          | ..      | 36.41                              | 34.20                                            | Jumista                     | JC |
| 3358R | Tablet 16 mg (modified release)                         | 14          | ..          | ..      | 52.82                              | 34.20                                            | Jumista                     | JC |
| 3367F | Tablet 32 mg (modified release)                         | 14          | ..          | ..      | 88.70                              | 34.20                                            | Jumista                     | JC |
| 3368G | Tablet 64 mg (modified release)                         | 14          | ..          | ..      | 149.38                             | 34.20                                            | Jumista                     | JC |
| 5023J | Tablet 4 mg (modified release)                          | 14          | ..          | ..      | 30.95                              | 32.02                                            | Jumista                     | JC |

**MORPHINE HYDROCHLORIDE****Caution**

The risk of drug dependence is high.

**Restricted benefit**

Severe disabling pain not responding to non-narcotic analgesics.

**Note**

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

|       |                                    |   |    |    |       |       |           |    |
|-------|------------------------------------|---|----|----|-------|-------|-----------|----|
| 5237P | Oral solution 2 mg per mL, 200 mL  | 1 | .. | .. | 17.97 | 19.04 | Ordine 2  | MF |
| 5238Q | Oral solution 5 mg per mL, 200 mL  | 1 | .. | .. | 20.55 | 21.62 | Ordine 5  | MF |
| 5239R | Oral solution 10 mg per mL, 200 mL | 1 | .. | .. | 24.61 | 25.68 | Ordine 10 | MF |

**MORPHINE SULFATE****Caution**

The risk of drug dependence is high.

**Note**

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

|       |                         |   |    |    |       |       |                     |    |
|-------|-------------------------|---|----|----|-------|-------|---------------------|----|
| 5168B | Injection 10 mg in 1 mL | 5 | .. | .. | 13.99 | 15.06 | Hospira Pty Limited | HH |
| 5169C | Injection 15 mg in 1 mL | 5 | .. | .. | 14.35 | 15.42 | Hospira Pty Limited | HH |
| 5170D | Injection 30 mg in 1 mL | 5 | .. | .. | 15.77 | 16.84 | Hospira Pty Limited | HH |

**MORPHINE SULFATE****Caution**

The risk of drug dependence is high.

**Restricted benefit**

Severe disabling pain not responding to non-narcotic analgesics.

**Note**

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

|       |              |    |    |    |       |       |          |    |
|-------|--------------|----|----|----|-------|-------|----------|----|
| 5163R | Tablet 30 mg | 20 | .. | .. | 14.03 | 15.10 | Anamorph | FM |
|-------|--------------|----|----|----|-------|-------|----------|----|

**MORPHINE SULFATE****Caution**

The risk of drug dependence is high.

**Restricted benefit**

Chronic severe disabling pain not responding to non-narcotic analgesics.

**Note**

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

|       |                                     |    |    |    |       |                    |             |    |
|-------|-------------------------------------|----|----|----|-------|--------------------|-------------|----|
| 5064M | Capsule 30 mg (controlled release)  | 10 | .. | .. | 19.91 | 20.98              | MS Mono     | MF |
| 5065N | Capsule 60 mg (controlled release)  | 10 | .. | .. | 28.23 | 29.30              | MS Mono     | MF |
| 5066P | Capsule 90 mg (controlled release)  | 10 | .. | .. | 32.20 | 33.27              | MS Mono     | MF |
| 5067Q | Capsule 120 mg (controlled release) | 10 | .. | .. | 42.68 | 34.20              | MS Mono     | MF |
| 5161P | Tablet 15 mg (controlled release)   | 20 | .. | .. | 19.91 | 20.98              | MS Contin   | MF |
| 5162Q | Tablet 5 mg (controlled release)    | 20 | .. | .. | 15.17 | 16.24              | MS Contin   | MF |
| 5164T | Tablet 10 mg (controlled release)   | 20 | .. | .. | 16.92 | 17.99 <sup>a</sup> | Momex SR 10 | SI |
|       |                                     |    |    |    |       | <sup>a</sup>       | MS Contin   | MF |
| 5165W | Tablet 30 mg (controlled release)   | 20 | .. | .. | 28.23 | 29.30 <sup>a</sup> | Momex SR 30 | SI |

| Code  | Name, Restriction,<br>Manner of Administration and Form                              | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer                       |
|-------|--------------------------------------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|---------------------------------------------------|
| 5166X | Tablet 60 mg (controlled release)                                                    | 20          | ..          | ..      | 42.68                                    | 34.20                                                  | MS Contin<br>Momex SR 60<br>MS Contin<br>SI<br>MF |
| 5167Y | Tablet 100 mg (controlled release)                                                   | 20          | ..          | ..      | 54.79                                    | 34.20                                                  | Momex SR 100<br>MS Contin<br>SI<br>MF             |
| 5171E | Sachet containing controlled release granules for oral suspension, 20 mg per sachet  | 20          | ..          | ..      | 46.85                                    | 34.20                                                  | MS Contin<br>Suspension<br>20 mg<br>MF            |
| 5240T | Capsule 20 mg (containing sustained release pellets)                                 | 20          | ..          | ..      | 20.47                                    | 21.54                                                  | Kapanol<br>GK                                     |
| 5241W | Capsule 50 mg (containing sustained release pellets)                                 | 20          | ..          | ..      | 33.54                                    | 34.20                                                  | Kapanol<br>GK                                     |
| 5242X | Capsule 100 mg (containing sustained release pellets)                                | 20          | ..          | ..      | 53.46                                    | 34.20                                                  | Kapanol<br>GK                                     |
| 5243Y | Sachet containing controlled release granules for oral suspension, 30 mg per sachet  | 20          | ..          | ..      | 48.01                                    | 34.20                                                  | MS Contin<br>Suspension<br>30 mg<br>MF            |
| 5244B | Sachet containing controlled release granules for oral suspension, 60 mg per sachet  | 20          | ..          | ..      | 53.07                                    | 34.20                                                  | MS Contin<br>Suspension<br>60 mg<br>MF            |
| 5245C | Sachet containing controlled release granules for oral suspension, 100 mg per sachet | 20          | ..          | ..      | 64.30                                    | 34.20                                                  | MS Contin<br>Suspension<br>100 mg<br>MF           |
| 5246D | Capsule 10 mg (containing sustained release pellets)                                 | 20          | ..          | ..      | 16.92                                    | 17.99                                                  | Kapanol<br>GK                                     |

**OXYCODONE****Caution**

The risk of drug dependence is high.

**Restricted benefit**

Severe disabling pain not responding to non-narcotic analgesics.

**Note**

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

|       |                   |    |    |    |       |       |           |    |
|-------|-------------------|----|----|----|-------|-------|-----------|----|
| 5194J | Suppository 30 mg | 12 | .. | .. | 43.66 | 34.20 | Proladone | PL |
|-------|-------------------|----|----|----|-------|-------|-----------|----|

**OXYCODONE HYDROCHLORIDE****Caution**

The risk of drug dependence is high.

**Restricted benefit**

Severe disabling pain not responding to non-narcotic analgesics.

**Note**

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

|       |                                     |    |    |    |       |       |                           |    |
|-------|-------------------------------------|----|----|----|-------|-------|---------------------------|----|
| 5190E | Oral solution 5 mg per 5 mL, 250 mL | 1  | .. | .. | 20.72 | 21.79 | OxyNorm Liquid<br>5mg/5mL | MF |
| 5191F | Capsule 5 mg                        | 20 | .. | .. | 12.30 | 13.37 | OxyNorm                   | MF |
| 5195K | Tablet 5 mg                         | 20 | .. | .. | 12.30 | 13.37 | Endone                    | SI |
| 5197M | Capsule 10 mg                       | 20 | .. | .. | 15.42 | 16.49 | OxyNorm                   | MF |
| 5198N | Capsule 20 mg                       | 20 | .. | .. | 20.15 | 21.22 | OxyNorm                   | MF |

**OXYCODONE HYDROCHLORIDE****Caution**

The risk of drug dependence is high.

**Restricted benefit**

Chronic severe disabling pain not responding to non-narcotic analgesics.

**Note**

Prescribing of drugs of addiction by dentists is not permitted in some States/Territories.

|       |                                   |    |    |    |       |       |           |    |
|-------|-----------------------------------|----|----|----|-------|-------|-----------|----|
| 5015Y | Tablet 15 mg (controlled release) | 20 | .. | .. | 27.93 | 29.00 | OxyContin | MF |
| 5016B | Tablet 30 mg (controlled release) | 20 | .. | .. | 41.22 | 34.20 | OxyContin | MF |



| Code  | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer                      |
|-------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|--------------------------------------------------|
| 5236N | Tablet 200 mg (twice daily sustained release)           | 20          | ..          | B5.11   | 21.05                                    | 17.01                                                  | <sup>a</sup> Tramedo SR 150 AF                   |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Zydol SR 150 SI                     |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Tramal SR 150 CS                    |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> APO-Tramadol SR TX                  |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Chem mart CH                        |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Tramadol SR GM                      |
|       |                                                         |             |             | B5.78   | 23.80                                    | 19.09                                                  | <sup>a</sup> GA Tramadol SR 200mg ZP             |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Lodam SR 200 TW                     |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Terry White Chemists Tramadol SR SZ |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Tramadol Sandoz SR AF               |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Tramedo SR 200 SI                   |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Zydol SR 200 CS                     |
|       |                                                         |             |             |         |                                          |                                                        | <sup>a</sup> Tramal SR 200                       |

#### TRAMADOL HYDROCHLORIDE

##### Restricted benefit

Short-term treatment of acute pain.

|       |                          |   |    |    |       |       |                             |
|-------|--------------------------|---|----|----|-------|-------|-----------------------------|
| 5231H | Injection 100 mg in 2 mL | 5 | .. | .. | 13.91 | 14.98 | <sup>a</sup> Trama hexal SZ |
|       |                          |   |    |    |       |       | <sup>a</sup> Tramal 100 CS  |

### Other analgesics and antipyretics

#### *Salicylic acid and derivatives*

##### ASPIRIN

|       |                             |    |    |    |      |      |            |
|-------|-----------------------------|----|----|----|------|------|------------|
| 5018D | Tablet 300 mg (dispersible) | 96 | .. | .. | 8.50 | 9.57 | Solprin RC |
|-------|-----------------------------|----|----|----|------|------|------------|

#### *Anilides*

##### PARACETAMOL

|       |                                     |     |    |    |        |       |                                               |
|-------|-------------------------------------|-----|----|----|--------|-------|-----------------------------------------------|
| 3348F | Oral liquid 120 mg per 5 mL, 100 mL | #1  | .. | .. | 9.38   | 10.45 | Panamax SW                                    |
| 3349G | Oral liquid 240 mg per 5 mL, 200 mL | #1  | .. | .. | 10.68  | 11.75 | Panamax 240 Elixir SW                         |
| 5196L | Tablet 500 mg                       | 100 | .. | .. | 8.32   | 9.39  | <sup>a</sup> APO-Paracetamol TX               |
|       |                                     |     |    |    |        |       | <sup>a</sup> Chem mart CH                     |
|       |                                     |     |    |    |        |       | <sup>a</sup> Paracetamol GM                   |
|       |                                     |     |    |    |        |       | <sup>a</sup> Febridol GQ                      |
|       |                                     |     |    |    |        |       | <sup>a</sup> Generic Health Pty Ltd SW        |
|       |                                     |     |    |    |        |       | <sup>a</sup> Panamax SZ                       |
|       |                                     |     |    |    |        |       | <sup>a</sup> Paracetamol Sandoz FM            |
|       |                                     |     |    |    |        |       | <sup>a</sup> Paralgin YM                      |
| 5224Y | Tablet 500 mg                       | 300 | .. | .. | *12.12 | 13.19 | <sup>a</sup> Pharmacy Choice Paracetamol TW   |
|       |                                     |     |    |    |        |       | <sup>a</sup> Terry White Chemists Paracetamol |
|       |                                     |     |    |    |        |       | <sup>a</sup> APO-Paracetamol TX               |

##### PARACETAMOL

##### Restricted benefit

Chronic arthropathies.

|       |               |     |    |    |        |       |                                 |
|-------|---------------|-----|----|----|--------|-------|---------------------------------|
| 5224Y | Tablet 500 mg | 300 | .. | .. | *12.12 | 13.19 | <sup>a</sup> APO-Paracetamol TX |
|       |               |     |    |    |        |       | <sup>a</sup> Chem mart CH       |
|       |               |     |    |    |        |       | <sup>a</sup> Paracetamol GM     |

## Antiepileptics

### Carboxamide derivatives

|       |                                         |     |    |                   |        |       |                      |    |
|-------|-----------------------------------------|-----|----|-------------------|--------|-------|----------------------|----|
| 5037D | Tablet 400 mg (controlled release)      | 200 | .. | ..                | 49.02  | 34.20 | Tegretol CR 400      | NV |
| 5038E | Tablet 200 mg (controlled release)      | 200 | .. | ..                | 29.48  | 30.55 | Tegretol CR 200      | NV |
| 5039F | Tablet 100 mg                           | 200 | .. | <sup>B</sup> 2.44 | *20.94 | 19.57 | Tegretol 100         | NV |
|       |                                         |     |    | ..                | 18.51  | 19.58 | Carbamazepine Sandoz | SZ |
| 5040G | Tablet 200 mg                           | 200 | .. | <sup>B</sup> 2.60 | *31.60 | 30.07 | Tegretol 200         | NV |
|       |                                         |     |    | ..                | 29.02  | 30.09 | Carbamazepine Sandoz | SZ |
|       |                                         |     |    |                   |        |       | Teril                | AF |
| 5041H | Oral suspension 100 mg per 5 mL, 300 mL | #1  | .. | ..                | 21.35  | 22.42 | Tegretol Liquid      | NV |

### Anticholinergic agents

*Ethers of tropine or tropine derivatives*

|       |                        |   |    |    |        |       |          |    |
|-------|------------------------|---|----|----|--------|-------|----------|----|
| 5031T | Injection 2 mg in 2 mL | 5 | .. | .. | 103.59 | 34.20 | Cogentin | FK |
|-------|------------------------|---|----|----|--------|-------|----------|----|

## Anxiolytics

### *Benzodiazepine derivatives*

|       |                         |    |    |                   |       |       |              |                     |    |
|-------|-------------------------|----|----|-------------------|-------|-------|--------------|---------------------|----|
| 5071X | Tablet 2 mg             | 50 | .. | ..                | 7.72  | 8.79  | <sup>a</sup> | Antenex2            | AF |
|       |                         |    |    |                   |       |       | <sup>a</sup> | Valpam 2            | SI |
|       |                         |    |    | <sup>B</sup> 0.82 | 8.54  | 8.79  | <sup>a</sup> | Valium              | RO |
| 5072Y | Tablet 5 mg             | 50 | .. | ..                | 7.85  | 8.92  | <sup>a</sup> | Antenex5            | AF |
|       |                         |    |    |                   |       |       | <sup>a</sup> | Diazepam-GA         | GM |
|       |                         |    |    |                   |       |       | <sup>a</sup> | Ranzepam            | RA |
|       |                         |    |    |                   |       |       | <sup>a</sup> | Valpam 5            | SI |
|       |                         |    |    | <sup>B</sup> 0.85 | 8.70  | 8.92  | <sup>a</sup> | Valium              | RO |
| 5073B | Injection 10 mg in 2 mL | 5  | .. | ..                | 12.29 | 13.36 |              | Hospira Pty Limited | HH |
|       | <b>OXAZEPAM</b>         |    |    |                   |       |       |              |                     |    |
| 5192G | Tablet 15 mg            | 25 | .. | ..                | 7.49  | 8.56  | <sup>a</sup> | Alepam 15           | AF |
|       |                         |    |    | <sup>B</sup> 2.69 | 10.18 | 8.56  | <sup>a</sup> | Serepax             | SI |
| 5193H | Tablet 30 mg            | 25 | .. | ..                | 7.65  | 8.72  | <sup>a</sup> | Alepam 30           | AF |
|       |                         |    |    |                   |       |       | <sup>a</sup> | APO-Oxazepam        | TX |
|       |                         |    |    |                   |       |       | <sup>a</sup> | Murelax             | FM |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium           | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer |
|------|---------------------------------------------------------|-------------|-------------|-------------------|------------------------------------------|--------------------------------------------------------|-----------------------------|
|      |                                                         |             |             | <sup>B</sup> 2.69 | 10.34                                    | 8.72 <sup>a</sup>                                      | Serepax SI                  |

**Hypnotics and sedatives**  
***Benzodiazepine derivatives***

|                   |              |    |    |                   |      |                   |                  |
|-------------------|--------------|----|----|-------------------|------|-------------------|------------------|
| <b>NITRAZEPAM</b> |              |    |    |                   |      |                   |                  |
| 5189D             | Tablet 5 mg  | 25 | .. | ..                | 7.82 | 8.89 <sup>a</sup> | Alodorm AF       |
|                   |              |    |    | <sup>B</sup> 1.45 | 9.27 | 8.89 <sup>a</sup> | Mogadon VT       |
| <b>TEMAZEPAM</b>  |              |    |    |                   |      |                   |                  |
| 5221T             | Tablet 10 mg | 25 | .. | ..                | 7.64 | 8.71 <sup>a</sup> | APO-Temazepam TX |
|                   |              |    |    |                   |      | <sup>a</sup>      | Temaze AF        |
|                   |              |    |    |                   |      | <sup>a</sup>      | Temtabs FM       |
|                   |              |    |    | <sup>B</sup> 1.44 | 9.08 | 8.71 <sup>a</sup> | Normison SI      |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|

## Respiratory system

### Drugs for obstructive airway diseases

#### Adrenergics for systemic use

#### *Alpha- and beta-adrenoceptor agonists*

##### ADRENALINE

|       |                                     |   |    |    |       |       |                        |    |
|-------|-------------------------------------|---|----|----|-------|-------|------------------------|----|
| 5004J | Injection 1 mg in 1 mL (1 in 1,000) | 5 | .. | .. | 20.34 | 21.41 | AstraZeneca Pty<br>Ltd | AP |
|-------|-------------------------------------|---|----|----|-------|-------|------------------------|----|

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price       | Maximum                                     | Brand Name and Manufacturer |
|------|---------------------------------------------------------|-------------|-------------|---------|-----------------------|---------------------------------------------|-----------------------------|
|      |                                                         |             |             |         | for<br>Max. Qty<br>\$ | Recordable<br>Value for<br>Safety Net<br>\$ |                             |

Sensory organs

|                   |
|-------------------|
| Ophthalmologicals |
|-------------------|

Antiinfectives  
*Antibiotics*

|                 |                                     |    |    |    |       |       |                                 |
|-----------------|-------------------------------------|----|----|----|-------|-------|---------------------------------|
| CHLORAMPHENICOL |                                     |    |    |    |       |       |                                 |
| 5055C           | Eye drops 5 mg per mL (0.5%), 10 mL | ±1 | .. | .. | 11.00 | 12.07 | Chloromycetin PF<br>Chlorsig SI |

| Code | Name, Restriction,<br>Manner of Administration and Form | Max.<br>Qty | No. of Rpts | Premium | Dispensed Price<br>for<br>Max. Qty<br>\$ | Maximum<br>Recordable<br>Value for<br>Safety Net<br>\$ | Brand Name and Manufacturer |  |
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|--|
|------|---------------------------------------------------------|-------------|-------------|---------|------------------------------------------|--------------------------------------------------------|-----------------------------|--|

## Various

### All other therapeutic products

#### All other therapeutic products *Antidotes*

|                               |                        |   |    |    |       |       |                    |    |
|-------------------------------|------------------------|---|----|----|-------|-------|--------------------|----|
| <b>NALOXONE HYDROCHLORIDE</b> |                        |   |    |    |       |       |                    |    |
| 5175J                         | Injection 2 mg in 5 mL | 1 | .. | .. | 43.49 | 34.20 | Naloxone Min-I-Jet | CS |

### All other non-therapeutic products

#### All other non-therapeutic products *Solvents and diluting agents, incl. irrigating solutions*

|                        |                                     |   |    |    |       |       |                          |    |
|------------------------|-------------------------------------|---|----|----|-------|-------|--------------------------|----|
| <b>SODIUM CHLORIDE</b> |                                     |   |    |    |       |       |                          |    |
| 5211G                  | Injection 9 mg per mL (0.9%), 10 mL | 5 | .. | .. | 16.29 | 17.36 | Pfizer Australia Pty Ltd | PF |

## **GENERIC/PROPRIETARY INDEX**

**A**

|                                                                      |        |
|----------------------------------------------------------------------|--------|
| <i>Abbacillin-V (SI)</i> .....                                       | 28     |
| <i>Abbacillin-VK Filmtab (SI)</i> .....                              | 27     |
| <i>Aclin (AF)</i> .....                                              | 34     |
| <i>Aclin 200 (AF)</i> .....                                          | 34     |
| <i>Aclor 125 (SI)</i> .....                                          | 31     |
| <i>Aclor 250 (SI)</i> .....                                          | 31     |
| <i>ADRENALINE</i> .....                                              | 23, 44 |
| <i>Alepam 15 (AF)</i> .....                                          | 42     |
| <i>Alepam 30 (AF)</i> .....                                          | 42     |
| <i>Alodorm (AF)</i> .....                                            | 43     |
| <i>Alphamox 125 (AF)</i> .....                                       | 27     |
| <i>Alphamox 250 (AF)</i> .....                                       | 26, 27 |
| <i>Alphamox 500 (AF)</i> .....                                       | 26     |
| <i>Amoxil (GK)</i> .....                                             | 26, 27 |
| . 19                                                                 |        |
| <i>Amoxil Forte (GK)</i> .....                                       | 27     |
| <i>AMOXYCILLIN</i> .....                                             | 26     |
| . 19                                                                 |        |
| <i>Amoxycillin Ranbaxy (RA)</i> .....                                | 26     |
| <i>Amoxycillin Sandoz (SZ)</i> .....                                 | 26, 27 |
| <i>AMOXYCILLIN with CLAVULANIC ACID</i> .....                        | 28     |
| <i>Amoxycillin/ Clavulanic Acid 500/125 generichealth (GQ)</i> ..... | 29     |
| <i>Amoxycillin/ Clavulanic Acid 875/125 generichealth (GQ)</i> ..... | 28     |
| <i>Amoxycillin-GA (GM)</i> .....                                     | 26     |
| <i>AMPHOTERICIN</i> .....                                            | 20     |
| <i>AMPICILLIN</i> .....                                              | 27     |
| <i>Anamorph (FM)</i> .....                                           | 38     |
| <i>Anaprox 550 (RO)</i> .....                                        | 36     |
| <i>Anginine Stabilised (SI)</i> .....                                | 23     |
| <i>Antenex 2 (AF)</i> .....                                          | 42     |
| <i>Antenex 5 (AF)</i> .....                                          | 42     |
| <i>APO- Paracetamol/Codeine 500/30 (TX)</i> .....                    | 37     |
| <i>APO-Amoxycillin (TX)</i> .....                                    | 26     |
| <i>APO-Amoxycillin/ Clavulanic Acid 500/125 (TX)</i> .....           | 29     |
| <i>APO-Cephalexin (TX)</i> .....                                     | 30     |
| <i>APO-Diclofenac (TX)</i> .....                                     | 34     |
| <i>APO-Oxazepam (TX)</i> .....                                       | 42     |
| <i>APO-Paracetamol (TX)</i> .....                                    | 41     |
| <i>APO-Prochlorperazine (TX)</i> .....                               | 20     |
| <i>APO-Roxithromycin (TX)</i> .....                                  | 32     |
| <i>APO-Temazepam (TX)</i> .....                                      | 43     |
| <i>APO-Tramadol (TX)</i> .....                                       | 40     |
| <i>APO-Tramadol SR (TX)</i> .....                                    | 40, 41 |
| <i>Arthrexin (AF)</i> .....                                          | 34     |
| <i>Aspen Ampicyn (AS)</i> .....                                      | 27     |
| <i>Aspen Pharmacare Australia Pty Limited (LN)</i> .....             | 28     |
| <i>ASPIRIN</i> .....                                                 | 41     |
| <i>AstraZeneca Pty Ltd (AP)</i> .....                                | 23, 44 |
| <i>Augmentin (GK)</i> .....                                          | 29     |
| <i>Augmentin Duo (GK)</i> .....                                      | 29     |
| <i>Augmentin Duo 400 (GK)</i> .....                                  | 29     |
| <i>Augmentin Duo forte (GK)</i> .....                                | 29     |
| <i>Austrapen (LN)</i> .....                                          | 27     |

**B**

|                                              |    |
|----------------------------------------------|----|
| <i>B. Braun Australia Pty Ltd (BR)</i> ..... | 22 |
| <i>Bactrim (RO)</i> .....                    | 31 |

|                                                                                  |        |
|----------------------------------------------------------------------------------|--------|
| <i>Bactrim DS (RO)</i> .....                                                     | 31     |
| <i>Baxter Healthcare Pty Ltd (BX)</i> .....                                      | 22, 33 |
| <i>BenPen (CS)</i> .....                                                         | 27     |
| <i>BENZATHINE BENZYL PENICILLIN</i> .....                                        | 27     |
| <i>BENZTROPINE MESYLATE</i> .....                                                | 42     |
| <i>BENZYDAMINE HYDROCHLORIDE</i> .....                                           | 20     |
| <i>BENZYL PENICILLIN</i> .....                                                   | 27     |
| <i>BETAMETHASONE ACETATE with BETAMETHASONE</i><br><i>SODIUM PHOSPHATE</i> ..... | 25     |
| <i>Bgramin (GM)</i> .....                                                        | 27     |
| <i>Biaxig (AV)</i> .....                                                         | 32     |
| <i>Bicillin L-A (AS)</i> .....                                                   | 27     |
| <i>Brufen (AB)</i> .....                                                         | 35     |

**C**

|                                                             |        |
|-------------------------------------------------------------|--------|
| <i>CARBAMAZEPINE</i> .....                                  | 42     |
| <i>Carbamazepine Sandoz (SZ)</i> .....                      | 42     |
| <i>Ceclor (AS)</i> .....                                    | 31     |
| <i>Ceclor CD (AS)</i> .....                                 | 31     |
| <i>CEFACTOR</i> .....                                       | 30     |
| <i>Cefaclor Sandoz (SZ)</i> .....                           | 31     |
| <i>Cefaclor-GA (GN)</i> .....                               | 30     |
| <i>Cefalexin Sandoz (SZ)</i> .....                          | 29, 30 |
| <i>CEFALOTIN</i> .....                                      | 29     |
| <i>Cefalotin Sandoz (SZ)</i> .....                          | 29     |
| <i>CEFOTAXIME</i> .....                                     | 31     |
| <i>Cefotaxime Sandoz (SZ)</i> .....                         | 31     |
| <i>CEFUROXIME AXETIL</i> .....                              | 31     |
| <i>Celestone Chronodose (SH)</i> .....                      | 25     |
| <i>Cephabeil (BF)</i> .....                                 | 29, 30 |
| <i>CEPHALEXIN</i> .....                                     | 29     |
| <i>Cephalexin generichealth (GQ)</i> .....                  | 29, 30 |
| <i>Cephatrast 250 (MI)</i> .....                            | 29     |
| <i>Cephatrast 500 (MI)</i> .....                            | 30     |
| <i>Chem mart Amoxycillin (CH)</i> .....                     | 26, 27 |
| <i>Chem mart Amoxycillin and Clavulanic Acid (CH)</i> ..... | 28     |
| <i>Chem mart Cefaclor (CH)</i> .....                        | 31     |
| <i>Chem mart Cefaclor CD (CH)</i> .....                     | 30     |
| <i>Chem mart Cephalexin (CH)</i> .....                      | 30     |
| <i>Chem mart Diclofenac (CH)</i> .....                      | 34     |
| <i>Chem mart Doxycycline (CH)</i> .....                     | 26     |
| <i>Chem mart Paracetamol (CH)</i> .....                     | 41     |
| <i>Chem mart Piroxicam (CH)</i> .....                       | 35     |
| <i>Chem mart Roxithromycin (CH)</i> .....                   | 32     |
| <i>Chem mart Tramadol (CH)</i> .....                        | 40     |
| <i>Chem mart Tramadol SR (CH)</i> .....                     | 40, 41 |
| <i>CHLORAMPHENICOL</i> .....                                | 45     |
| <i>Chloromycetin (PF)</i> .....                             | 45     |
| <i>Chlorsig (SI)</i> .....                                  | 45     |
| <i>Cilamox (SI)</i> .....                                   | 26, 27 |
| <i>Cilex (GM)</i> .....                                     | 30     |
| <i>Cilicaine (SI)</i> .....                                 | 28     |
| <i>Cilicaine V (FM)</i> .....                               | 27     |
| <i>Cilicaine VK (FM)</i> .....                              | 27     |
| <i>Cilopen VK (GM)</i> .....                                | 27     |
| <i>Clamoxyl (AL)</i> .....                                  | 29     |
| <i>Clamoxyl Duo (AL)</i> .....                              | 29     |
| <i>Clamoxyl Duo 400 (AL)</i> .....                          | 29     |

|                                           |    |
|-------------------------------------------|----|
| <i>Clamoxyl Duo forte (AL)</i> .....      | 29 |
| <i>Clavycillin 875/125 (CR)</i> .....     | 29 |
| <i>Cleocin (KR)</i> .....                 | 32 |
| CLINDAMYCIN .....                         | 32 |
| <i>Clonac 25 (SI)</i> .....               | 34 |
| <i>Clonac 50 (SI)</i> .....               | 34 |
| <i>Codalgin Forte (FM)</i> .....          | 37 |
| <i>Codapane Forte (AL)</i> .....          | 37 |
| CODEINE PHOSPHATE .....                   | 37 |
| CODEINE PHOSPHATE with PARACETAMOL .....  | 37 |
| <i>Cogentin (FK)</i> .....                | 42 |
| <i>Comfarol Forte (SZ)</i> .....          | 37 |
| <i>Cortef (VT)</i> .....                  | 24 |
| <i>Cortic-DS 1% (FM)</i> .....            | 24 |
| <i>Crysanal (MD)</i> .....                | 36 |
| <i>Curam (SZ)</i> .....                   | 29 |
| <i>Curam Duo (SZ)</i> .....               | 29 |
| <i>Curam Duo 500/125 (SZ)</i> .....       | 29 |
| <i>Curam Duo Forte 875/125 (SZ)</i> ..... | 29 |

**D**

|                                                          |    |
|----------------------------------------------------------|----|
| <i>Dalacin C (PF)</i> .....                              | 32 |
| <i>DBL Metronidazole Intravenous Infusion (HH)</i> ..... | 33 |
| <i>Depo-Medrol (PF)</i> .....                            | 25 |
| <i>Depo-Nisolone (KR)</i> .....                          | 25 |
| DIAZEPAM .....                                           | 42 |
| <i>Diazepam-GA (GM)</i> .....                            | 42 |
| <i>Diclocil (BQ)</i> .....                               | 28 |
| <i>Diclofenac Sandoz (SZ)</i> .....                      | 34 |
| DICLOFENAC SODIUM .....                                  | 34 |
| <i>Diclofenac-GA (GM)</i> .....                          | 34 |
| DICLOXACILLIN .....                                      | 28 |
| <i>Dicloxig (SI)</i> .....                               | 28 |
| <i>Diffiam (IA)</i> .....                                | 20 |
| <i>Dilaudid (MF)</i> .....                               | 37 |
| <i>Dilaudid-HP (MF)</i> .....                            | 37 |
| <i>Distaph 250 (AF)</i> .....                            | 28 |
| <i>Distaph 500 (AF)</i> .....                            | 28 |
| <i>Dolaforte (CO)</i> .....                              | 37 |
| <i>Doryx (YN)</i> .....                                  | 26 |
| <i>Douglas Cefaclor-CD (GM)</i> .....                    | 31 |
| <i>Doxsig (SI)</i> .....                                 | 26 |
| <i>Doxy-100 (GM)</i> .....                               | 26 |
| DOXYCYCLINE .....                                        | 26 |
| <i>Doxyhexal (SZ)</i> .....                              | 26 |
| <i>Doxylin 100 (AF)</i> .....                            | 26 |
| <i>Durotram XR (IA)</i> .....                            | 40 |

**E**

|                                      |    |
|--------------------------------------|----|
| <i>E.E.S. 200 (LM)</i> .....         | 32 |
| <i>E.E.S. 400 Filmtab (LM)</i> ..... | 32 |
| <i>E.E.S. Granules (LM)</i> .....    | 32 |
| <i>E-Mycin (AF)</i> .....            | 32 |
| <i>E-Mycin 200 (AF)</i> .....        | 32 |
| <i>E-Mycin 400 (AF)</i> .....        | 32 |
| <i>Endone (SI)</i> .....             | 39 |
| <i>Eryc (YN)</i> .....               | 32 |
| <i>Erythrocin-I.V. (LM)</i> .....    | 32 |
| ERYTHROMYCIN .....                   | 32 |

|                                    |    |
|------------------------------------|----|
| ERYTHROMYCIN ETHYL SUCCINATE ..... | 32 |
| ERYTHROMYCIN LACTOBIONATE .....    | 32 |

**F**

|                                                         |    |
|---------------------------------------------------------|----|
| <i>Fawns and McAllan Proprietary Limited (FM)</i> ..... | 37 |
| <i>Febridol (GM)</i> .....                              | 41 |
| <i>Feldene (PF)</i> .....                               | 35 |
| <i>Feldene-D (PF)</i> .....                             | 35 |
| <i>Fenac (AF)</i> .....                                 | 34 |
| <i>Fenac 25 (AF)</i> .....                              | 34 |
| <i>Flagyl (SW)</i> .....                                | 33 |
| <i>Flagyl S (SW)</i> .....                              | 33 |
| <i>Flopen (AS)</i> .....                                | 28 |
| <i>Flubiclox (TS)</i> .....                             | 28 |
| <i>Flucil (AS)</i> .....                                | 28 |
| FLUCLOXACILLIN .....                                    | 28 |
| <i>Fresenius Kabi Australia Pty Limited (PK)</i> .....  | 22 |
| <i>Fungilin (SI)</i> .....                              | 20 |

**G**

|                                                         |        |
|---------------------------------------------------------|--------|
| <i>GA Tramadol 50mg (GM)</i> .....                      | 40     |
| <i>GA Tramadol SR 100mg (GM)</i> .....                  | 40     |
| <i>GA Tramadol SR 150mg (GM)</i> .....                  | 40     |
| <i>GA Tramadol SR 200mg (GM)</i> .....                  | 41     |
| <i>GA-Amclav 500/125 (GM)</i> .....                     | 29     |
| <i>GA-Amclav Forte 875/125 (GM)</i> .....               | 29     |
| <i>Generic Health Pty Ltd (GQ)</i> .....                | 41, 42 |
| <i>GenRx Amoxycillin (GX)</i> .....                     | 26, 27 |
| <i>GenRx Amoxycillin and Clavulanic Acid (GX)</i> ..... | 29     |
| <i>GenRx Cefaclor (GX)</i> .....                        | 31     |
| <i>GenRx Cefaclor CD (GX)</i> .....                     | 31     |
| <i>GenRx Cephalexin (GX)</i> .....                      | 30     |
| <i>GenRx Doxycycline (GX)</i> .....                     | 26     |
| <i>GenRx Piroxicam (GX)</i> .....                       | 35     |
| <i>GenRx Tramadol (GX)</i> .....                        | 40     |
| <i>GlucaGen Hypokit (NO)</i> .....                      | 25     |
| GLUCAGON HYDROCHLORIDE .....                            | 25     |
| GLUCOSE .....                                           | 22     |
| GLYCERYL TRINITRATE .....                               | 23     |

**H**

|                                       |                            |
|---------------------------------------|----------------------------|
| <i>Hospira Pty Limited (HH)</i> ..... | 20, 28, 29, 31, 33, 38, 42 |
| HYDROCORTISONE ACETATE .....          | 24                         |
| HYDROCORTISONE SODIUM SUCCINATE ..... | 25                         |
| HYDROMORPHONE HYDROCHLORIDE .....     | 37                         |

**I**

|                              |    |
|------------------------------|----|
| <i>Ialex (LN)</i> .....      | 30 |
| <i>Ibilex 125 (AF)</i> ..... | 30 |
| <i>Ibilex 250 (AF)</i> ..... | 30 |
| <i>Ibilex 500 (AF)</i> ..... | 30 |
| <i>Ibimicyn (TS)</i> .....   | 27 |
| IBUPROFEN .....              | 35 |
| <i>Indocid (AS)</i> .....    | 34 |
| INDOMETHACIN .....           | 34 |
| <i>Inza 250 (AF)</i> .....   | 35 |
| <i>Inza 500 (AF)</i> .....   | 35 |

**J**

|                            |    |
|----------------------------|----|
| <i>Jurnista (JC)</i> ..... | 38 |
|----------------------------|----|

**K**

|                                  |    |
|----------------------------------|----|
| <i>Kapanol (GK)</i> .....        | 39 |
| <i>Karlor CD (LN)</i> .....      | 31 |
| <i>Keflex (AS)</i> .....         | 30 |
| <i>Keflin Neutral (AS)</i> ..... | 29 |
| <i>Keflor (AF)</i> .....         | 31 |
| <i>Keflor CD (AF)</i> .....      | 31 |
| <i>Kenacort-A10 (SI)</i> .....   | 25 |
| <b>KETOPROFEN</b> .....          | 35 |

**L**

|                                       |    |
|---------------------------------------|----|
| <b>LIGNOCAINE HYDROCHLORIDE</b> ..... | 23 |
| <i>Lincoicin (PF)</i> .....           | 33 |
| <b>LINCOMYCIN</b> .....               | 33 |
| <i>Lodam 50 (ZP)</i> .....            | 40 |
| <i>Lodam SR 100 (ZP)</i> .....        | 40 |
| <i>Lodam SR 150 (ZP)</i> .....        | 40 |
| <i>Lodam SR 200 (ZP)</i> .....        | 41 |
| <i>LPV (AS)</i> .....                 | 27 |
| <i>Lycinate (FM)</i> .....            | 23 |

**M**

|                                               |        |
|-----------------------------------------------|--------|
| <i>Maxamox (SZ)</i> .....                     | 27     |
| <i>Maxolon (VT)</i> .....                     | 20     |
| <i>Mayne Pharma Doxycycline (YT)</i> .....    | 26     |
| <i>Mayne Pharma Erythromycin (YT)</i> .....   | 32     |
| <b>METHYLPREDNISOLONE ACETATE</b> .....       | 25     |
| <b>METOCLOPRAMIDE HYDROCHLORIDE</b> .....     | 20     |
| <i>Metrogyl 200 (AF)</i> .....                | 33     |
| <i>Metrogyl 400 (AF)</i> .....                | 33     |
| <b>METRONIDAZOLE</b> .....                    | 33     |
| <b>METRONIDAZOLE BENZOATE</b> .....           | 33     |
| <i>Metronidazole Sandoz (SZ)</i> .....        | 33     |
| <i>Metronide 200 (AV)</i> .....               | 33     |
| <i>Metronide 400 (AV)</i> .....               | 33     |
| <i>Mobilis 10 (AF)</i> .....                  | 35     |
| <i>Mobilis 20 (AF)</i> .....                  | 35     |
| <i>Mobilis D-10 (AF)</i> .....                | 35     |
| <i>Mobilis D-20 (AF)</i> .....                | 35     |
| <i>Mogadon (VT)</i> .....                     | 43     |
| <i>Momex SR 10 (SI)</i> .....                 | 38     |
| <i>Momex SR 100 (SI)</i> .....                | 39     |
| <i>Momex SR 30 (SI)</i> .....                 | 38     |
| <i>Momex SR 60 (SI)</i> .....                 | 39     |
| <b>MORPHINE HYDROCHLORIDE</b> .....           | 38     |
| <b>MORPHINE SULFATE</b> .....                 | 38     |
| <i>Moxiclav Duo 500/125 (SI)</i> .....        | 29     |
| <i>Moxiclav Duo Forte 875/125 (SI)</i> .....  | 29     |
| <i>MS Contin (MF)</i> .....                   | 38, 39 |
| <i>MS Contin Suspension 100 mg (MF)</i> ..... | 39     |
| <i>MS Contin Suspension 20 mg (MF)</i> .....  | 39     |
| <i>MS Contin Suspension 30 mg (MF)</i> .....  | 39     |
| <i>MS Contin Suspension 60 mg (MF)</i> .....  | 39     |
| <i>MS Mono (MF)</i> .....                     | 38     |
| <i>Murelax (FM)</i> .....                     | 42     |
| <i>Mycostatin (FM)</i> .....                  | 20     |

**N**

|                                     |    |
|-------------------------------------|----|
| <b>NALOXONE HYDROCHLORIDE</b> ..... | 46 |
|-------------------------------------|----|

|                                      |        |
|--------------------------------------|--------|
| <i>Naloxone Min-I-Jet (CS)</i> ..... | 46     |
| <i>Naprosyn (RO)</i> .....           | 35     |
| <i>Naprosyn SR1000 (RO)</i> .....    | 36     |
| <i>Naprosyn SR750 (RO)</i> .....     | 35     |
| <b>NAPROXEN</b> .....                | 35     |
| <b>NAPROXEN SODIUM</b> .....         | 36     |
| <i>Nilstat (SI)</i> .....            | 20, 21 |
| <b>NITRAZEPAM</b> .....              | 43     |
| <i>Normison (SI)</i> .....           | 43     |
| <b>NYSTATIN</b> .....                | 20, 21 |

**O**

|                                          |        |
|------------------------------------------|--------|
| <i>Ordine 10 (MF)</i> .....              | 38     |
| <i>Ordine 2 (MF)</i> .....               | 38     |
| <i>Ordine 5 (MF)</i> .....               | 38     |
| <i>Orudis (SW)</i> .....                 | 35     |
| <i>Orudis SR 200 (SW)</i> .....          | 35     |
| <i>Oruvail SR (AV)</i> .....             | 35     |
| <b>OXAZEPAM</b> .....                    | 42     |
| <b>OXYCODONE</b> .....                   | 39     |
| <b>OXYCODONE HYDROCHLORIDE</b> .....     | 39     |
| <i>OxyContin (MF)</i> .....              | 39, 40 |
| <i>OxyNorm (MF)</i> .....                | 39     |
| <i>OxyNorm Liquid 5mg/5mL (MF)</i> ..... | 39     |
| <i>Ozcef (RA)</i> .....                  | 31     |

**P**

|                                               |        |
|-----------------------------------------------|--------|
| <i>Panadeine Forte (SW)</i> .....             | 37     |
| <i>Panamax (SW)</i> .....                     | 41, 42 |
| <i>Panamax 240 Elixir (SW)</i> .....          | 41     |
| <b>PARACETAMOL</b> .....                      | 41     |
| <i>Paracetamol Sandoz (SZ)</i> .....          | 41, 42 |
| <i>Paralgin (FM)</i> .....                    | 41, 42 |
| <i>Pfizer Australia Pty Ltd (PF)</i> .....    | 23, 46 |
| <i>Pharmacy Choice Paracetamol (YM)</i> ..... | 41, 42 |
| <b>PHENOXYMETHYLPENICILLIN</b> .....          | 27     |
| <b>PIROXICAM</b> .....                        | 35     |
| <i>Pramin (AF)</i> .....                      | 20     |
| <b>PROCAINE PENICILLIN</b> .....              | 28     |
| <i>ProCalm (SI)</i> .....                     | 20     |
| <b>PROCHLORPERAZINE</b> .....                 | 20     |
| <i>Prochlorperazine-GA (GM)</i> .....         | 20     |
| <i>Prodeine Forte (AV)</i> .....              | 37     |
| <i>Proladone (PL)</i> .....                   | 39     |
| <b>PROMETHAZINE HYDROCHLORIDE</b> .....       | 20     |
| <i>Proxen SR 1000 (MD)</i> .....              | 36     |
| <i>Proxen SR 750 (MD)</i> .....               | 35     |

**R**

|                                 |    |
|---------------------------------|----|
| <i>Rancef (RA)</i> .....        | 30 |
| <i>Ranmoxy (RA)</i> .....       | 27 |
| <i>Ranzepam (RA)</i> .....      | 42 |
| <i>Resprim (AF)</i> .....       | 31 |
| <i>Resprim Forte (AF)</i> ..... | 31 |
| <i>Roxar 150 (SI)</i> .....     | 32 |
| <i>Roxar 300 (SI)</i> .....     | 32 |
| <i>Roxide (SZ)</i> .....        | 32 |
| <i>Roximycin (AF)</i> .....     | 32 |
| <b>ROXITHROMYCIN</b> .....      | 32 |

|                                    |    |
|------------------------------------|----|
| <i>Roxithromycin-GA (GM)</i> ..... | 32 |
| <i>Rulide (SW)</i> .....           | 32 |
| <i>Rulide D (SW)</i> .....         | 32 |

## S

|                                    |        |
|------------------------------------|--------|
| <i>Seprin (SI)</i> .....           | 32     |
| <i>Seprin Forte (SI)</i> .....     | 31     |
| <i>Serepax (SI)</i> .....          | 42, 43 |
| <i>Sigmacort (SI)</i> .....        | 24     |
| SODIUM CHLORIDE .....              | 22, 46 |
| SODIUM CHLORIDE with GLUCOSE ..... | 22     |
| <i>Solprin (RC)</i> .....          | 41     |
| <i>Solu-Cortef (PF)</i> .....      | 25     |
| <i>Staphylex 250 (AF)</i> .....    | 28     |
| <i>Staphylex 500 (AF)</i> .....    | 28     |
| <i>Stemetil (SW)</i> .....         | 20     |
| <i>Stemzine (AV)</i> .....         | 20     |
| SULINDAC .....                     | 34     |

## T

|                                                                        |        |
|------------------------------------------------------------------------|--------|
| <i>Tegretol 100 (NV)</i> .....                                         | 42     |
| <i>Tegretol 200 (NV)</i> .....                                         | 42     |
| <i>Tegretol CR 200 (NV)</i> .....                                      | 42     |
| <i>Tegretol CR 400 (NV)</i> .....                                      | 42     |
| <i>Tegretol Liquid (NV)</i> .....                                      | 42     |
| <i>Temaze (AF)</i> .....                                               | 43     |
| TEMAZEPAM .....                                                        | 43     |
| <i>Temtabs (FM)</i> .....                                              | 43     |
| <i>Teril (AF)</i> .....                                                | 42     |
| <i>Terry White Chemists Amoxycillin (TW)</i> .....                     | 26, 27 |
| <i>Terry White Chemists Amoxycillin and Clavulanic Acid (TW)</i> ..... | 29     |
| <i>Terry White Chemists Cefaclor (TW)</i> .....                        | 31     |
| <i>Terry White Chemists Cefaclor CD (TW)</i> .....                     | 31     |
| <i>Terry White Chemists Cephalexin (TW)</i> .....                      | 30     |
| <i>Terry White Chemists Diclofenac (TW)</i> .....                      | 34     |
| <i>Terry White Chemists Doxycycline (TW)</i> .....                     | 26     |
| <i>Terry White Chemists Paracetamol (TW)</i> .....                     | 41, 42 |
| <i>Terry White Chemists Piroxicam (TW)</i> .....                       | 35     |
| <i>Terry White Chemists Roxithromycin (TW)</i> .....                   | 32     |
| <i>Terry White Chemists Tramadol (TW)</i> .....                        | 40     |

|                                                    |        |
|----------------------------------------------------|--------|
| <i>Terry White Chemists Tramadol SR (TW)</i> ..... | 40, 41 |
| TICARCILLIN with CLAVULANIC ACID .....             | 29     |
| <i>Timentin (GK)</i> .....                         | 29     |
| TRAMADOL HYDROCHLORIDE .....                       | 40, 41 |
| <i>Tramadol Sandoz (SZ)</i> .....                  | 40     |
| <i>Tramadol Sandoz SR (SZ)</i> .....               | 40, 41 |
| <i>Tramahexal (SZ)</i> .....                       | 41     |
| <i>Tramahexal SR (SZ)</i> .....                    | 40     |
| <i>Tramal (CS)</i> .....                           | 40     |
| <i>Tramal 100 (CS)</i> .....                       | 41     |
| <i>Tramal SR 100 (CS)</i> .....                    | 40     |
| <i>Tramal SR 150 (CS)</i> .....                    | 41     |
| <i>Tramal SR 200 (CS)</i> .....                    | 41     |
| <i>Tramal SR 50 (CS)</i> .....                     | 40     |
| <i>Tramedo (AF)</i> .....                          | 40     |
| <i>Tramedo SR 100 (AF)</i> .....                   | 40     |
| <i>Tramedo SR 150 (AF)</i> .....                   | 41     |
| <i>Tramedo SR 200 (AF)</i> .....                   | 41     |
| TRIAMCINOLONE ACETONIDE .....                      | 25     |
| TRIMETHOPRIM with SULFAMETHOXAZOLE .....           | 31     |

## V

|                                         |    |
|-----------------------------------------|----|
| <i>Valium (RO)</i> .....                | 42 |
| <i>Valpam 2 (SI)</i> .....              | 42 |
| <i>Valpam 5 (SI)</i> .....              | 42 |
| <i>Vancocin CP (AS)</i> .....           | 33 |
| VANCOMYCIN .....                        | 33 |
| <i>Vancomycin Alphapharm (AF)</i> ..... | 33 |
| <i>Vancomycin Sandoz (SZ)</i> .....     | 33 |
| <i>Vibramycin (PF)</i> .....            | 26 |
| <i>Voltaren 100 (NV)</i> .....          | 34 |
| <i>Voltaren 25 (NV)</i> .....           | 34 |
| <i>Voltaren 50 (NV)</i> .....           | 34 |

## Z

|                                |    |
|--------------------------------|----|
| <i>Zinnat (GK)</i> .....       | 31 |
| <i>Zydol (SI)</i> .....        | 40 |
| <i>Zydol SR 100 (SI)</i> ..... | 40 |
| <i>Zydol SR 150 (SI)</i> ..... | 41 |
| <i>Zydol SR 200 (SI)</i> ..... | 41 |