



Australian Government

Department of Health



Schedule of Pharmaceutical Benefits

Summary of Changes

Effective 1 January 2018



Fees, Patient Contributions and Safety Net Thresholds

The following fees, patient contributions and safety net thresholds apply as at 1 January 2018 and are included, where applicable, in prices published in the Schedule —

Dispensing Fees:	Ready-prepared	\$7.15
	Dangerous drug fee	\$3.01
	Extemporaneously-prepared	\$9.19
	Allowable additional patient charge*	\$4.45
Additional Fees (for safety net prices):	Ready-prepared	\$1.21
	Extemporaneously-prepared	\$1.57
Patient Co-payments:	General	\$39.50
	Concessional	\$6.40
Safety Net Thresholds:	General	\$1521.80
	Concessional	\$384.00
Safety Net Card Issue Fee:		\$9.91

* The allowable additional patient charge is a discretionary charge to general patients if a pharmaceutical item has a dispensed price for maximum quantity less than the general patient co-payment. The pharmacist may charge general patients the allowable additional fee but the fee cannot take the cost of the prescription above the general patient co-payment for the medicine. This fee does not count towards the Safety Net threshold.

Summary of Changes

These changes to the Schedule of Pharmaceutical Benefits are effective from 1 January 2018. The Schedule is updated on the first day of each month and is available on the internet at www.pbs.gov.au.

Prescriber Bag

Alterations

Alteration – Item Description

From

3453R **ATROPINE SULFATE**, ATROPINE Injection 600 micrograms in 1 mL, 10 (*Pfizer Australia Pty Ltd*)

To
3453R **ATROPINE SULFATE MONOHYDRATE**, atropine sulfate monohydrate 600 microgram/mL injection, 10 x 1 mL ampoules (*Pfizer Australia Pty Ltd*)

From

3466K **FRUSEMIDE**, frusemide 20 mg/2 mL injection, 5 x 2 mL ampoules (*Frusemide Sandoz, Frusemide-Clarix, Lasix*)

To
3466K **FUROSEMIDE (FRUSEMIDE)**, furosemide (frusemide) 20 mg/2 mL injection, 5 x 2 mL ampoules (*Frusemide Sandoz, Frusemide-Clarix, Lasix*)

From

3485K **PROCAINE PENICILLIN**, procaine penicillin 1.5 g/3.4 mL injection, 5 x 3.4 mL syringes (*Cilicaine*)

To
3485K **PROCAINE BENZYL PENICILLIN (PROCAINE PENICILLIN)**, procaine benzylpenicillin (procaine penicillin) 1.5 g/3.4 mL injection, 5 x 3.4 mL syringes (*Cilicaine*)

From

3477B **PROCHLORPERAZINE**, prochlorperazine mesylate 12.5 mg/mL injection, 10 x 1 mL ampoules (*Stemetil*)

To
3477B **PROCHLORPERAZINE**, prochlorperazine mesilate 12.5 mg/mL injection, 10 x 1 mL ampoules (*Stemetil*)

General Pharmaceutical Benefits

Additions

Addition – Item

11226W **ALECTINIB**, alectinib 150 mg capsule, 4 x 56 (*Alecensa*)

Addition – Brand

2343H *APO-Amiodarone, TX* – **AMIODARONE**, amiodarone hydrochloride 200 mg tablet, 30

1300K *Pharmacor Diclofenac 50, CR* – **DICLOFENAC**, diclofenac sodium 50 mg enteric tablet, 50

5077F *Pharmacor Diclofenac 50, CR* – **DICLOFENAC**, diclofenac sodium 50 mg enteric tablet, 50

8600P *Esomeprazole SZ, HX* – **ESOMEPRAZOLE**, esomeprazole 20 mg enteric tablet, 30

8886Q *Esomeprazole SZ, HX* – **ESOMEPRAZOLE**, esomeprazole 20 mg enteric tablet, 30

3401B *Esomeprazole SZ, HX* – **ESOMEPRAZOLE**, esomeprazole 40 mg enteric tablet, 30

8601Q *Esomeprazole SZ, HX* – **ESOMEPRAZOLE**, esomeprazole 40 mg enteric tablet, 30

5292M *APO-Olmesartan/Amlodipine 20/5, TX* – **OLMESARTAN MEDOXOMIL + AMLODIPINE**, olmesartan medoxomil 20 mg + amlodipine 5 mg tablet, 30

5293N *APO-Olmesartan/Amlodipine 40/5, TX* – **OLMESARTAN MEDOXOMIL + AMLODIPINE**, olmesartan medoxomil 40 mg + amlodipine 5 mg tablet, 30

5294P	<i>APO-Olmesartan/Amlodipine 40/10, TX</i> – OLMESARTAN MEDOXOMIL + AMLODIPINE , olmesartan medoxomil 40 mg + amlodipine 10 mg tablet, 30
8331L	<i>Pharmacor Omeprazole, CR</i> – OMEPRAZOLE , omeprazole 20 mg enteric tablet, 30
8333N	<i>Pharmacor Omeprazole, CR</i> – OMEPRAZOLE , omeprazole 20 mg enteric tablet, 30
2590H	<i>Pharmacor Rosuvastatin 5, CR</i> – ROSUVASTATIN , rosuvastatin 5 mg tablet, 30
2606E	<i>Pharmacor Rosuvastatin 5, CR</i> – ROSUVASTATIN , rosuvastatin 5 mg tablet, 30
3402C	<i>Pharmacor Rosuvastatin 5, CR</i> – ROSUVASTATIN , rosuvastatin 5 mg tablet, 30
9042X	<i>Pharmacor Rosuvastatin 5, CR</i> – ROSUVASTATIN , rosuvastatin 5 mg tablet, 30
2584B	<i>Pharmacor Rosuvastatin 10, CR</i> – ROSUVASTATIN , rosuvastatin 10 mg tablet, 30
2628H	<i>Pharmacor Rosuvastatin 10, CR</i> – ROSUVASTATIN , rosuvastatin 10 mg tablet, 30
3403D	<i>Pharmacor Rosuvastatin 10, CR</i> – ROSUVASTATIN , rosuvastatin 10 mg tablet, 30
9043Y	<i>Pharmacor Rosuvastatin 10, CR</i> – ROSUVASTATIN , rosuvastatin 10 mg tablet, 30
2574L	<i>Pharmacor Rosuvastatin 20, CR</i> – ROSUVASTATIN , rosuvastatin 20 mg tablet, 30
2609H	<i>Pharmacor Rosuvastatin 20, CR</i> – ROSUVASTATIN , rosuvastatin 20 mg tablet, 30
3404E	<i>Pharmacor Rosuvastatin 20, CR</i> – ROSUVASTATIN , rosuvastatin 20 mg tablet, 30
9044B	<i>Pharmacor Rosuvastatin 20, CR</i> – ROSUVASTATIN , rosuvastatin 20 mg tablet, 30
2594M	<i>Pharmacor Rosuvastatin 40, CR</i> – ROSUVASTATIN , rosuvastatin 40 mg tablet, 30
2636R	<i>Pharmacor Rosuvastatin 40, CR</i> – ROSUVASTATIN , rosuvastatin 40 mg tablet, 30
3405F	<i>Pharmacor Rosuvastatin 40, CR</i> – ROSUVASTATIN , rosuvastatin 40 mg tablet, 30
9045C	<i>Pharmacor Rosuvastatin 40, CR</i> – ROSUVASTATIN , rosuvastatin 40 mg tablet, 30
2289L	<i>Valpro EC 200, AF</i> – VALPROATE , valproate sodium 200 mg enteric tablet, 100
2290M	<i>Valpro EC 500, AF</i> – VALPROATE , valproate sodium 500 mg enteric tablet, 100

Deletions

Deletion – Item

1411G	AMINO ACID FORMULA WITH VITAMINS AND MINERALS WITHOUT PHENYLALANINE , AMINO ACID FORMULA with VITAMINS and MINERALS without PHENYLALANINE Sachets 18.2 g, 60, 1 (<i>add-ins</i>)
1127H	CROMOGLYCATE , sodium cromoglycate 2% eye drops, 10 mL (<i>Opticrom</i>)
5529B	CROMOGLYCATE , sodium cromoglycate 2% eye drops, 10 mL (<i>Opticrom</i>)
2341F	TESTOSTERONE , testosterone 2% (30 mg/actuation) solution, 60 actuations (<i>Axiron</i>)

Deletion – Brand

1892N	<i>Augmentin, AS</i> – AMOXYCILLIN + CLAVULANIC ACID , amoxicillin 125 mg/5 mL + clavulanic acid 31.25 mg/5 mL powder for oral liquid, 75 mL
5009P	<i>Augmentin, AS</i> – AMOXYCILLIN + CLAVULANIC ACID , amoxicillin 125 mg/5 mL + clavulanic acid 31.25 mg/5 mL powder for oral liquid, 75 mL
1081X	<i>Atenolol RBX, RA</i> – ATENOLOL , atenolol 50 mg tablet, 30
2655R	<i>lalex, LN</i> – CEPHALEXIN , cephalexin 250 mg capsule, 20
3058Y	<i>lalex, LN</i> – CEPHALEXIN , cephalexin 250 mg capsule, 20
3317N	<i>lalex, LN</i> – CEPHALEXIN , cephalexin 250 mg capsule, 20
10778G	<i>lalex, LN</i> – CEPHALEXIN , cephalexin 500 mg capsule, 20
3119E	<i>lalex, LN</i> – CEPHALEXIN , cephalexin 500 mg capsule, 20
3318P	<i>lalex, LN</i> – CEPHALEXIN , cephalexin 500 mg capsule, 20
3094W	<i>lalex, LN</i> – CEPHALEXIN , cephalexin 125 mg/5 mL powder for oral liquid, 100 mL
3319Q	<i>lalex, LN</i> – CEPHALEXIN , cephalexin 125 mg/5 mL powder for oral liquid, 100 mL
3095X	<i>lalex, LN</i> – CEPHALEXIN , cephalexin 250 mg/5 mL powder for oral liquid, 100 mL
3320R	<i>lalex, LN</i> – CEPHALEXIN , cephalexin 250 mg/5 mL powder for oral liquid, 100 mL
1512N	<i>Chem mart Hydroxychloroquine, CH</i> – HYDROXYCHLOROQUINE , hydroxychloroquine sulfate 200 mg tablet, 100

1512N	<i>Terry White Chemists Hydroxychloroquine, TW</i> – HYDROXYCHLOROQUINE , hydroxychloroquine sulfate 200 mg tablet, 100
2848X	<i>Lamidus, RA</i> – LAMOTRIGINE , lamotrigine 25 mg tablet, 56
2849Y	<i>Lamidus, RA</i> – LAMOTRIGINE , lamotrigine 50 mg tablet, 56
2850B	<i>Lamidus, RA</i> – LAMOTRIGINE , lamotrigine 100 mg tablet, 56
2851C	<i>Lamidus, RA</i> – LAMOTRIGINE , lamotrigine 200 mg tablet, 56
1956Y	<i>Memantine RBX, RA</i> – MEMANTINE , memantine hydrochloride 10 mg tablet, 56
2492E	<i>Memantine RBX, RA</i> – MEMANTINE , memantine hydrochloride 10 mg tablet, 56
2513G	<i>Memantine RBX, RA</i> – MEMANTINE , memantine hydrochloride 20 mg tablet, 28
9306T	<i>Memantine RBX, RA</i> – MEMANTINE , memantine hydrochloride 20 mg tablet, 28
2430X	<i>Metformin Ranbaxy, RA</i> – METFORMIN , metformin hydrochloride 500 mg tablet, 100
2289L	<i>Valpro 200, AF</i> – VALPROATE , valproate sodium 200 mg enteric tablet, 100
2290M	<i>Valpro 500, AF</i> – VALPROATE , valproate sodium 500 mg enteric tablet, 100

Deletion – Caution

8697R	ADRENALINE , adrenaline 150 microgram/0.3 mL injection, 1 dose (<i>EpiPen Jr.</i>)
8698T	ADRENALINE , adrenaline 300 microgram/0.3 mL injection, 1 dose (<i>EpiPen</i>)

Alterations

Alteration – Item Description

From

10565C **ACLIDINIUM + EFORMOTEROL**, acclidinium 340 microgram/actuation + eformoterol fumarate dihydrate 12 microgram/actuation inhalation: powder for, 60 actuations (*Brimica Genuair*)

To

10565C **ACLIDINIUM + FORMOTEROL (EFORMOTEROL)**, acclidinium 340 microgram/actuation + formoterol (eformoterol) fumarate dihydrate 12 microgram/actuation inhalation: powder for, 60 actuations (*Brimica Genuair*)

From

8503M **ALBENDAZOLE**, albendazole 200 mg chewable tablet, 6 (*Zentel*)

To

8503M **ALBENDAZOLE**, albendazole 200 mg tablet, 6 (*Zentel*)

From

9047E **ALBENDAZOLE**, albendazole 200 mg chewable tablet, 6 (*Zentel*)

To

9047E **ALBENDAZOLE**, albendazole 200 mg tablet, 6 (*Zentel*)

From

8459F **ALBENDAZOLE**, albendazole 400 mg chewable tablet, 60 (*Eskazole*)

To

8459F **ALBENDAZOLE**, albendazole 400 mg tablet, 60 (*Eskazole*)

From

9183H **ALENDRONATE + COLECALCIFEROL**, alendronate 70 mg + colecalciferol 140 microgram tablet, 4 (*APO-Alendronate Plus D3 70 mg/140 mcg, Alendronate Plus D3 Sandoz, Alendronate plus D3-DRLA, Chem mart Alendronate Plus D3 70 mg/140 mcg, Dronalen Plus, FonatPlus, Fosamax Plus 70 mg/140 mcg, Terry White Chemists Alendronate Plus D3 70 mg/140 mcg*)

To

9183H **ALENDRONATE + COLECALCIFEROL**, alendronate 70 mg + colecalciferol 140 microgram (5600 units) tablet, 4 (*APO-Alendronate Plus D3 70 mg/140 mcg, Alendronate Plus D3 Sandoz, Alendronate plus D3-DRLA, Chem mart Alendronate Plus D3 70 mg/140 mcg, Dronalen Plus, FonatPlus, Fosamax Plus 70 mg/140 mcg, Terry White Chemists Alendronate Plus D3 70 mg/140 mcg*)

From

1486F **AMILORIDE + HYDROCHLOROTHIAZIDE**, amiloride hydrochloride 5 mg + hydrochlorothiazide 50 mg tablet, 50 (*Moduretic*)

To

1486F **AMILORIDE + HYDROCHLOROTHIAZIDE**, amiloride hydrochloride dihydrate 5 mg + hydrochlorothiazide 50 mg tablet, 50 (*Moduretic*)

From

1884E **AMOXYCILLIN**, amoxicillin 250 mg capsule, 20 (*APO-Amoxicillin, Alphamox 250, Amoxil, Amoxicillin AN, Amoxicillin Ranbaxy, Amoxicillin Sandoz, Cilamox, Yomax 250*)

To 1884E	AMOXICILLIN , amoxicillin 250 mg capsule, 20 (APO-Amoxycillin, Alphamox 250, Amoxil, Amoxycillin AN, Amoxycillin Ranbaxy, Amoxycillin Sandoz, Cilamox, Yomax 250)
From 3301R	AMOXYCILLIN , amoxycillin 250 mg capsule, 20 (APO-Amoxycillin, Alphamox 250, Amoxil, Amoxycillin AN, Amoxycillin Ranbaxy, Amoxycillin Sandoz, Cilamox, Yomax 250)
To 3301R	AMOXICILLIN , amoxicillin 250 mg capsule, 20 (APO-Amoxycillin, Alphamox 250, Amoxil, Amoxycillin AN, Amoxycillin Ranbaxy, Amoxycillin Sandoz, Cilamox, Yomax 250)
From 1889K	AMOXYCILLIN , amoxycillin 500 mg capsule, 20 (APO-Amoxycillin, Alphamox 500, Amoxil, Amoxycillin AN, Amoxycillin Ranbaxy, Amoxycillin Sandoz, Amoxycillin generichealth 500, Cilamox, Yomax 500)
To 1889K	AMOXICILLIN , amoxicillin 500 mg capsule, 20 (APO-Amoxycillin, Alphamox 500, Amoxil, Amoxycillin AN, Amoxycillin Ranbaxy, Amoxycillin Sandoz, Amoxycillin generichealth 500, Cilamox, Yomax 500)
From 3300Q	AMOXYCILLIN , amoxycillin 500 mg capsule, 20 (APO-Amoxycillin, Alphamox 500, Amoxil, Amoxycillin AN, Amoxycillin Ranbaxy, Amoxycillin Sandoz, Amoxycillin generichealth 500, Cilamox, Yomax 500)
To 3300Q	AMOXICILLIN , amoxicillin 500 mg capsule, 20 (APO-Amoxycillin, Alphamox 500, Amoxil, Amoxycillin AN, Amoxycillin Ranbaxy, Amoxycillin Sandoz, Amoxycillin generichealth 500, Cilamox, Yomax 500)
From 1888J	AMOXYCILLIN , amoxycillin 100 mg/mL powder for oral liquid, 20 mL (Amoxil)
To 1888J	AMOXICILLIN , amoxicillin 100 mg/mL powder for oral liquid, 20 mL (Amoxil)
From 3310F	AMOXYCILLIN , amoxycillin 100 mg/mL powder for oral liquid, 20 mL (Amoxil)
To 3310F	AMOXICILLIN , amoxicillin 100 mg/mL powder for oral liquid, 20 mL (Amoxil)
From 9714G	AMOXYCILLIN , amoxycillin 100 mg/mL powder for oral liquid, 20 mL (Amoxil)
To 9714G	AMOXICILLIN , amoxicillin 100 mg/mL powder for oral liquid, 20 mL (Amoxil)
From 1886G	AMOXYCILLIN , amoxycillin 125 mg/5 mL powder for oral liquid, 100 mL (APO-Amoxycillin, Alphamox 125, Amoxil, Amoxycillin Sandoz, Ranmoxy)
To 1886G	AMOXICILLIN , amoxicillin 125 mg/5 mL powder for oral liquid, 100 mL (APO-Amoxycillin, Alphamox 125, Amoxil, Amoxycillin Sandoz, Ranmoxy)
From 3302T	AMOXYCILLIN , amoxycillin 125 mg/5 mL powder for oral liquid, 100 mL (APO-Amoxycillin, Alphamox 125, Amoxil, Amoxycillin Sandoz, Ranmoxy)
To 3302T	AMOXICILLIN , amoxicillin 125 mg/5 mL powder for oral liquid, 100 mL (APO-Amoxycillin, Alphamox 125, Amoxil, Amoxycillin Sandoz, Ranmoxy)
From 1887H	AMOXYCILLIN , amoxycillin 250 mg/5 mL powder for oral liquid, 100 mL (APO-Amoxycillin, Alphamox 250, Amoxil Forte, Amoxycillin Sandoz, Cilamox, Ranmoxy)
To 1887H	AMOXICILLIN , amoxicillin 250 mg/5 mL powder for oral liquid, 100 mL (APO-Amoxycillin, Alphamox 250, Amoxil Forte, Amoxycillin Sandoz, Cilamox, Ranmoxy)
From 3393N	AMOXYCILLIN , amoxycillin 250 mg/5 mL powder for oral liquid, 100 mL (APO-Amoxycillin, Alphamox 250, Amoxil Forte, Amoxycillin Sandoz, Cilamox, Ranmoxy)
To 3393N	AMOXICILLIN , amoxicillin 250 mg/5 mL powder for oral liquid, 100 mL (APO-Amoxycillin, Alphamox 250, Amoxil Forte, Amoxycillin Sandoz, Cilamox, Ranmoxy)
From 5225B	AMOXYCILLIN , amoxycillin 500 mg/5 mL powder for oral liquid, 100 mL (Maxamox)
To 5225B	AMOXICILLIN , amoxicillin 500 mg/5 mL powder for oral liquid, 100 mL (Maxamox)
From 8705E	AMOXYCILLIN , amoxycillin 500 mg/5 mL powder for oral liquid, 100 mL (Maxamox)

To
8705E **AMOXICILLIN**, amoxicillin 500 mg/5 mL powder for oral liquid, 100 mL (*Maxamox*)

From
8581P **AMOXYCILLIN**, amoxycillin 1 g tablet, 14 (*Amoxycillin Sandoz, Maxamox*)

To
8581P **AMOXICILLIN**, amoxicillin 1 g tablet, 14 (*Amoxycillin Sandoz, Maxamox*)

From
1892N **AMOXYCILLIN + CLAVULANIC ACID**, amoxycillin 125 mg/5 mL + clavulanic acid 31.25 mg/5 mL powder for oral liquid, 75 mL (*APO-Amoxycillin and Clavulanic Acid 125/31.25, Curam*)

To
1892N **AMOXICILLIN + CLAVULANIC ACID**, amoxicillin 125 mg/5 mL + clavulanic acid 31.25 mg/5 mL powder for oral liquid, 75 mL (*APO-Amoxycillin and Clavulanic Acid 125/31.25, Curam*)

From
5009P **AMOXYCILLIN + CLAVULANIC ACID**, amoxycillin 125 mg/5 mL + clavulanic acid 31.25 mg/5 mL powder for oral liquid, 75 mL (*APO-Amoxycillin and Clavulanic Acid 125/31.25, Curam*)

To
5009P **AMOXICILLIN + CLAVULANIC ACID**, amoxicillin 125 mg/5 mL + clavulanic acid 31.25 mg/5 mL powder for oral liquid, 75 mL (*APO-Amoxycillin and Clavulanic Acid 125/31.25, Curam*)

From
5011R **AMOXYCILLIN + CLAVULANIC ACID**, amoxycillin 400 mg/5 mL + clavulanic acid 57 mg/5 mL powder for oral liquid, 60 mL (*APO-Amoxycillin and Clavulanic Acid 400/57, Augmentin Duo 400, Curam Duo*)

To
5011R **AMOXICILLIN + CLAVULANIC ACID**, amoxicillin 400 mg/5 mL + clavulanic acid 57 mg/5 mL powder for oral liquid, 60 mL (*APO-Amoxycillin and Clavulanic Acid 400/57, Augmentin Duo 400, Curam Duo*)

From
8319W **AMOXYCILLIN + CLAVULANIC ACID**, amoxycillin 400 mg/5 mL + clavulanic acid 57 mg/5 mL powder for oral liquid, 60 mL (*APO-Amoxycillin and Clavulanic Acid 400/57, Augmentin Duo 400, Curam Duo*)

To
8319W **AMOXICILLIN + CLAVULANIC ACID**, amoxicillin 400 mg/5 mL + clavulanic acid 57 mg/5 mL powder for oral liquid, 60 mL (*APO-Amoxycillin and Clavulanic Acid 400/57, Augmentin Duo 400, Curam Duo*)

From
1891M **AMOXYCILLIN + CLAVULANIC ACID**, amoxycillin 500 mg + clavulanic acid 125 mg tablet, 10 (*AMCLAVOX DUO 500/125, AMOXICLAV AMNEAL 500/125, APO-Amoxycillin/ Clavulanic Acid 500/125, AlphaClav Duo, Amoxyclav AN 500/125, Augmentin Duo, Curam Duo 500/125, Moxiclav Duo 500/125*)

To
1891M **AMOXICILLIN + CLAVULANIC ACID**, amoxicillin 500 mg + clavulanic acid 125 mg tablet, 10 (*AMCLAVOX DUO 500/125, AMOXICLAV AMNEAL 500/125, APO-Amoxycillin/ Clavulanic Acid 500/125, AlphaClav Duo, Amoxyclav AN 500/125, Augmentin Duo, Curam Duo 500/125, Moxiclav Duo 500/125*)

From
5008N **AMOXYCILLIN + CLAVULANIC ACID**, amoxycillin 500 mg + clavulanic acid 125 mg tablet, 10 (*AMCLAVOX DUO 500/125, AMOXICLAV AMNEAL 500/125, APO-Amoxycillin/ Clavulanic Acid 500/125, AlphaClav Duo, Amoxyclav AN 500/125, Augmentin Duo, Curam Duo 500/125, Moxiclav Duo 500/125*)

To
5008N **AMOXICILLIN + CLAVULANIC ACID**, amoxicillin 500 mg + clavulanic acid 125 mg tablet, 10 (*AMCLAVOX DUO 500/125, AMOXICLAV AMNEAL 500/125, APO-Amoxycillin/ Clavulanic Acid 500/125, AlphaClav Duo, Amoxyclav AN 500/125, Augmentin Duo, Curam Duo 500/125, Moxiclav Duo 500/125*)

From
5006L **AMOXYCILLIN + CLAVULANIC ACID**, amoxycillin 875 mg + clavulanic acid 125 mg tablet, 10 (*AMCLAVOX DUO FORTE 875/125, AMOXICLAV AMNEAL 875/125, APO-Amoxycillin and Clavulanic Acid, AlphaClav Duo Forte, AmoxyClav GH 875/125, AmoxyClav generichealth 875/125, Amoxyclav AN 875/125, Augmentin Duo forte, Chem mart Amoxycillin and Clavulanic Acid, Clavam 875 mg/125 mg, Curam Duo Forte 875/125, Moxiclav Duo Forte 875/125, Terry White Chemists Amoxycillin and Clavulanic Acid*)

To
5006L **AMOXICILLIN + CLAVULANIC ACID**, amoxicillin 875 mg + clavulanic acid 125 mg tablet, 10 (*AMCLAVOX DUO FORTE 875/125, AMOXICLAV AMNEAL 875/125, APO-Amoxycillin and Clavulanic Acid, AlphaClav Duo Forte, AmoxyClav GH 875/125, AmoxyClav generichealth 875/125, Amoxyclav AN 875/125, Augmentin Duo forte, Chem mart Amoxycillin and Clavulanic Acid, Clavam 875 mg/125 mg, Curam Duo Forte 875/125, Moxiclav Duo Forte 875/125, Terry White Chemists Amoxycillin and Clavulanic Acid*)

From
8254K **AMOXYCILLIN + CLAVULANIC ACID**, amoxycillin 875 mg + clavulanic acid 125 mg tablet, 10 (*AMCLAVOX DUO FORTE 875/125, AMOXICLAV AMNEAL 875/125, APO-Amoxycillin and Clavulanic Acid, AlphaClav Duo Forte, AmoxyClav GH 875/125, AmoxyClav generichealth 875/125, Amoxyclav AN 875/125, Augmentin Duo forte, Chem mart Amoxycillin and Clavulanic Acid, Clavam 875 mg/125 mg, Curam Duo Forte 875/125, Moxiclav Duo Forte 875/125, Terry White Chemists Amoxycillin and Clavulanic Acid*)

To 8254K	AMOXICILLIN + CLAVULANIC ACID , amoxicillin 875 mg + clavulanic acid 125 mg tablet, 10 (<i>AMCLAVOX DUO FORTE 875/125, AMOXICLAV AMNEAL 875/125, APO-Amoxycillin and Clavulanic Acid, AlphaClav Duo Forte, AmoxyClav GH 875/125, AmoxyClav generichealth 875/125, Amoxyclav AN 875/125, Augmentin Duo forte, Chem mart Amoxycillin and Clavulanic Acid, Clavam 875 mg/125 mg, Curam Duo Forte 875/125, Moxiclav Duo Forte 875/125, Terry White Chemists Amoxycillin and Clavulanic Acid</i>)
From 1093M	ATROPINE SULFATE , ATROPINE Eye drops containing atropine sulfate 10 mg per mL (1%), 15 mL, 1 (<i>Atropt</i>)
To 1093M	ATROPINE SULFATE MONOHYDRATE , atropine sulfate monohydrate 1% eye drops, 15 mL (<i>Atropt</i>)
From 1089H	ATROPINE SULFATE , ATROPINE Injection 600 micrograms in 1 mL, 10 (<i>Pfizer Australia Pty Ltd</i>)
To 1089H	ATROPINE SULFATE MONOHYDRATE , atropine sulfate monohydrate 600 microgram/mL injection, 10 x 1 mL ampoules (<i>Pfizer Australia Pty Ltd</i>)
From 5022H	ATROPINE SULFATE , ATROPINE Injection 600 micrograms in 1 mL, 10 (<i>Pfizer Australia Pty Ltd</i>)
To 5022H	ATROPINE SULFATE MONOHYDRATE , atropine sulfate monohydrate 600 microgram/mL injection, 10 x 1 mL ampoules (<i>Pfizer Australia Pty Ltd</i>)
From 8408M	BECLOMETASONE , BECLOMETHASONE DIPROPIONATE Oral pressurised inhalation in breath actuated device 50 micrograms per dose (200 doses), CFC-free formulation, 1 (<i>Qvar 50 Autohaler</i>)
To 8408M	BECLOMETASONE , beclometasone dipropionate 50 microgram/actuation breath activated inhalation, 200 actuations (<i>Qvar 50 Autohaler</i>)
From 8409N	BECLOMETASONE , BECLOMETHASONE DIPROPIONATE Oral pressurised inhalation in breath actuated device 100 micrograms per dose (200 doses), CFC-free formulation, 1 (<i>Qvar 100 Autohaler</i>)
To 8409N	BECLOMETASONE , beclometasone dipropionate 100 microgram/actuation breath activated inhalation, 200 actuations (<i>Qvar 100 Autohaler</i>)
From 10024N	BUDESONIDE + EFORMOTEROL , budesonide 50 microgram/actuation + eformoterol fumarate dihydrate 3 microgram/actuation pressurised inhalation, 120 actuations (<i>Symbicort Rapihaler 50/3</i>)
To 10024N	BUDESONIDE + FORMOTEROL (EFORMOTEROL) , budesonide 50 microgram/actuation + formoterol (eformoterol) fumarate dihydrate 3 microgram/actuation pressurised inhalation, 120 actuations (<i>Symbicort Rapihaler 50/3</i>)
From 10015D	BUDESONIDE + EFORMOTEROL , budesonide 100 microgram/actuation + eformoterol fumarate dihydrate 3 microgram/actuation pressurised inhalation, 120 actuations (<i>Symbicort Rapihaler 100/3</i>)
To 10015D	BUDESONIDE + FORMOTEROL (EFORMOTEROL) , budesonide 100 microgram/actuation + formoterol (eformoterol) fumarate dihydrate 3 microgram/actuation pressurised inhalation, 120 actuations (<i>Symbicort Rapihaler 100/3</i>)
From 10018G	BUDESONIDE + EFORMOTEROL , budesonide 200 microgram/actuation + eformoterol fumarate dihydrate 6 microgram/actuation pressurised inhalation, 120 actuations (<i>Symbicort Rapihaler 200/6</i>)
To 10018G	BUDESONIDE + FORMOTEROL (EFORMOTEROL) , budesonide 200 microgram/actuation + formoterol (eformoterol) fumarate dihydrate 6 microgram/actuation pressurised inhalation, 120 actuations (<i>Symbicort Rapihaler 200/6</i>)
From 8796Y	BUDESONIDE + EFORMOTEROL , budesonide 100 microgram/actuation + eformoterol fumarate dihydrate 6 microgram/actuation powder for inhalation, 120 actuations (<i>Symbicort Turbuhaler 100/6</i>)
To 8796Y	BUDESONIDE + FORMOTEROL (EFORMOTEROL) , budesonide 100 microgram/actuation + formoterol (eformoterol) fumarate dihydrate 6 microgram/actuation powder for inhalation, 120 actuations (<i>Symbicort Turbuhaler 100/6</i>)
From 8625Y	BUDESONIDE + EFORMOTEROL , budesonide 200 microgram/actuation + eformoterol fumarate dihydrate 6 microgram/actuation powder for inhalation, 120 actuations (<i>Symbicort Turbuhaler 200/6</i>)

To
8625Y **BUDESONIDE + FORMOTEROL (EFORMOTEROL)**, budesonide 200 microgram/actuation + formoterol (eformoterol) fumarate dihydrate 6 microgram/actuation powder for inhalation, 120 actuations (*Symbicort Turbuhaler 200/6*)

From
8750M **BUDESONIDE + EFORMOTEROL**, budesonide 400 microgram/actuation + eformoterol fumarate dihydrate 12 microgram/actuation powder for inhalation, 120 actuations (*Symbicort Turbuhaler 400/12*)

To
8750M **BUDESONIDE + FORMOTEROL (EFORMOTEROL)**, budesonide 400 microgram/actuation + formoterol (eformoterol) fumarate dihydrate 12 microgram/actuation powder for inhalation, 120 actuations (*Symbicort Turbuhaler 400/12*)

From
2997R **SALCATONIN**, salcatonin 100 units/mL injection, 5 x 1 mL ampoules (*Miacalcic 100*)

To
2997R **CALCITONIN SALMON (SALCATONIN)**, calcitonin salmon (salcatonin) 100 units/mL injection, 5 x 1 mL ampoules (*Miacalcic 100*)

From
2655R **CEPHALEXIN**, cephalexin 250 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 250, Cephalexin AN, Ibilex 250, Keflex, Rancef*)

To
2655R **CEFALEXIN**, cefalexin 250 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 250, Cephalexin AN, Ibilex 250, Keflex, Rancef*)

From
3058Y **CEPHALEXIN**, cephalexin 250 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 250, Cephalexin AN, Ibilex 250, Keflex, Rancef*)

To
3058Y **CEFALEXIN**, cefalexin 250 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 250, Cephalexin AN, Ibilex 250, Keflex, Rancef*)

From
3317N **CEPHALEXIN**, cephalexin 250 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 250, Cephalexin AN, Ibilex 250, Keflex, Rancef*)

To
3317N **CEFALEXIN**, cefalexin 250 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 250, Cephalexin AN, Ibilex 250, Keflex, Rancef*)

From
10778G **CEPHALEXIN**, cephalexin 500 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 500, Cephalexin AN, Cephalexin generichealth, Ibilex 500, Keflex, Rancef*)

To
10778G **CEFALEXIN**, cefalexin 500 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 500, Cephalexin AN, Cephalexin generichealth, Ibilex 500, Keflex, Rancef*)

From
3119E **CEPHALEXIN**, cephalexin 500 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 500, Cephalexin AN, Cephalexin generichealth, Ibilex 500, Keflex, Rancef*)

To
3119E **CEFALEXIN**, cefalexin 500 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 500, Cephalexin AN, Cephalexin generichealth, Ibilex 500, Keflex, Rancef*)

From
3318P **CEPHALEXIN**, cephalexin 500 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 500, Cephalexin AN, Cephalexin generichealth, Ibilex 500, Keflex, Rancef*)

To
3318P **CEFALEXIN**, cefalexin 500 mg capsule, 20 (*APO-Cephalexin, Cefalexin Sandoz, Cephalex 500, Cephalexin AN, Cephalexin generichealth, Ibilex 500, Keflex, Rancef*)

From
3094W **CEPHALEXIN**, cephalexin 125 mg/5 mL powder for oral liquid, 100 mL (*Cefalexin Sandoz, Ibilex 125, Keflex*)

To
3094W **CEFALEXIN**, cefalexin 125 mg/5 mL powder for oral liquid, 100 mL (*Cefalexin Sandoz, Ibilex 125, Keflex*)

From
3319Q **CEPHALEXIN**, cephalexin 125 mg/5 mL powder for oral liquid, 100 mL (*Cefalexin Sandoz, Ibilex 125, Keflex*)

To
3319Q **CEFALEXIN**, cefalexin 125 mg/5 mL powder for oral liquid, 100 mL (*Cefalexin Sandoz, Ibilex 125, Keflex*)

From
3095X **CEPHALEXIN**, cephalexin 250 mg/5 mL powder for oral liquid, 100 mL (*Cefalexin Sandoz, Ibilex 250, Keflex*)

To
3095X **CEFALEXIN**, cefalexin 250 mg/5 mL powder for oral liquid, 100 mL (*Cefalexin Sandoz, Ibilex 250, Keflex*)

From
 3320R **CEPHALEXIN**, cephalexin 250 mg/5 mL powder for oral liquid, 100 mL (*Cefalexin Sandoz, Ibilex 250, Keflex*)
 To
 3320R **CEFALEXIN**, cefalexin 250 mg/5 mL powder for oral liquid, 100 mL (*Cefalexin Sandoz, Ibilex 250, Keflex*)

From
 1256D **CEPHAZOLIN**, cephalazolin 500 mg injection, 5 vials (*Cefazolin-AFT*)
 To
 1256D **CEFAZOLIN**, cefazolin 500 mg injection, 5 vials (*Cefazolin-AFT*)

From
 5477G **CEPHAZOLIN**, cephalazolin 500 mg injection, 5 vials (*Cefazolin-AFT*)
 To
 5477G **CEFAZOLIN**, cefazolin 500 mg injection, 5 vials (*Cefazolin-AFT*)

From
 1257E **CEPHAZOLIN**, cephalazolin 1 g injection, 10 vials (*Cefazolin Sandoz*)
 To
 1257E **CEFAZOLIN**, cefazolin 1 g injection, 10 vials (*Cefazolin Sandoz*)

From
 1797N **CEPHAZOLIN**, cephalazolin 1 g injection, 5 vials (*Cefazolin-AFT, Hospira Cefazolin Sodium*)
 To
 1797N **CEFAZOLIN**, cefazolin 1 g injection, 5 vials (*Cefazolin-AFT, Hospira Cefazolin Sodium*)

From
 1799Q **CEPHAZOLIN**, cephalazolin 1 g injection, 5 vials (*Cefazolin-AFT, Hospira Cefazolin Sodium*)
 To
 1799Q **CEFAZOLIN**, cefazolin 1 g injection, 5 vials (*Cefazolin-AFT, Hospira Cefazolin Sodium*)

From
 5478H **CEPHAZOLIN**, cephalazolin 1 g injection, 10 vials (*Cefazolin Sandoz*)
 To
 5478H **CEFAZOLIN**, cefazolin 1 g injection, 10 vials (*Cefazolin Sandoz*)

From
 5479J **CEPHAZOLIN**, cephalazolin 2 g injection, 1 vial (*Cephazolin Alphapharm*)
 To
 5479J **CEFAZOLIN**, cefazolin 2 g injection, 1 vial (*Cephazolin Alphapharm*)

From
 9326W **CEPHAZOLIN**, cephalazolin 2 g injection, 1 vial (*Cephazolin Alphapharm*)
 To
 9326W **CEFAZOLIN**, cefazolin 2 g injection, 1 vial (*Cephazolin Alphapharm*)

From
 1585K **CHLORTHALIDONE**, chlorthalidone 25 mg tablet, 50 (*Hygroton 25*)
 To
 1585K **CHLORTALIDONE**, chlortalidone 25 mg tablet, 50 (*Hygroton 25*)

From
 8657P **CYCLOSPORIN**, cyclosporin 10 mg capsule, 60 (*Neoral 10*)
 To
 8657P **CICLOSPORIN**, ciclosporin 10 mg capsule, 60 (*Neoral 10*)

From
 8658Q **CYCLOSPORIN**, cyclosporin 25 mg capsule, 30 (*Cyclosporin Sandoz, Neoral 25*)
 To
 8658Q **CICLOSPORIN**, ciclosporin 25 mg capsule, 30 (*Cyclosporin Sandoz, Neoral 25*)

From
 8659R **CYCLOSPORIN**, cyclosporin 50 mg capsule, 30 (*Cyclosporin Sandoz, Neoral 50*)
 To
 8659R **CICLOSPORIN**, ciclosporin 50 mg capsule, 30 (*Cyclosporin Sandoz, Neoral 50*)

From
 8660T **CYCLOSPORIN**, cyclosporin 100 mg capsule, 30 (*Cyclosporin Sandoz, Neoral 100*)
 To
 8660T **CICLOSPORIN**, ciclosporin 100 mg capsule, 30 (*Cyclosporin Sandoz, Neoral 100*)

From
 8661W **CYCLOSPORIN**, cyclosporin 100 mg/mL oral liquid, 50 mL (*Neoral*)
 To
 8661W **CICLOSPORIN**, ciclosporin 100 mg/mL oral liquid, 50 mL (*Neoral*)

From
1214X **CODEINE**, codeine phosphate 30 mg tablet, 20 (*Fawns and McAllan Proprietary Limited*)
To
1214X **CODEINE**, codeine phosphate hemihydrate 30 mg tablet, 20 (*Fawns and McAllan Proprietary Limited*)

From
5063L **CODEINE**, codeine phosphate 30 mg tablet, 20 (*Fawns and McAllan Proprietary Limited*)
To
5063L **CODEINE**, codeine phosphate hemihydrate 30 mg tablet, 20 (*Fawns and McAllan Proprietary Limited*)

From
2967E **CHOLESTYRAMINE**, cholestyramine 4 g powder for oral liquid, 50 sachets (*Questran Lite*)
To
2967E **COLESTYRAMINE**, colestyramine 4 g powder for oral liquid, 50 sachets (*Questran Lite*)

From
9249T **CHOLESTYRAMINE**, cholestyramine 4 g powder for oral liquid, 50 sachets (*Questran Lite*)
To
9249T **COLESTYRAMINE**, colestyramine 4 g powder for oral liquid, 50 sachets (*Questran Lite*)

From
2501P **DIPHENOXYLATE + ATROPINE SULFATE**, diphenoxylate hydrochloride 2.5 mg + atropine sulfate 25 microgram tablet, 20 (*Lofenoxal, Lomotil*)
To
2501P **DIPHENOXYLATE + ATROPINE SULFATE MONOHYDRATE**, diphenoxylate hydrochloride 2.5 mg + atropine sulfate monohydrate 25 microgram tablet, 20 (*Lofenoxal, Lomotil*)

From
11011M **GRAZOPREVIR + ELBASVIR**, grazoprevir 100 mg + elbasvir 50 mg tablet, 28 (*Zepatier*)
To
11011M **ELBASVIR + GRAZOPREVIR**, elbasvir 50 mg + grazoprevir 100 mg tablet, 28 (*Zepatier*)

From
11021C **GRAZOPREVIR + ELBASVIR**, grazoprevir 100 mg + elbasvir 50 mg tablet, 28 (*Zepatier*)
To
11021C **ELBASVIR + GRAZOPREVIR**, elbasvir 50 mg + grazoprevir 100 mg tablet, 28 (*Zepatier*)

From
10759G **ESOMEPRAZOLE (&) CLARITHROMYCIN (&) AMOXYCILLIN**, esomeprazole 20 mg tablet: enteric [14 tablets] (&) clarithromycin 500 mg tablet [14 tablets] (&) amoxicillin 500 mg capsule [28 capsules], 1 pack (*ESOMEPRAZOLE SANDOZ Hp7*)
To
10759G **ESOMEPRAZOLE (&) CLARITHROMYCIN (&) AMOXICILLIN**, esomeprazole 20 mg tablet: enteric [14 tablets] (&) clarithromycin 500 mg tablet [14 tablets] (&) amoxicillin 500 mg capsule [28 capsules], 1 pack (*ESOMEPRAZOLE SANDOZ Hp7*)

From
8738X **ESOMEPRAZOLE (&) CLARITHROMYCIN (&) AMOXYCILLIN**, esomeprazole 20 mg tablet: enteric [14 tablets] (&) clarithromycin 500 mg tablet [14 tablets] (&) amoxicillin 500 mg capsule [28 capsules], 1 pack (*Nexium Hp7*)
To
8738X **ESOMEPRAZOLE (&) CLARITHROMYCIN (&) AMOXICILLIN**, esomeprazole 20 mg tablet: enteric [14 tablets] (&) clarithromycin 500 mg tablet [14 tablets] (&) amoxicillin 500 mg capsule [28 capsules], 1 pack (*Nexium Hp7*)

From
8761D **OESTRADIOL**, oestradiol 25 microgram/24 hours patch, 8 (*Estradot 25*)
To
8761D **ESTRADIOL**, estradiol 25 microgram/24 hours patch, 8 (*Estradot 25*)

From
8762E **OESTRADIOL**, oestradiol 37.5 microgram/24 hours patch, 8 (*Estradot 37.5*)
To
8762E **ESTRADIOL**, estradiol 37.5 microgram/24 hours patch, 8 (*Estradot 37.5*)

From
8311K **OESTRADIOL**, oestradiol 25 microgram/24 hours patch, 8 (*Estraderm MX 25*)
To
8311K **ESTRADIOL**, estradiol 25 microgram/24 hours patch, 8 (*Estraderm MX 25*)

From
8763F **OESTRADIOL**, oestradiol 50 microgram/24 hours patch, 8 (*Estradot 50*)
To
8763F **ESTRADIOL**, estradiol 50 microgram/24 hours patch, 8 (*Estradot 50*)

From
8764G **OESTRADIOL**, oestradiol 75 microgram/24 hours patch, 8 (*Estradot 75*)

To 8764G	ESTRADIOL , estradiol 75 microgram/24 hours patch, 8 (<i>Estradot 75</i>)
From 8140K	OESTRADIOL , oestradiol 50 microgram/24 hours patch, 8 (<i>Estraderm MX 50</i>)
To 8140K	ESTRADIOL , estradiol 50 microgram/24 hours patch, 8 (<i>Estraderm MX 50</i>)
From 8765H	OESTRADIOL , oestradiol 100 microgram/24 hours patch, 8 (<i>Estradot 100</i>)
To 8765H	ESTRADIOL , estradiol 100 microgram/24 hours patch, 8 (<i>Estradot 100</i>)
From 8485N	OESTRADIOL , oestradiol 25 microgram/24 hours patch, 4 (<i>Climara 25</i>)
To 8485N	ESTRADIOL , estradiol 25 microgram/24 hours patch, 4 (<i>Climara 25</i>)
From 8312L	OESTRADIOL , oestradiol 100 microgram/24 hours patch, 8 (<i>Estraderm MX 100</i>)
To 8312L	ESTRADIOL , estradiol 100 microgram/24 hours patch, 8 (<i>Estraderm MX 100</i>)
From 8125P	OESTRADIOL , oestradiol 50 microgram/24 hours patch, 4 (<i>Climara 50</i>)
To 8125P	ESTRADIOL , estradiol 50 microgram/24 hours patch, 4 (<i>Climara 50</i>)
From 8486P	OESTRADIOL , oestradiol 75 microgram/24 hours patch, 4 (<i>Climara 75</i>)
To 8486P	ESTRADIOL , estradiol 75 microgram/24 hours patch, 4 (<i>Climara 75</i>)
From 8126Q	OESTRADIOL , oestradiol 100 microgram/24 hours patch, 4 (<i>Climara 100</i>)
To 8126Q	ESTRADIOL , estradiol 100 microgram/24 hours patch, 4 (<i>Climara 100</i>)
From 8286D	OESTRADIOL , oestradiol 0.1% (1 mg/g) gel, 28 x 1 g sachets (<i>Sandrena</i>)
To 8286D	ESTRADIOL , estradiol 0.1% (1 mg/g) gel, 28 x 1 g sachets (<i>Sandrena</i>)
From 10203B	OESTRADIOL , oestradiol 10 microgram modified release pessary, 18 (<i>Vagifem Low</i>)
To 10203B	ESTRADIOL , estradiol 10 microgram modified release pessary, 18 (<i>Vagifem Low</i>)
From 1663M	OESTRADIOL , oestradiol valerate 1 mg tablet, 56 (<i>Progynova</i>)
To 1663M	ESTRADIOL , estradiol valerate 1 mg tablet, 56 (<i>Progynova</i>)
From 1664N	OESTRADIOL , oestradiol valerate 2 mg tablet, 56 (<i>Progynova</i>)
To 1664N	ESTRADIOL , estradiol valerate 2 mg tablet, 56 (<i>Progynova</i>)
From 8274L	OESTRADIOL , oestradiol 2 mg tablet, 56 (<i>Zumenon</i>)
To 8274L	ESTRADIOL , estradiol 2 mg tablet, 56 (<i>Zumenon</i>)
From 10146B	OESTRADIOL (&) OESTRADIOL + DYDROGESTERONE , oestradiol 1 mg tablet [14] (&) oestradiol 1 mg + dydrogesterone 10 mg tablet [14], 1 pack (<i>Femoston 1/10</i>)
To 10146B	ESTRADIOL (&) ESTRADIOL + DYDROGESTERONE , estradiol 1 mg tablet [14] (&) estradiol 1 mg + dydrogesterone 10 mg tablet [14], 28 (<i>Femoston 1/10</i>)
From 8244X	OESTRADIOL (&) OESTRADIOL + DYDROGESTERONE , oestradiol 2 mg tablet [14] (&) oestradiol 2 mg + dydrogesterone 10 mg tablet [14], 1 pack (<i>Femoston 2/10</i>)
To 8244X	ESTRADIOL (&) ESTRADIOL + DYDROGESTERONE , estradiol 2 mg tablet [14] (&) estradiol 2 mg + dydrogesterone 10 mg tablet [14], 28 (<i>Femoston 2/10</i>)

From 10142T	OESTRADIOL + DYDROGESTERONE , oestradiol 1 mg + dydrogesterone 5 mg tablet, 28 (<i>Femoston-Conti</i>)
To 10142T	ESTRADIOL + DYDROGESTERONE , estradiol 1 mg + dydrogesterone 5 mg tablet, 28 (<i>Femoston-Conti</i>)
From 8428N	OESTRADIOL + NORETHISTERONE ACETATE , oestradiol 50 microgram/24 hours + norethisterone acetate 250 microgram/24 hours patch, 8 (<i>Estalis continuous 50/250</i>)
To 8428N	ESTRADIOL + NORETHISTERONE ACETATE , estradiol 50 microgram/24 hours + norethisterone acetate 250 microgram/24 hours patch, 8 (<i>Estalis continuous 50/250</i>)
From 8427M	OESTRADIOL + NORETHISTERONE ACETATE , oestradiol 50 microgram/24 hours + norethisterone acetate 140 microgram/24 hours patch, 8 (<i>Estalis continuous 50/140</i>)
To 8427M	ESTRADIOL + NORETHISTERONE ACETATE , estradiol 50 microgram/24 hours + norethisterone acetate 140 microgram/24 hours patch, 8 (<i>Estalis continuous 50/140</i>)
From 1781R	OESTRIOL , oestriol 0.1% (1 mg/g) cream, 15 g (<i>Ovestin</i>)
To 1781R	ESTRIOL , estriol 0.1% (1 mg/g) cream, 15 g (<i>Ovestin</i>)
From 1771F	OESTRIOL , oestriol 500 microgram pessary, 15 (<i>Ovestin Ovula</i>)
To 1771F	ESTRIOL , estriol 500 microgram pessary, 15 (<i>Ovestin Ovula</i>)
From 8748K	ETHACRYNIC ACID , ethacrynic acid 25 mg tablet, 100 (<i>Edecrin</i>)
To 8748K	ETACRYNIC ACID , etacrynic acid 25 mg tablet, 100 (<i>Edecrin</i>)
From 8815Y	FERROUS SULFATE , ferrous sulfate 30 mg/mL (equivalent to 6 mg/mL elemental iron) oral liquid, 250 mL (<i>Ferro-Liquid</i>)
To 8815Y	FERROUS SULFATE , ferrous sulfate heptahydrate 30 mg/mL (iron 6 mg/mL) oral liquid, 250 mL (<i>Ferro-Liquid</i>)
From 8270G	FLUOXETINE , fluoxetine 20 mg dispersible tablet, 28 (<i>Lovan 20 Tab, Prozac Tab, Zactin Tablet</i>)
To 8270G	FLUOXETINE , fluoxetine 20 mg tablet, 28 (<i>Lovan 20 Tab, Prozac Tab, Zactin Tablet</i>)
From 2255Q	FLUPENTHIXOL DECANOATE , flupenthixol decanoate 20 mg/mL injection, 5 x 1 mL ampoules (<i>Fluanxol Depot</i>)
To 2255Q	FLUPENTHIXOL DECANOATE , flupenthixol decanoate 20 mg/mL injection, 5 x 1 mL ampoules (<i>Fluanxol Depot</i>)
From 2257T	FLUPENTHIXOL DECANOATE , flupenthixol decanoate 100 mg/mL injection, 5 x 1 mL ampoules (<i>Fluanxol Concentrated Depot</i>)
To 2257T	FLUPENTHIXOL DECANOATE , flupenthixol decanoate 100 mg/mL injection, 5 x 1 mL ampoules (<i>Fluanxol Concentrated Depot</i>)
From 2827T	FLUTICASONE + EFORMOTEROL , fluticasone propionate 50 microgram/actuation + eformoterol fumarate dihydrate 5 microgram/actuation pressurised inhalation, 120 actuations (<i>flutiform 50/5</i>)
To 2827T	FLUTICASONE + FORMOTEROL (EFORMOTEROL) , fluticasone propionate 50 microgram/actuation + formoterol (eformoterol) fumarate dihydrate 5 microgram/actuation pressurised inhalation, 120 actuations (<i>flutiform 50/5</i>)
From 10007Q	FLUTICASONE + EFORMOTEROL , fluticasone propionate 125 microgram/actuation + eformoterol fumarate dihydrate 5 microgram/actuation pressurised inhalation, 120 actuations (<i>flutiform 125/5</i>)
To 10007Q	FLUTICASONE + FORMOTEROL (EFORMOTEROL) , fluticasone propionate 125 microgram/actuation + formoterol (eformoterol) fumarate dihydrate 5 microgram/actuation pressurised inhalation, 120 actuations (<i>flutiform 125/5</i>)

From 10008R	FLUTICASONE + EFORMOTEROL , fluticasone propionate 250 microgram/actuation + eformoterol fumarate dihydrate 10 microgram/actuation pressurised inhalation, 120 actuations (<i>flutiform 250/10</i>)
To 10008R	FLUTICASONE + FORMOTEROL (EFORMOTEROL) , fluticasone propionate 250 microgram/actuation + formoterol (eformoterol) fumarate dihydrate 10 microgram/actuation pressurised inhalation, 120 actuations (<i>flutiform 250/10</i>)
From 8136F	EFORMOTEROL , eformoterol fumarate dihydrate 12 microgram powder for inhalation, 60 capsules (<i>Foradile</i>)
To 8136F	FORMOTEROL (EFORMOTEROL) , formoterol (eformoterol) fumarate dihydrate 12 microgram powder for inhalation, 60 capsules (<i>Foradile</i>)
From 8239P	EFORMOTEROL , eformoterol fumarate dihydrate 6 microgram/actuation powder for inhalation, 60 actuations (<i>Oxis Turbuhaler</i>)
To 8239P	FORMOTEROL (EFORMOTEROL) , formoterol (eformoterol) fumarate dihydrate 6 microgram/actuation powder for inhalation, 60 actuations (<i>Oxis Turbuhaler</i>)
From 8240Q	EFORMOTEROL , eformoterol fumarate dihydrate 12 microgram/actuation powder for inhalation, 60 actuations (<i>Oxis Turbuhaler</i>)
To 8240Q	FORMOTEROL (EFORMOTEROL) , formoterol (eformoterol) fumarate dihydrate 12 microgram/actuation powder for inhalation, 60 actuations (<i>Oxis Turbuhaler</i>)
From 2413B	FRUSEMIDE , frusemide 20 mg/2 mL injection, 5 x 2 mL ampoules (<i>Frusemide Sandoz, Frusemide-Clarix, Lasix</i>)
To 2413B	FUROSEMIDE (FRUSEMIDE) , furosemide (frusemide) 20 mg/2 mL injection, 5 x 2 mL ampoules (<i>Frusemide Sandoz, Frusemide-Clarix, Lasix</i>)
From 2411X	FRUSEMIDE , frusemide 10 mg/mL oral liquid, 30 mL (<i>Lasix</i>)
To 2411X	FUROSEMIDE (FRUSEMIDE) , furosemide (frusemide) 10 mg/mL oral liquid, 30 mL (<i>Lasix</i>)
From 1810G	FRUSEMIDE , frusemide 20 mg tablet, 50 (<i>Lasix-M, Urex-M</i>)
To 1810G	FUROSEMIDE (FRUSEMIDE) , furosemide (frusemide) 20 mg tablet, 50 (<i>Lasix-M, Urex-M</i>)
From 2414C	FRUSEMIDE , frusemide 20 mg tablet, 100 (<i>APO-Frusemide, Chem mart Frusemide, FUROSEMIDE AN, Frusemide RBX, Terry White Chemists Frusemide</i>)
To 2414C	FUROSEMIDE (FRUSEMIDE) , furosemide (frusemide) 20 mg tablet, 100 (<i>APO-Frusemide, Chem mart Frusemide, FUROSEMIDE AN, Frusemide RBX, Terry White Chemists Frusemide</i>)
From 2412Y	FRUSEMIDE , frusemide 40 mg tablet, 100 (<i>APO-Frusemide, Chem mart Frusemide, FUROSEMIDE AN, Frusax, Frusemide RBX, Frusemide Sandoz, Lasix, Terry White Chemists Frusemide, Uremide, Urex</i>)
To 2412Y	FUROSEMIDE (FRUSEMIDE) , furosemide (frusemide) 40 mg tablet, 100 (<i>APO-Frusemide, Chem mart Frusemide, FUROSEMIDE AN, Frusax, Frusemide RBX, Frusemide Sandoz, Lasix, Terry White Chemists Frusemide, Uremide, Urex</i>)
From 2415D	FRUSEMIDE , frusemide 500 mg tablet, 50 (<i>Urex-Forte</i>)
To 2415D	FUROSEMIDE (FRUSEMIDE) , furosemide (frusemide) 500 mg tablet, 50 (<i>Urex-Forte</i>)
From 3093T	HYDROXYUREA , hydroxyurea 500 mg capsule, 100 (<i>Hydrea</i>)
To 3093T	HYDROXYCARBAMIDE (HYDROXYUREA) , hydroxycarbamide (hydroxyurea) 500 mg capsule, 100 (<i>Hydrea</i>)
From 2454E	INDOMETHACIN , indomethacin 25 mg capsule, 50 (<i>Arthrexin, Indocid</i>)
To 2454E	INDOMETACIN , indometacin 25 mg capsule, 50 (<i>Arthrexin, Indocid</i>)

From
5126T **INDOMETHACIN**, indomethacin 25 mg capsule, 50 (*Arthrexin, Indocid*)
To
5126T **INDOMETACIN**, indometacin 25 mg capsule, 50 (*Arthrexin, Indocid*)

From
2757D **INDOMETHACIN**, indomethacin 100 mg suppository, 20 (*Indocid*)
To
2757D **INDOMETACIN**, indometacin 100 mg suppository, 20 (*Indocid*)

From
5128X **INDOMETHACIN**, indomethacin 100 mg suppository, 20 (*Indocid*)
To
5128X **INDOMETACIN**, indometacin 100 mg suppository, 20 (*Indocid*)

From
1392G **LEVONORGESTREL + ETHINYLESTRADIOL**, ethinylestradiol 30 microgram + levonorgestrel 50 microgram tablet [24] (& ethinylestradiol 40 microgram + levonorgestrel 75 microgram tablet [20] (& ethinylestradiol 30 microgram + levonorgestrel 125 microgram tablet [40] (& inert substance tablet [28], 112 [4 x 28] (*Logynon ED, Trifeme 28, Triphasil 28, Triquilar ED*))
To
1392G **LEVONORGESTREL + ETHINYLESTRADIOL**, ethinylestradiol 30 microgram + levonorgestrel 50 microgram tablet [24] (& ethinylestradiol 40 microgram + levonorgestrel 75 microgram tablet [20] (& ethinylestradiol 30 microgram + levonorgestrel 125 microgram tablet [40] (& inert substance tablet [28], 112 [4 x 28] (*Logynon ED, Trifeme 28, Triphasil 28, Triquilar ED*))

From
2416E **LEVONORGESTREL + ETHINYLESTRADIOL**, ethinylestradiol 20 microgram + levonorgestrel 100 microgram tablet [84] (& inert substance tablet [28], 112 [4 x 28] (*Femme-Tab ED 20/100*))
To
2416E **LEVONORGESTREL + ETHINYLESTRADIOL**, levonorgestrel 100 microgram + ethinylestradiol 20 microgram tablet [21] (& inert substance tablet [7], 4 x 28 (*Femme-Tab ED 20/100*))

From
1456P **LEVONORGESTREL + ETHINYLESTRADIOL**, levonorgestrel 125 microgram + ethinylestradiol 50 microgram tablet [21] (& inert substance tablet [7], 4 x 28 (*Microgynon 50 ED*))
To
1456P **LEVONORGESTREL + ETHINYLESTRADIOL**, levonorgestrel 125 microgram + ethinylestradiol 50 microgram tablet [21] (& inert substance tablet [7], 4 x 28 (*Microgynon 50 ED*))

From
1394J **LEVONORGESTREL + ETHINYLESTRADIOL**, levonorgestrel 150 microgram + ethinylestradiol 30 microgram tablet [21] (& inert substance tablet [7], 4 x 28 (*Eleanor 150/30 ED, Evelyn 150/30 ED, Femme-Tab ED 30/150, Lenest 30 ED, Levlen ED, Microgynon 30 ED, Micronelle 30 ED, Monofeme 28, Nordette 28*))
To
1394J **LEVONORGESTREL + ETHINYLESTRADIOL**, levonorgestrel 150 microgram + ethinylestradiol 30 microgram tablet [21] (& inert substance tablet [7], 4 x 28 (*Eleanor 150/30 ED, Evelyn 150/30 ED, Femme-Tab ED 30/150, Lenest 30 ED, Levlen ED, Microgynon 30 ED, Micronelle 30 ED, Monofeme 28, Nordette 28*))

From
10214N **MERCAPTOPYRINE**, mercaptopurine 20 mg/mL oral liquid, 100 mL (*Allmercap*)
To
10214N **MERCAPTOPYRINE**, mercaptopurine monohydrate 20 mg/mL oral liquid, 100 mL (*Allmercap*)

From
1598D **MERCAPTOPYRINE**, mercaptopurine 50 mg tablet, 25 (*Purinethol*)
To
1598D **MERCAPTOPYRINE**, mercaptopurine monohydrate 50 mg tablet, 25 (*Purinethol*)

From
3124K **HEXAMINE HIPPURATE**, hexamine hippurate 1 g tablet, 100 (*Hiprex*)
To
3124K **METHENAMINE HIPPURATE**, methenamine hippurate 1 g tablet, 100 (*Hiprex*)

From
1131M **BACILLUS CALMETTE AND GUERIN-TICE STRAIN**, Bacillus Calmette and Guerin-Tice strain 500 million colony forming units injection, 3 vials (*OncoTICE*)
To
1131M **MYCOBACTERIUM BOVIS (BACILLUS CALMETTE AND GUERIN (BCG)) TICE STRAIN**, Mycobacterium bovis (Bacillus Calmette and Guerin (BCG)) Tice strain 500 million colony forming units injection, 3 vials (*OncoTICE*)

From
2775C **NORETHISTERONE + ETHINYLESTRADIOL**, norethisterone 1 mg + ethinylestradiol 35 microgram tablet [21] (& inert substance tablet [7], 4 x 28 (*Brevinor-1, Norimin-1 28 Day*))

To 2775C	NORETHISTERONE + ETHINYLESTRADIOL , norethisterone 1 mg + ethinylestradiol 35 microgram tablet [21] (& inert substance tablet [7], 4 x 28 (<i>Brevinor-1, Norimin-1 28 Day</i>))
From 2774B	NORETHISTERONE + ETHINYLESTRADIOL , norethisterone 500 microgram + ethinylestradiol 35 microgram tablet [21] (& inert substance tablet [7], 4 x 28 (<i>Brevinor, Norimin 28 Day</i>))
To 2774B	NORETHISTERONE + ETHINYLESTRADIOL , norethisterone 500 microgram + ethinylestradiol 35 microgram tablet [21] (& inert substance tablet [7], 4 x 28 (<i>Brevinor, Norimin 28 Day</i>))
From 8425K	NORETHISTERONE ACETATE + OESTRADIOL (& OESTRADIOL) , oestradiol 50 microgram/24 hours patch [4] (& oestradiol 50 microgram/24 hours + norethisterone acetate 140 microgram/24 hours patch [4], 1 pack (<i>Estalis sequi 50/140</i>))
To 8425K	NORETHISTERONE ACETATE + ESTRADIOL (& ESTRADIOL) , estradiol 50 microgram/24 hours patch [4] (& estradiol 50 microgram/24 hours + norethisterone acetate 140 microgram/24 hours patch [4], 8 (<i>Estalis sequi 50/140</i>))
From 8426L	NORETHISTERONE ACETATE + OESTRADIOL (& OESTRADIOL) , oestradiol 50 microgram/24 hours patch [4] (& oestradiol 50 microgram/24 hours + norethisterone acetate 250 microgram/24 hours patch [4], 1 pack (<i>Estalis sequi 50/250</i>))
To 8426L	NORETHISTERONE ACETATE + ESTRADIOL (& ESTRADIOL) , estradiol 50 microgram/24 hours patch [4] (& estradiol 50 microgram/24 hours + norethisterone acetate 250 microgram/24 hours patch [4], 8 (<i>Estalis sequi 50/250</i>))
From 1215Y	PARACETAMOL + CODEINE , CODEINE PHOSPHATE with PARACETAMOL Tablet 30 mg-500 mg, 20 (<i>APO-Paracetamol/Codeine 500/30, Codalgin Forte, Codapane Forte, Comfarol Forte, Panadeine Forte, Paracetamol/Codeine GH 500/30, Prodeine Forte</i>)
To 1215Y	PARACETAMOL + CODEINE , paracetamol 500 mg + codeine phosphate hemihydrate 30 mg tablet, 20 (<i>APO-Paracetamol/Codeine 500/30, Codalgin Forte, Codapane Forte 500/30, Comfarol Forte, Panadeine Forte, Paracetamol/Codeine GH 500/30, Prodeine Forte</i>)
From 3316M	PARACETAMOL + CODEINE , CODEINE PHOSPHATE with PARACETAMOL Tablet 30 mg-500 mg, 20 (<i>APO-Paracetamol/Codeine 500/30, Codalgin Forte, Codapane Forte, Comfarol Forte, Panadeine Forte, Paracetamol/Codeine GH 500/30, Prodeine Forte</i>)
To 3316M	PARACETAMOL + CODEINE , paracetamol 500 mg + codeine phosphate hemihydrate 30 mg tablet, 20 (<i>APO-Paracetamol/Codeine 500/30, Codalgin Forte, Codapane Forte 500/30, Comfarol Forte, Panadeine Forte, Paracetamol/Codeine GH 500/30, Prodeine Forte</i>)
From 8785J	PARACETAMOL + CODEINE , CODEINE PHOSPHATE with PARACETAMOL Tablet 30 mg-500 mg, 20 (<i>APO-Paracetamol/Codeine 500/30, Codalgin Forte, Codapane Forte, Comfarol Forte, Panadeine Forte, Paracetamol/Codeine GH 500/30, Prodeine Forte</i>)
To 8785J	PARACETAMOL + CODEINE , paracetamol 500 mg + codeine phosphate hemihydrate 30 mg tablet, 20 (<i>APO-Paracetamol/Codeine 500/30, Codalgin Forte, Codapane Forte 500/30, Comfarol Forte, Panadeine Forte, Paracetamol/Codeine GH 500/30, Prodeine Forte</i>)
From 3052P	PERICYAZINE , pericyazine 2.5 mg tablet, 100 (<i>Neulactil</i>)
To 3052P	PERICIAZINE , periciazine 2.5 mg tablet, 100 (<i>Neulactil</i>)
From 3053Q	PERICYAZINE , pericyazine 10 mg tablet, 100 (<i>Neulactil</i>)
To 3053Q	PERICIAZINE , periciazine 10 mg tablet, 100 (<i>Neulactil</i>)
From 2138M	PHENOBARBITONE , phenobarbitone sodium 219 mg/mL injection, 5 x 1 mL ampoules (<i>Fawns and McAllan Proprietary Limited</i>)
To 2138M	PHENOBARBITAL (PHENOBARBITONE) , phenobarbital (phenobarbitone) sodium 219 mg/mL injection, 5 x 1 mL ampoules (<i>Fawns and McAllan Proprietary Limited</i>)

From
1850J **PHENOBARBITONE**, phenobarbitone 30 mg tablet, 200 (*Phenobarb*)
To
1850J **PHENOBARBITAL (PHENOBARBITONE)**, phenobarbital (phenobarbitone) 30 mg tablet, 200 (*Phenobarb*)

From
9151P **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 125 microgram tablet, 30 (*APO-Pramipexole, Pramipexole AN, Pramipexole GH, Sifrol, Simipex 0.125, Simpral*)
To
9151P **PRAMIPEXOLE**, pramipexole dihydrochloride monohydrate 125 microgram tablet, 30 (*APO-Pramipexole, Pramipexole AN, Pramipexole GH, Sifrol, Simipex 0.125, Simpral*)

From
9393J **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 125 microgram tablet, 30 (*Sifrol*)
To
9393J **PRAMIPEXOLE**, pramipexole dihydrochloride monohydrate 125 microgram tablet, 30 (*Sifrol*)

From
9152Q **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 250 microgram tablet, 100 (*APO-Pramipexole, Pramipexole AN, Pramipexole GH, Sifrol, Simipex 0.25, Simpral*)
To
9152Q **PRAMIPEXOLE**, pramipexole dihydrochloride monohydrate 250 microgram tablet, 100 (*APO-Pramipexole, Pramipexole AN, Pramipexole GH, Sifrol, Simipex 0.25, Simpral*)

From
9394K **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 250 microgram tablet, 100 (*Sifrol*)
To
9394K **PRAMIPEXOLE**, pramipexole dihydrochloride monohydrate 250 microgram tablet, 100 (*Sifrol*)

From
3418X **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 375 microgram modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)
To
3418X **PRAMIPEXOLE**, pramipexole dihydrochloride monohydrate 375 microgram modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)

From
3419Y **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 750 microgram modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)
To
3419Y **PRAMIPEXOLE**, pramipexole dihydrochloride monohydrate 750 microgram modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)

From
9153R **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 1 mg tablet, 100 (*APO-Pramipexole, Pramipexole AN, Pramipexole GH, Sifrol, Simipex 1, Simpral*)
To
9153R **PRAMIPEXOLE**, pramipexole dihydrochloride monohydrate 1 mg tablet, 100 (*APO-Pramipexole, Pramipexole AN, Pramipexole GH, Sifrol, Simipex 1, Simpral*)

From
3420B **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 1.5 mg modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)
To
3420B **PRAMIPEXOLE**, pramipexole dihydrochloride monohydrate 1.5 mg modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)

From
5143Q **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 2.25 mg modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)
To
5143Q **PRAMIPEXOLE**, pramipexole dihydrochloride monohydrate 2.25 mg modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)

From
3421C **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 3 mg modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)
To
3421C **PRAMIPEXOLE**, pramipexole dihydrochloride monohydrate 3 mg modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)

From
5145T **PRAMIPEXOLE**, pramipexole hydrochloride monohydrate 3.75 mg modified release tablet, 30 (*APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER*)

To 5145T	PRAMIPEXOLE , pramipexole dihydrochloride monohydrate 3.75 mg modified release tablet, 30 (<i>APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER</i>)
From 3422D	PRAMIPEXOLE , pramipexole hydrochloride monohydrate 4.5 mg modified release tablet, 30 (<i>APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER</i>)
To 3422D	PRAMIPEXOLE , pramipexole dihydrochloride monohydrate 4.5 mg modified release tablet, 30 (<i>APO-Pramipexole ER, Pramipexole XR GP, SIMIPEX XR, Sifrol ER</i>)
From 1794K	PROCAINE PENICILLIN , procaine penicillin 1.5 g/3.4 mL injection, 5 x 3.4 mL syringes (<i>Cilicaine</i>)
To 1794K	PROCAINE BENZYL PENICILLIN (PROCAINE PENICILLIN) , procaine benzylpenicillin (procaine penicillin) 1.5 g/3.4 mL injection, 5 x 3.4 mL syringes (<i>Cilicaine</i>)
From 3371K	PROCAINE PENICILLIN , procaine penicillin 1.5 g/3.4 mL injection, 5 x 3.4 mL syringes (<i>Cilicaine</i>)
To 3371K	PROCAINE BENZYL PENICILLIN (PROCAINE PENICILLIN) , procaine benzylpenicillin (procaine penicillin) 1.5 g/3.4 mL injection, 5 x 3.4 mL syringes (<i>Cilicaine</i>)
From 2369Q	PROCHLORPERAZINE , prochlorperazine mesylate 12.5 mg/mL injection, 10 x 1 mL ampoules (<i>Stemetil</i>)
To 2369Q	PROCHLORPERAZINE , prochlorperazine mesilate 12.5 mg/mL injection, 10 x 1 mL ampoules (<i>Stemetil</i>)
From 5206B	PROCHLORPERAZINE , prochlorperazine mesylate 12.5 mg/mL injection, 10 x 1 mL ampoules (<i>Stemetil</i>)
To 5206B	PROCHLORPERAZINE , prochlorperazine mesilate 12.5 mg/mL injection, 10 x 1 mL ampoules (<i>Stemetil</i>)
From 2114G	TESTOSTERONE ENANTHATE , testosterone enanthate 250 mg/mL injection, 3 x 1 mL syringes (<i>Primoteston Depot</i>)
To 2114G	TESTOSTERONE ENANTATE , testosterone enantate 250 mg/mL injection, 3 x 1 mL syringes (<i>Primoteston Depot</i>)
From 2832C	TETRACOSACTRIN , tetracosactrin 1 mg/mL modified release injection, 1 mL ampoule (<i>Synacthen Depot 1 mg/1 mL</i>)
To 2832C	TETRACOSACTIDE (TETRACOSACTRIN) , tetracosactide (tetracosactrin) 1 mg/mL modified release injection, 1 mL ampoule (<i>Synacthen Depot 1 mg/1 mL</i>)
From 1418P	TICAGRELOR , TICAGRELOR Tablet 90 mg, 56 (<i>Brilinta</i>)
To 1418P	TICAGRELOR , ticagrelor 90 mg tablet, 56 (<i>Brilinta</i>)
From 1233X	THIOGUANINE , thioguanine 40 mg tablet, 25 (<i>Lanvis</i>)
To 1233X	TIOGUANINE , tioguanine 40 mg tablet, 25 (<i>Lanvis</i>)
Alteration – Brand Name	
From 8654L	<i>Kevtam, AF</i> – LEVETIRACETAM , levetiracetam 250 mg tablet, 60
To 8654L	<i>Kevtam 250, AF</i> – LEVETIRACETAM , levetiracetam 250 mg tablet, 60
From 8655M	<i>Kevtam, AF</i> – LEVETIRACETAM , levetiracetam 500 mg tablet, 60
To 8655M	<i>Kevtam 500, AF</i> – LEVETIRACETAM , levetiracetam 500 mg tablet, 60
From 1215Y	<i>Codapane Forte, AL</i> – PARACETAMOL + CODEINE , CODEINE PHOSPHATE with PARACETAMOL Tablet 30 mg-500 mg, 20
To 1215Y	<i>Codapane Forte 500/30, AL</i> – PARACETAMOL + CODEINE , CODEINE PHOSPHATE with PARACETAMOL Tablet 30 mg-500 mg, 20

From
3316M *Codapane Forte, AL* – **PARACETAMOL + CODEINE**, CODEINE PHOSPHATE with PARACETAMOL Tablet 30 mg-500 mg, 20

To
3316M *Codapane Forte 500/30, AL* – **PARACETAMOL + CODEINE**, CODEINE PHOSPHATE with PARACETAMOL Tablet 30 mg-500 mg, 20

From
8785J *Codapane Forte, AL* – **PARACETAMOL + CODEINE**, CODEINE PHOSPHATE with PARACETAMOL Tablet 30 mg-500 mg, 20

To
8785J *Codapane Forte 500/30, AL* – **PARACETAMOL + CODEINE**, CODEINE PHOSPHATE with PARACETAMOL Tablet 30 mg-500 mg, 20

Alteration – Note

8697R **ADRENALINE**, adrenaline 150 microgram/0.3 mL injection, 1 dose (*EpiPen Jr.*)

8698T **ADRENALINE**, adrenaline 300 microgram/0.3 mL injection, 1 dose (*EpiPen*)

Alteration – Restriction

11056X **CERITINIB**, ceritinib 150 mg capsule, 3 x 50 (*Zykadia*)

10323H **CRIZOTINIB**, crizotinib 200 mg capsule, 60 (*Xalkori*)

10322G **CRIZOTINIB**, crizotinib 250 mg capsule, 60 (*Xalkori*)

Advance Notices

1 February 2018

Deletion – Brand

8188Y *GLYBOSAY, RW* – **ACARBOSE**, acarbose 50 mg tablet, 90

8189B *GLYBOSAY, RW* – **ACARBOSE**, acarbose 100 mg tablet, 90

8511Y *Alendronate AN, EA* – **ALENDRONATE**, alendronate 70 mg tablet, 4

5006L *AmoxyClav GH 875/125, GQ* – **AMOXICILLIN + CLAVULANIC ACID**, amoxicillin 875 mg + clavulanic acid 125 mg tablet, 10

8254K *AmoxyClav GH 875/125, GQ* – **AMOXICILLIN + CLAVULANIC ACID**, amoxicillin 875 mg + clavulanic acid 125 mg tablet, 10

8295N *Candesartan GH, GQ* – **CANDESARTAN**, candesartan cilexetil 4 mg tablet, 30

1169M *Ozcef, RA* – **CEFACLOR**, cefaclor 375 mg modified release tablet, 10

5045M *Ozcef, RA* – **CEFACLOR**, cefaclor 375 mg modified release tablet, 10

2878L *Intal Spincaps, EA* – **CROMOGLYCATE**, sodium cromoglycate 20 mg powder for inhalation, 100 capsules

1798P *Periactin, AS* – **CYPROHEPTADINE**, cyproheptadine hydrochloride 4 mg tablet, 100

8019C *Procur 100, ED* – **CYPROTERONE**, cyproterone acetate 100 mg tablet, 50

2479L *Donepezil-GA, ED* – **DONEPEZIL**, donepezil hydrochloride 10 mg tablet, 28

2532G *Donepezil-GA, ED* – **DONEPEZIL**, donepezil hydrochloride 5 mg tablet, 28

8495D *Donepezil-GA, ED* – **DONEPEZIL**, donepezil hydrochloride 5 mg tablet, 28

8496E *Donepezil-GA, ED* – **DONEPEZIL**, donepezil hydrochloride 10 mg tablet, 28

9155W *Duloxetine GH, GQ* – **DULOXETINE**, duloxetine 30 mg enteric capsule, 28

9156X *Duloxetine GH, GQ* – **DULOXETINE**, duloxetine 60 mg enteric capsule, 28

2487X *Pepzan, ED* – **FAMOTIDINE**, famotidine 20 mg tablet, 60

2488Y *Pepzan, ED* – **FAMOTIDINE**, famotidine 40 mg tablet, 30

2136K *Irbesartan HCTZ AN 300/25, EA* – **IRBESARTAN + HYDROCHLOROTHIAZIDE**, irbesartan 300 mg + hydrochlorothiazide 25 mg tablet, 30

8404H *Irbesartan HCTZ AN 150/12.5, EA* – **IRBESARTAN + HYDROCHLOROTHIAZIDE**, irbesartan 150 mg + hydrochlorothiazide 12.5 mg tablet, 30

8405J *Irbesartan HCTZ AN 300/12.5, EA* – **IRBESARTAN + HYDROCHLOROTHIAZIDE**, irbesartan 300 mg + hydrochlorothiazide 12.5 mg tablet, 30

1394J	<i>Microgynon 30 ED, BN</i> – LEVONORGESTREL + ETHINYLESTRADIOL , levonorgestrel 150 microgram + ethinylestradiol 30 microgram tablet [21] (&) inert substance tablet [7], 4 x 28
1801T	<i>Metformin-GA, ED</i> – METFORMIN , metformin hydrochloride 850 mg tablet, 60
2430X	<i>Metformin-GA, ED</i> – METFORMIN , metformin hydrochloride 500 mg tablet, 100
8607B	<i>Metformin-GA, ED</i> – METFORMIN , metformin hydrochloride 1 g tablet, 90
1821W	<i>Metronidazole Sandoz IV, SZ</i> – METRONIDAZOLE , metronidazole 500 mg/100 mL (0.5%) injection, 10 x 100 mL bags
1832K	<i>Metronidazole Sandoz IV, SZ</i> – METRONIDAZOLE , metronidazole 500 mg/100 mL (0.5%) injection, 10 x 100 mL bags
8282X	<i>S-26 LF, AS</i> – MILK POWDER LACTOSE FREE FORMULA , milk powder lactose free formula powder for oral liquid, 900 g
9151P	<i>Pramipexole GH, GQ</i> – PRAMIPEXOLE , pramipexole dihydrochloride monohydrate 125 microgram tablet, 30
9152Q	<i>Pramipexole GH, GQ</i> – PRAMIPEXOLE , pramipexole dihydrochloride monohydrate 250 microgram tablet, 100
9153R	<i>Pramipexole GH, GQ</i> – PRAMIPEXOLE , pramipexole dihydrochloride monohydrate 1 mg tablet, 100
8864M	<i>Exorex, GN</i> – PREPARED COAL TAR , prepared coal tar 1% w/w lotion, 100 mL
2011W	<i>Simvastatin-GA 10, ED</i> – SIMVASTATIN , simvastatin 10 mg tablet, 30
2012X	<i>Simvastatin-GA 20, ED</i> – SIMVASTATIN , simvastatin 20 mg tablet, 30
8173E	<i>Simvastatin-GA 40, ED</i> – SIMVASTATIN , simvastatin 40 mg tablet, 30
8313M	<i>Simvastatin-GA 80, ED</i> – SIMVASTATIN , simvastatin 80 mg tablet, 30
9242K	<i>Simvastatin-GA 10, ED</i> – SIMVASTATIN , simvastatin 10 mg tablet, 30
9243L	<i>Simvastatin-GA 20, ED</i> – SIMVASTATIN , simvastatin 20 mg tablet, 30
9244M	<i>Simvastatin-GA 40, ED</i> – SIMVASTATIN , simvastatin 40 mg tablet, 30
9245N	<i>Simvastatin-GA 80, ED</i> – SIMVASTATIN , simvastatin 80 mg tablet, 30
8526R	<i>Metalyse, BY</i> – TENECTEPLASE , tenecteplase 8000 units (40 mg) injection [1 vial] (&) inert substance diluent [8 mL syringe], 1 pack
8527T	<i>Metalyse, BY</i> – TENECTEPLASE , tenecteplase 10 000 units (50 mg) injection [1 vial] (&) inert substance diluent [10 mL syringe], 1 pack
2285G	<i>Sebifin 250, RA</i> – TERBINAFINE , terbinafine 250 mg tablet, 42
2804N	<i>Sebifin 250, RA</i> – TERBINAFINE , terbinafine 250 mg tablet, 42
2114G	<i>Primoteston Depot, BN</i> – TESTOSTERONE ENANTATE , testosterone enantate 250 mg/mL injection, 3 x 1 mL syringes
10113G	<i>Timentin, AS</i> – TICARCILLIN + CLAVULANIC ACID , ticarcillin 3 g + clavulanic acid 100 mg injection, 3.1 g vial
10125X	<i>Timentin, AS</i> – TICARCILLIN + CLAVULANIC ACID , ticarcillin 3 g + clavulanic acid 100 mg injection, 3.1 g vial
8523N	<i>GA Tramadol SR 100mg, ED</i> – TRAMADOL , tramadol hydrochloride 100 mg modified release tablet, 20
8525Q	<i>GA Tramadol SR 200mg, ED</i> – TRAMADOL , tramadol hydrochloride 200 mg modified release tablet, 20
2269K	<i>Vycin IV, EA</i> – VANCOMYCIN , vancomycin 1 g injection, 1 vial
2270L	<i>Vycin IV, EA</i> – VANCOMYCIN , vancomycin 1 g injection, 1 vial
5083M	<i>Vycin IV, EA</i> – VANCOMYCIN , vancomycin 1 g injection, 1 vial

1 March 2018

Deletion – Brand

8973G	<i>Actonel EC Combi, UA</i> – RISEDRONATE (&) CALCIUM CARBONATE , RISEDRONATE SODIUM and CALCIUM CARBONATE Pack containing 4 enteric coated tablets risedronate sodium 35 mg and 24 tablets calcium carbonate 1.25 g (equivalent to 500 mg calcium), 1
2574L	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 20 mg tablet, 30
2584B	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 10 mg tablet, 30
2590H	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 5 mg tablet, 30
2594M	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 40 mg tablet, 30
2606E	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 5 mg tablet, 30

2609H	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 20 mg tablet, 30
2628H	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 10 mg tablet, 30
2636R	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 40 mg tablet, 30
3402C	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 5 mg tablet, 30
3403D	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 10 mg tablet, 30
3404E	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 20 mg tablet, 30
3405F	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 40 mg tablet, 30
9042X	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 5 mg tablet, 30
9043Y	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 10 mg tablet, 30
9044B	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 20 mg tablet, 30
9045C	<i>Rosuvastatin GH, GQ</i> – ROSUVASTATIN , rosuvastatin 40 mg tablet, 30

1 May 2018

Deletion – Brand

8974H	<i>Actonel EC Combi D, UA</i> – RISEDRONATE (&) CALCIUM CARBONATE + COLECALCIFEROL , RISEDRONATE SODIUM and CALCIUM CARBONATE with COLECALCIFEROL Pack containing 4 enteric coated tablets risedronate sodium 35 mg and 24 sachets containing granules of calcium carbonate 2.5 g (equivalent to 1 g calcium) with colecalciferol 22 micrograms, 1
-------	---

Palliative Care

Additions

Addition – Brand

5362F	<i>Pharmacor Diclofenac 50, CR</i> – DICLOFENAC , diclofenac sodium 50 mg enteric tablet, 50
-------	---

Alterations

Alteration – Item Description

<i>From</i>	
5377B	INDOMETHACIN , indomethacin 25 mg capsule, 50 (<i>Arthrexin, Indocid</i>)
<i>To</i>	
5377B	INDOMETACIN , indometacin 25 mg capsule, 50 (<i>Arthrexin, Indocid</i>)
<i>From</i>	
5378C	INDOMETHACIN , indomethacin 100 mg suppository, 20 (<i>Indocid</i>)
<i>To</i>	
5378C	INDOMETACIN , indometacin 100 mg suppository, 20 (<i>Indocid</i>)

Highly Specialised Drugs Program (Private Hospital)

Deletions

Deletion – Note

6120D	DORNASE ALFA , dornase alfa 2.5 mg/2.5 mL inhalation solution, 30 x 2.5 mL ampoules (<i>Pulmozyme</i>)
2008Q	MANNITOL , MANNITOL Pack containing 280 capsules containing powder for inhalation 40 mg and 2 inhalers, 1 (<i>bronchitol</i>)

Alterations

Alteration – Item Description

<i>From</i>	
9607P	APOMORPHINE , apomorphine hydrochloride 20 mg/2 mL injection, 5 x 2 mL ampoules (<i>Movapo</i>)
<i>To</i>	
9607P	APOMORPHINE , apomorphine hydrochloride hemihydrate 20 mg/2 mL injection, 5 x 2 mL ampoules (<i>Movapo</i>)
<i>From</i>	
9640J	APOMORPHINE , apomorphine hydrochloride 50 mg/5 mL injection, 5 x 5 mL ampoules (<i>Movapo</i>)
<i>To</i>	
9640J	APOMORPHINE , apomorphine hydrochloride hemihydrate 50 mg/5 mL injection, 5 x 5 mL ampoules (<i>Movapo</i>)
<i>From</i>	
11083H	APOMORPHINE , apomorphine hydrochloride 100 mg/20 mL injection, 5 x 20 mL vials (<i>Apomine Solution for Infusion</i>)

<i>To</i>	
11083H	APOMORPHINE , apomorphine hydrochloride hemihydrate 100 mg/20 mL injection, 5 x 20 mL vials (<i>Apomine Solution for Infusion</i>)
<i>From</i>	
10971K	APOMORPHINE , apomorphine hydrochloride 50 mg/10 mL injection, 5 x 10 mL syringes (<i>Movapo PFS</i>)
<i>To</i>	
10971K	APOMORPHINE , apomorphine hydrochloride hemihydrate 50 mg/10 mL injection, 5 x 10 mL syringes (<i>Movapo PFS</i>)
<i>From</i>	
6232B	CYCLOSPORIN , cyclosporin 10 mg capsule, 60 (<i>Neoral 10</i>)
<i>To</i>	
6232B	CICLOSPORIN , ciclosporin 10 mg capsule, 60 (<i>Neoral 10</i>)
<i>From</i>	
6352H	CYCLOSPORIN , cyclosporin 25 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 25</i>)
<i>To</i>	
6352H	CICLOSPORIN , ciclosporin 25 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 25</i>)
<i>From</i>	
6353J	CYCLOSPORIN , cyclosporin 50 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 50</i>)
<i>To</i>	
6353J	CICLOSPORIN , ciclosporin 50 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 50</i>)
<i>From</i>	
6354K	CYCLOSPORIN , cyclosporin 100 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 100</i>)
<i>To</i>	
6354K	CICLOSPORIN , ciclosporin 100 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 100</i>)
<i>From</i>	
6125J	CYCLOSPORIN , cyclosporin 100 mg/mL oral liquid, 50 mL (<i>Neoral</i>)
<i>To</i>	
6125J	CICLOSPORIN , ciclosporin 100 mg/mL oral liquid, 50 mL (<i>Neoral</i>)
<i>From</i>	
6109M	CYCLOSPORIN , cyclosporin 50 mg/mL injection, 10 x 1 mL ampoules (<i>Sandimmun</i>)
<i>To</i>	
6109M	CICLOSPORIN , ciclosporin 50 mg/mL injection, 10 x 1 mL ampoules (<i>Sandimmun</i>)
<i>From</i>	
10979W	GRAZOPRE VIR + ELBASVIR , grazoprevir 100 mg + elbasvir 50 mg tablet, 28 (<i>Zepatier</i>)
<i>To</i>	
10979W	ELBASVIR + GRAZOPRE VIR , elbasvir 50 mg + grazoprevir 100 mg tablet, 28 (<i>Zepatier</i>)
<i>From</i>	
10991L	GRAZOPRE VIR + ELBASVIR , grazoprevir 100 mg + elbasvir 50 mg tablet, 28 (<i>Zepatier</i>)
<i>To</i>	
10991L	ELBASVIR + GRAZOPRE VIR , elbasvir 50 mg + grazoprevir 100 mg tablet, 28 (<i>Zepatier</i>)

Alteration – Restriction

2008Q	MANNITOL , MANNITOL Pack containing 280 capsules containing powder for inhalation 40 mg and 2 inhalers, 1 (<i>bronchitol</i>)
-------	--

Highly Specialised Drugs Program (Public Hospital)

Deletions

Deletion – Note

5704F	DORNASE ALFA , dornase alfa 2.5 mg/2.5 mL inhalation solution, 30 x 2.5 mL ampoules (<i>Pulmozyme</i>)
2015C	MANNITOL , MANNITOL Pack containing 280 capsules containing powder for inhalation 40 mg and 2 inhalers, 1 (<i>bronchitol</i>)

Alterations

Alteration – Item Description

<i>From</i>	
5609F	APOMORPHINE , apomorphine hydrochloride 20 mg/2 mL injection, 5 x 2 mL ampoules (<i>Movapo</i>)
<i>To</i>	
5609F	APOMORPHINE , apomorphine hydrochloride hemihydrate 20 mg/2 mL injection, 5 x 2 mL ampoules (<i>Movapo</i>)
<i>From</i>	
5610G	APOMORPHINE , apomorphine hydrochloride 50 mg/5 mL injection, 5 x 5 mL ampoules (<i>Movapo</i>)

To 5610G	APOMORPHINE , apomorphine hydrochloride hemihydrate 50 mg/5 mL injection, 5 x 5 mL ampoules (<i>Movapo</i>)
From 11093W	APOMORPHINE , apomorphine hydrochloride 100 mg/20 mL injection, 5 x 20 mL vials (<i>Apomine Solution for Infusion</i>)
To 11093W	APOMORPHINE , apomorphine hydrochloride hemihydrate 100 mg/20 mL injection, 5 x 20 mL vials (<i>Apomine Solution for Infusion</i>)
From 10950H	APOMORPHINE , apomorphine hydrochloride 50 mg/10 mL injection, 5 x 10 mL syringes (<i>Movapo PFS</i>)
To 10950H	APOMORPHINE , apomorphine hydrochloride hemihydrate 50 mg/10 mL injection, 5 x 10 mL syringes (<i>Movapo PFS</i>)
From 5632K	CYCLOSPORIN , cyclosporin 10 mg capsule, 60 (<i>Neoral 10</i>)
To 5632K	CICLOSPORIN , ciclosporin 10 mg capsule, 60 (<i>Neoral 10</i>)
From 5634M	CYCLOSPORIN , cyclosporin 25 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 25</i>)
To 5634M	CICLOSPORIN , ciclosporin 25 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 25</i>)
From 5635N	CYCLOSPORIN , cyclosporin 50 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 50</i>)
To 5635N	CICLOSPORIN , ciclosporin 50 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 50</i>)
From 5636P	CYCLOSPORIN , cyclosporin 100 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 100</i>)
To 5636P	CICLOSPORIN , ciclosporin 100 mg capsule, 30 (<i>Cyclosporin Sandoz, Neoral 100</i>)
From 5633L	CYCLOSPORIN , cyclosporin 100 mg/mL oral liquid, 50 mL (<i>Neoral</i>)
To 5633L	CICLOSPORIN , ciclosporin 100 mg/mL oral liquid, 50 mL (<i>Neoral</i>)
From 5631J	CYCLOSPORIN , cyclosporin 50 mg/mL injection, 10 x 1 mL ampoules (<i>Sandimmun</i>)
To 5631J	CICLOSPORIN , ciclosporin 50 mg/mL injection, 10 x 1 mL ampoules (<i>Sandimmun</i>)
From 10978T	GRAZOPRE VIR + ELBASVIR , grazoprevir 100 mg + elbasvir 50 mg tablet, 28 (<i>Zepatier</i>)
To 10978T	ELBASVIR + GRAZOPRE VIR , elbasvir 50 mg + grazoprevir 100 mg tablet, 28 (<i>Zepatier</i>)
From 10986F	GRAZOPRE VIR + ELBASVIR , grazoprevir 100 mg + elbasvir 50 mg tablet, 28 (<i>Zepatier</i>)
To 10986F	ELBASVIR + GRAZOPRE VIR , elbasvir 50 mg + grazoprevir 100 mg tablet, 28 (<i>Zepatier</i>)

Alteration – Restriction

2015C	MANNITOL , MANNITOL Pack containing 280 capsules containing powder for inhalation 40 mg and 2 inhalers, 1 (<i>bronchitol</i>)
-------	--

Growth Hormone Program

Advance Notices

1 April 2018

Deletion – Brand

10441M	<i>Omnitrope, SZ</i> – SOMATROPIN , somatropin 30 units (10 mg/1.5 mL) injection, 1.5 mL cartridge
10481P	<i>Omnitrope, SZ</i> – SOMATROPIN , somatropin 30 units (10 mg/1.5 mL) injection, 1.5 mL cartridge
6311E	<i>Omnitrope, SZ</i> – SOMATROPIN , somatropin 30 units (10 mg/1.5 mL) injection, 1.5 mL cartridge

Repatriation Pharmaceutical Benefits

Additions

Addition – Brand

- 4115N *Azithromycin Mylan, AF* – **AZITHROMYCIN**, azithromycin 500 mg tablet, 3
10169F *Plidogrel, RF* – **CLOPIDOGREL**, clopidogrel 75 mg tablet, 28

Alterations

Alteration – Item Description

From

2224C **ALENDRONATE + COLECALCIFEROL**, alendronate 70 mg + colecalciferol 140 microgram tablet, 4 (*APO-Alendronate Plus D3 70 mg/140 mcg, Alendronate plus D3-DRLA, Chem mart Alendronate Plus D3 70 mg/140 mcg, FonatPlus, Fosamax Plus 70 mg/140 mcg, Terry White Chemists Alendronate Plus D3 70 mg/140 mcg*)

To
2224C **ALENDRONATE + COLECALCIFEROL**, alendronate 70 mg + colecalciferol 140 microgram (5600 units) tablet, 4 (*APO-Alendronate Plus D3 70 mg/140 mcg, Alendronate plus D3-DRLA, Chem mart Alendronate Plus D3 70 mg/140 mcg, FonatPlus, Fosamax Plus 70 mg/140 mcg, Terry White Chemists Alendronate Plus D3 70 mg/140 mcg*)

From

4286N **ASPIRIN + CODEINE**, aspirin 300 mg + codeine phosphate 8 mg dispersible tablet, 40 (*Aspalgin 40*)

To
4286N **ASPIRIN + CODEINE**, aspirin 300 mg + codeine phosphate hemihydrate 8 mg dispersible tablet, 40 (*Aspalgin 40*)

From

4551M **DIMETHICONE-350 + GLYCEROL**, dimethicone-350 15% + glycerol 2% cream, 500 g (*Silic 15*)

To
4551M **DIMETHICONE-350 + GLYCEROL**, dimethicone-350 15% + glycerol 2% cream, 500 g (*Silic 15*)

From

4556T **DIMETHICONE-350 + GLYCEROL**, dimethicone-350 15% + glycerol 2% cream, 75 g (*Silic 15*)

To
4556T **DIMETHICONE-350 + GLYCEROL**, dimethicone-350 15% + glycerol 2% cream, 75 g (*Silic 15*)

From

4275B **PARACETAMOL + CODEINE**, paracetamol 500 mg + codeine phosphate 8 mg tablet, 40 (*Panamax Co. 40*)

To
4275B **PARACETAMOL + CODEINE**, paracetamol 500 mg + codeine phosphate hemihydrate 8 mg tablet, 40 (*Panamax Co. 40*)

Advance Notices

1 March 2018

Deletion – Brand

2220W *Actonel EC Combi, UA* – **RISEDRONATE (&) CALCIUM CARBONATE**, RISEDRONATE SODIUM and CALCIUM CARBONATE Pack containing 4 enteric coated tablets risedronate sodium 35 mg and 24 tablets calcium carbonate 1.25 g (equivalent to 500 mg calcium), 1

1 May 2018

Deletion – Brand

2254P *Actonel EC Combi D, UA* – **RISEDRONATE (&) CALCIUM CARBONATE + COLECALCIFEROL**, RISEDRONATE SODIUM and CALCIUM CARBONATE with COLECALCIFEROL Pack containing 4 enteric coated tablets risedronate sodium 35 mg and 24 sachets containing granules of calcium carbonate 2.5 g (equivalent to 1 g calcium) with colecalciferol 22 micrograms, 1

General Pharmaceutical Benefits

▪ ADRENALINE

Note The auto-injector should be provided in the framework of a comprehensive anaphylaxis prevention program and an emergency action plan including training in recognition of the symptoms of anaphylaxis and the use of the auto-injector device. (For further information see the Australasian Society of Clinical Immunology and Allergy website at www.allergy.org.au.)

Note Authority approvals will be limited to a maximum quantity of 2 auto-injectors at any one time.

Note No applications for repeats will be authorised.

Authority required

Acute allergic reaction with anaphylaxis

Treatment Phase: Initial sole PBS-subsidised supply for anticipated emergency treatment

Clinical criteria:

- Patient must have been assessed to be at significant risk of anaphylaxis by, or in consultation with a clinical immunologist; OR
- Patient must have been assessed to be at significant risk of anaphylaxis by, or in consultation with an allergist; OR
- Patient must have been assessed to be at significant risk of anaphylaxis by, or in consultation with a paediatrician; OR
- Patient must have been assessed to be at significant risk of anaphylaxis by, or in consultation with a respiratory physician. The name of the specialist consulted must be provided at the time of application for initial supply.

Authority required

Acute allergic reaction with anaphylaxis

Treatment Phase: Initial sole PBS-subsidised supply for anticipated emergency treatment

Clinical criteria:

- Patient must have been discharged from hospital or an emergency department after treatment with adrenaline for acute allergic reaction with anaphylaxis.

Authority required

Acute allergic reaction with anaphylaxis

Treatment Phase: Continuing sole PBS-subsidised supply for anticipated emergency treatment

Clinical criteria:

- Patient must have previously been issued with an authority prescription for this drug.

adrenaline 300 microgram/0.3 mL injection, 1 dose

8698T	Max.Qty Packs	No. of Rpts	Premium \$	DPMQ \$	MRVSN \$	Brand Name and Manufacturer
NP	1	97.10	39.50	EpiPen [AL]

adrenaline 150 microgram/0.3 mL injection, 1 dose

8697R	Max.Qty Packs	No. of Rpts	Premium \$	DPMQ \$	MRVSN \$	Brand Name and Manufacturer
NP	1	97.10	39.50	EpiPen Jr. [AL]

▪ ALECTINIB

Note No increase in the maximum quantity or number of units may be authorised.

Note No increase in the maximum number of repeats may be authorised.

Note Special Pricing Arrangements apply.

Authority required

Stage IIIB (locally advanced) or Stage IV (metastatic) non-small cell lung cancer (NSCLC)

Treatment Phase: Initial treatment

Clinical criteria:

- The treatment must be as monotherapy, **AND**
- The condition must be non-squamous type non-small cell lung cancer (NSCLC) or not otherwise specified type NSCLC, **AND**
- Patient must have a WHO performance status of 2 or less.

Population criteria:

- Patient must have evidence of an anaplastic lymphoma kinase (ALK) gene rearrangement in tumour material, defined as 15% (or greater) positive cells by fluorescence in situ hybridisation (FISH) testing.

Authority required

Stage IIIB (locally advanced) or Stage IV (metastatic) non-small cell lung cancer (NSCLC)

Treatment Phase: Continuing treatment

Clinical criteria:

- The treatment must be as monotherapy, **AND**
- Patient must have previously received PBS-subsidised treatment with this drug for this condition, **AND**
- Patient must not develop disease progression while receiving PBS-subsidised treatment with this drug for this condition.

Authority required

Stage IIIB (locally advanced) or Stage IV (metastatic) non-small cell lung cancer (NSCLC)

Treatment Phase: Grandfathering treatment

Clinical criteria:

- Patient must have previously received non-PBS-subsidised treatment with this drug for this condition prior to 1 January 2018, **AND**
- The treatment must be as monotherapy, **AND**
- The condition must be non-squamous type non-small cell lung cancer (NSCLC) or not otherwise specified type NSCLC, **AND**
- Patient must have a WHO performance status of 2 or less, **AND**
- Patient must not have progressive disease while receiving treatment with this drug for this condition.

Population criteria:

- Patient must have evidence of an anaplastic lymphoma kinase (ALK) gene rearrangement in tumour material, defined as 15% (or greater) positive cells by fluorescence in situ hybridisation (FISH) testing.

A patient may qualify for PBS-subsidised treatment under this restriction once only. For continuing PBS-subsidised treatment, a Grandfathered patient must qualify under the Continuing treatment criteria.

alectinib 150 mg capsule, 4 x 56

11226W	Max.Qty Packs	No. of Rpts	Premium \$	DPMQ \$	MRVSN \$	Brand Name and Manufacturer
	1	1	..	6802.60	39.50	Alecensa [RO]

▪ **CERITINIB**

Note No increase in the maximum quantity or number of units may be authorised.

Note No increase in the maximum number of repeats may be authorised.

Note Special Pricing Arrangements apply.

Authority required

Stage IIIB (locally advanced) or Stage IV (metastatic) non-small cell lung cancer (NSCLC)

Treatment Phase: Initial treatment

Clinical criteria:

- The treatment must be as monotherapy, **AND**
- The condition must be non-squamous type non-small cell lung cancer (NSCLC) or not otherwise specified type NSCLC, **AND**
- Patient must have a WHO performance status of 2 or less.

Population criteria:

- Patient must have evidence of an anaplastic lymphoma kinase (ALK) gene rearrangement in tumour material, defined as 15% (or greater) positive cells by fluorescence in situ hybridisation (FISH) testing.

Authority required

Stage IIIB (locally advanced) or Stage IV (metastatic) non-small cell lung cancer (NSCLC)

Treatment Phase: Continuing treatment

Clinical criteria:

- The treatment must be as monotherapy, **AND**
- Patient must have previously received PBS-subsidised treatment with this drug for this condition, **AND**
- Patient must not develop disease progression while receiving PBS-subsidised treatment with this drug for this condition.

Authority required

Stage IIIB (locally advanced) or Stage IV (metastatic) non-small cell lung cancer (NSCLC)

Treatment Phase: Grandfathering treatment

Clinical criteria:

- Patient must have previously received non-PBS-subsidised treatment with this drug for this condition prior to 1 February 2017, **AND**
- The treatment must be as monotherapy, **AND**
- The condition must be non-squamous type non-small cell lung cancer (NSCLC) or not otherwise specified type NSCLC, **AND**
- Patient must have a WHO performance status of 2 or less, **AND**
- Patient must not have progressive disease.

Population criteria:

- Patient must have evidence of an anaplastic lymphoma kinase (ALK) gene rearrangement in tumour material, defined as 15% (or greater) positive cells by fluorescence in situ hybridisation (FISH) testing.

A patient may qualify for PBS-subsidised treatment under this restriction once only.

ceritinib 150 mg capsule, 3 x 50

11056X	Max.Qty Packs	No. of Rpts	Premium \$	DPMQ \$	MRVSN \$	Brand Name and Manufacturer
	1	1	..	7277.82	39.50	Zykadia [NV]

■ CRIZOTINIB

Note Any queries concerning the arrangements to prescribe may be directed to the Department of Human Services on 1800 700 270 (hours of operation 8 a.m. to 5 p.m. EST Monday to Friday).

Prescribing information (including Authority Application forms and other relevant documentation as applicable) is available on the Department of Human Services website at www.humanservices.gov.au

Applications for authority to prescribe should be forwarded to:

Department of Human Services

Complex Drugs

Reply Paid 9826

HOBART TAS 7001

Note Special Pricing Arrangements apply.

Authority required

Stage IIIB (locally advanced) or Stage IV (metastatic) non-small cell lung cancer (NSCLC)

Treatment Phase: Initial treatment

Clinical criteria:

- The treatment must be as monotherapy, **AND**
- The condition must be non-squamous type non-small cell lung cancer (NSCLC) or not otherwise specified type NSCLC, **AND**
- Patient must have a WHO performance status of 2 or less.

Population criteria:

- Patient must have evidence of an anaplastic lymphoma kinase (ALK) gene rearrangement in tumour material, defined as 15% (or greater) positive cells by fluorescence in situ hybridisation (FISH) testing.

The authority application must be made in writing and must include:

(1) a completed authority prescription form; and

(2) a completed ALK-Positive Non-Small-Cell Lung Cancer Authority Application - Supporting Information Form, which includes details of ALK gene rearrangement in tumour material by FISH testing.

Authority required

Stage IIIB (locally advanced) or Stage IV (metastatic) non-small cell lung cancer (NSCLC)

Treatment Phase: Continuing treatment

Clinical criteria:

- The treatment must be as monotherapy, **AND**
- Patient must have previously been issued with an authority prescription for this drug, **AND**
- Patient must not develop disease progression while receiving PBS-subsidised treatment with this drug for this condition.

Note Authority applications for continuing treatment may be made by telephone to the Department of Human Services on 1800 700 270 (hours of operation 8 a.m. to 5 p.m. EST Monday to Friday).

crizotinib 200 mg capsule, 60

10323H	Max.Qty Packs	No. of Rpts	Premium \$	DPMQ \$	MRVSN \$	Brand Name and Manufacturer
	1	1	..	7277.82	39.50	Xalkori [PF]

crizotinib 250 mg capsule, 60

10322G	Max.Qty Packs	No. of Rpts	Premium \$	DPMQ \$	MRVSN \$	Brand Name and Manufacturer
	1	1	..	7277.82	39.50	Xalkori [PF]

Highly Specialised Drugs Program (Private Hospital)

▪ MANNITOL

Note It is highly desirable that all patients be included in the national cystic fibrosis patient database.

Authority required

Cystic fibrosis

Clinical criteria:

- The treatment must be as monotherapy, **AND**
- Patient must be intolerant or inadequately responsive to dornase alfa.

Population criteria:

- Patient must be 6 years of age or older.

Patient must have been assessed for bronchial hyperresponsiveness as per the TGA approved Product Information initiation dose assessment for this drug, prior to therapy with this drug, with a negative result.

Patient must be assessed at a cystic fibrosis clinic/centre which is under the control of specialist respiratory physicians with experience and expertise in the management of cystic fibrosis or by a specialist physician or paediatrician in consultation with such a unit.

Prior to therapy with this drug, a baseline measurement of forced expiratory volume in 1 second (FEV1) must be undertaken during a stable period of the disease.

Initial therapy is limited to 3 months treatment with mannitol at a dose of 400 mg twice daily.

To be eligible for continued PBS-subsidised treatment with this drug following 3 months of initial treatment:

- (1) the patient must demonstrate no deterioration in FEV1 compared to baseline; **AND**
- (2) the patient or the patient's family (in the case of paediatric patients) and the treating physician(s) must report a benefit in the clinical status of the patient.

Further reassessments must be undertaken and documented at six-monthly intervals. Therapy with this drug should cease if there is not general agreement of benefit as there is always the possibility of harm from unnecessary use.

Authority required

Cystic fibrosis

Clinical criteria:

- The treatment must be in combination with dornase alfa, **AND**
- Patient must be inadequately responsive to dornase alfa, **AND**
- Patient must have trialled hypertonic saline for this condition.

Population criteria:

- Patient must be 6 years of age or older.

Patient must have been assessed for bronchial hyperresponsiveness as per the TGA approved Product Information initiation dose assessment for this drug, prior to therapy with this drug, with a negative result.

Patient must be assessed at a cystic fibrosis clinic/centre which is under the control of specialist respiratory physicians with experience and expertise in the management of cystic fibrosis or by a specialist physician or paediatrician in consultation with such a unit.

Prior to therapy with this drug, a baseline measurement of forced expiratory volume in 1 second (FEV1) must be undertaken during a stable period of the disease.

Initial therapy is limited to 3 months treatment with mannitol at a dose of 400 mg twice daily.

To be eligible for continued PBS-subsidised treatment with this drug following 3 months of initial treatment:

- (1) the patient must demonstrate no deterioration in FEV1 compared to baseline; **AND**
- (2) the patient or the patient's family (in the case of paediatric patients) and the treating physician(s) must report a benefit in the clinical status of the patient.

Further reassessments must be undertaken and documented at six-monthly intervals. Therapy with this drug should cease if there is not general agreement of benefit as there is always the possibility of harm from unnecessary use.

MANNITOL Pack containing 280 capsules containing powder for inhalation 40 mg and 2 inhalers, 1

2008Q	Max.Qty Packs	No. of Rpts	Premium \$	DPMQ \$	Brand Name and Manufacturer
	4	5	..	*1783.15	bronchitol [XA]

Highly Specialised Drugs Program (Public Hospital)

▪ MANNITOL

Note It is highly desirable that all patients be included in the national cystic fibrosis patient database.

Authority required (STREAMLINED)

7362

Cystic fibrosis

Clinical criteria:

- The treatment must be as monotherapy, **AND**
- Patient must be intolerant or inadequately responsive to dornase alfa.

Population criteria:

- Patient must be 6 years of age or older.

Patient must have been assessed for bronchial hyperresponsiveness as per the TGA approved Product Information initiation dose assessment for this drug, prior to therapy with this drug, with a negative result.

Patient must be assessed at a cystic fibrosis clinic/centre which is under the control of specialist respiratory physicians with experience and expertise in the management of cystic fibrosis or by a specialist physician or paediatrician in consultation with such a unit.

Prior to therapy with this drug, a baseline measurement of forced expiratory volume in 1 second (FEV1) must be undertaken during a stable period of the disease.

Initial therapy is limited to 3 months treatment with mannitol at a dose of 400 mg twice daily.

To be eligible for continued PBS-subsidised treatment with this drug following 3 months of initial treatment:

- (1) the patient must demonstrate no deterioration in FEV1 compared to baseline; **AND**
- (2) the patient or the patient's family (in the case of paediatric patients) and the treating physician(s) must report a benefit in the clinical status of the patient.

Further reassessments must be undertaken and documented at six-monthly intervals. Therapy with this drug should cease if there is not general agreement of benefit as there is always the possibility of harm from unnecessary use.

Authority required (STREAMLINED)

7367

Cystic fibrosis

Clinical criteria:

- The treatment must be in combination with dornase alfa, **AND**
- Patient must be inadequately responsive to dornase alfa, **AND**
- Patient must have trialled hypertonic saline for this condition.

Population criteria:

- Patient must be 6 years of age or older.

Patient must have been assessed for bronchial hyperresponsiveness as per the TGA approved Product Information initiation dose assessment for this drug, prior to therapy with this drug, with a negative result.

Patient must be assessed at a cystic fibrosis clinic/centre which is under the control of specialist respiratory physicians with experience and expertise in the management of cystic fibrosis or by a specialist physician or paediatrician in consultation with such a unit.

Prior to therapy with this drug, a baseline measurement of forced expiratory volume in 1 second (FEV1) must be undertaken during a stable period of the disease.

Initial therapy is limited to 3 months treatment with mannitol at a dose of 400 mg twice daily.

To be eligible for continued PBS-subsidised treatment with this drug following 3 months of initial treatment:

- (1) the patient must demonstrate no deterioration in FEV1 compared to baseline; **AND**
- (2) the patient or the patient's family (in the case of paediatric patients) and the treating physician(s) must report a benefit in the clinical status of the patient.

Further reassessments must be undertaken and documented at six-monthly intervals. Therapy with this drug should cease if there is not general agreement of benefit as there is always the possibility of harm from unnecessary use.

MANNITOL Pack containing 280 capsules containing powder for inhalation 40 mg and 2 inhalers, 1

2015C	Max.Qty Packs	No. of Rpts	Premium \$	DPMQ \$	Brand Name and Manufacturer
	4	5	..	*1736.00	bronchitol [XA]